

DODGE SPRINTER PASSENGER VAN/CARGO VAN/CHASSIS CAB

2008 DODGE SPRINTER • 2008 DODGE SPRINTER • 2008 DODGE SPRINTER • 2008 DODGE SPRINTER • 2008 DODGE SPRINTER • 2 DODGE SPRINTER • 2008 DODGE SPRINTER



A best-in-class 5,570-lb available payload,⁽¹⁾ an available 600 cu ft of cargo capacity, outstanding fuel economy⁽²⁾ and it's upfit friendly. No wonder it's the most technologically advanced commercial van on the market.⁽¹⁾

PRODUCT HIGHLIGHTS

- The most versatile, most technologically advanced commercial van on the market⁽¹⁾
- Best-in-class:⁽¹⁾
 - Available payload up to 5,570 lb
 - Available cargo capacity of up to 600 cu ft
 - Interior compartment accessibility of any full-size van
 - Side and rear door opening area
 - Rear load floor height — lowest of any 2500 full-size van
 - Side step-in height — lowest of any 2500 full-size van
 - Standard interior standing height
- 3.0L Common Rail Diesel (CRD) V6 engine — Standard
- Five-speed automatic transmission with AutoStick® — Standard
- Power windows and power door locks — Standard
- 25-gallon fuel tank — Standard
- Manual steering tilt/telescoping column — Standard
- Full-size spare tire — Standard
- Security alarm — Available
- Power sliding driver-side and passenger-side doors — Available

SAFETY/SECURITY

- Adaptive Electronic Stability Program (ESP)⁽³⁾ — Standard
- Driver-side and front-passenger air bags⁽⁴⁾ — Standard
- Supplemental front seat side air bags⁽⁴⁾ — Available
- Supplemental side-curtain air bags⁽⁴⁾ — Available
- Load Adaptive Control — Standard
- Electronic Roll Mitigation (ERM) — Standard
- Brake Assist — Standard
- Four-wheel disc antilock brakes — Standard
- Acceleration Skid Control — Standard
- Remote Keyless/Illuminated Entry — Standard
- Rear back-up alarm — Available
- Locking glove box — Available
- Heated windshield and rain/light sensor systems — Available
- Front and rear ParkSense® Park Assist System⁽⁵⁾ — Available⁽⁶⁾
- Pressure headlamp washers — Available
- High Intensity Discharge (HID) Bi-Xenon headlamps — Available

FLEET FEATURES

- Contractor Group — Available on Cargo Van and Chassis Cab
- Security Group — Available on Passenger Van
- Crew Van Group — Available
- Up to 10,000-mile oil change intervals
- 11,030 lb GVWR — Available

⁽¹⁾ Sprinter Cargo Van. Based on *Automotive News* classification.

⁽²⁾ Estimated fuel economy based on independent testing.

⁽³⁾ Always drive carefully, consistent with driving conditions. Always wear your seat belt and obey traffic laws.

⁽⁴⁾ Always use seat belts. Dodge Sprinter Cargo Vans are equipped only with front seats and should not be used to carry children 12 and under.

⁽⁵⁾ Always check entire surroundings before backing up.

⁽⁶⁾ On Passenger and Cargo Van.



CHRYSLER


FLEET OPERATIONS

POWERTRAINS

Engine	Transmission	
3.0L V6 CRD Turbo Diesel 154 hp @ 3,400 rpm 280 lb-ft of torque @ 1,200-2,400 rpm	Five-Speed Automatic with AutoStick®	S

S = Standard. O = Optional.

EXTERIOR COLORS

					
Arctic White	Calcite Yellow	Silver Gray	Carbon Black Metallic	Aqua Green	Brilliant Blue
					
Velvet Red	Hibiscus Red	Black Blue	Jet Black	Amber Red Metallic	Graphite Gray
					
Vanda Blue	Stone Gray	Brilliant Silver Metallic	Graphite Metallic	Jasper Blue Metallic	Bright Red ¹⁾
					
Steel Blue	Black Gray ¹⁾	Flame Red	Detonator Yellow ¹⁾		

¹⁾ Not available on Chassis Cab models.

¹⁾ Fleet only color.

DIMENSIONS⁽¹⁾/SPECIFICATIONS

	Cargo Van									Passenger Van			Chassis Cab	
	2500	2500 HIGH ROOF			2500 MEGA ROOF	3500 HIGH ROOF			3500 MEGA ROOF	2500	2500 HIGH ROOF		3500	
Wheelbase	144	144	170	170 Extended	170	144	170	170 Extended	170 Extended	144	144	170	144	170
Overall Length	232.5	232.5	273.2	289.2	273.2	232.5	273.2	289.2	289.2	232.5	232.5	273.2	239.6	269.5
Overall Height	96.3	107.5	107.5	107.5	116.7	107.5	107.5	107.5	120.1	96.3	107.5	107.5	95.5	95.5
Overall Width	79.7	79.7	79.7	79.7	79.7	79.7	79.7	79.7	79.7	79.7	79.7	79.7	79.3	79.3
Turning Diameter (ft)	47.6	47.6	54.6	54.6	54.6	47.6	54.6	54.6	54.6	47.6	47.6	54.6	47.6	54.6
Front Overhang	39.5	39.5	39.5	39.5	39.5	39.5	39.5	39.5	39.5	39.5	39.5	39.5	39.5	39.5
Rear Overhang ⁽²⁾	48.8	48.8	63.6	79.3	63.6	48.8	63.6	79.3	79.3	48.8	48.8	63.6	49.2	53.1
Track – Front	68.0	68.0	68.0	68.0	68.0	67.2	67.2	67.2	67.2	68.0	68.0	68.0	67.2	67.2
Track – Rear	68.2	68.2	68.2	68.2	68.2	60.9	60.9	60.9	60.9	68.2	68.2	68.2	60.9	60.9
Ground to Sliding Door Step – Side	20.2	20.2	19.9	19.9	19.9	22.0	21.2	21.2	21.2	20.2	20.2	19.9	—	—
Ground to Cargo Floor – Rear	27.6	27.6	27.4	27.2	27.4	31.1	30.9	30.9	30.9	27.6	27.6	27.4	—	—
Door Opening – Side Height	59.8	71.7	71.7	71.7	71.7	71.7	71.7	71.7	71.7	59.8	71.7	71.7	—	—
Door Opening – Rear Height	60.6	72.4	72.4	72.4	72.4	72.4	72.4	72.4	72.4	60.6	72.4	72.4	—	—
Door Width – Side	51.2	51.2	51.2	51.2	51.2	51.2	51.2	51.2	51.2	51.2	51.2	51.2	—	—
Door Width – Rear	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	—	—
Cargo Bed Length	128.5	128.5	169.3	185.0	169.3	128.5	169.3	185.0	185.0	32.5	32.5	73.2	—	—
Cargo Width at Wheelhouse	53.1	53.1	53.1	53.1	53.1	38.5	38.5	38.5	38.5	53.1	53.1	53.1	—	—
Maximum Width at Floor	70.1	70.1	70.1	70.1	70.1	70.1	70.1	70.1	70.1	70.1	70.1	70.1	—	—
Interior Height	65.0	76.4	76.4	76.4	84.3	76.4	76.4	76.4	84.3	65.0	76.4	76.4	—	—
Cargo Volume (cu ft)	318.0	371.0	494.0	547.0	530.0	371.0	494.0	547.0	600.0	141.3	158.9	187.2	—	—
Standard GVWR (lb)	8,550	8,550	8,550	8,550	8,550	9,990	9,990	9,990	11,030	8,550	8,550	8,550	11,030	11,030
Optional GVWR (lb)	—	—	—	—	—	11,030	11,030	11,030	—	—	—	—	—	—
Standard GAWR – Front (lb)	3,970	3,970	3,970	3,970	3,970	4,080	4,080	4,080	4,080	3,970	3,970	3,970	4,080	4,080
Standard GAWR – Rear (lb)	5,360	5,360	5,360	5,360	5,360	7,060	7,060	7,060	7,720	5,360	5,360	5,360	7,720	7,720
Base Curb Weight (lb)	4,784	4,936	5,267	5,395	5,326	5,460	5,862	5,978	6,041	5,613	5,692	6,085	4,487	4,570
Standard GCWR (lb)	13,550	13,550	13,550	13,550	13,550	14,990	14,990	14,990	15,250	13,550	13,550	13,550	15,250	15,250
Fuel Tank Capacity (gal)	25	25	25	25	25	25	25	25	25	25	25	25	25	25

⁽¹⁾ Inches unless otherwise specified. ⁽²⁾ Rear frame overhang on Chassis Cab.

Chrysler and ParkSense are registered trademarks of Chrysler LLC. Chrysler LLC reserves the right to make changes at any time, without notice or obligation. All product specifications and photographs are based on authorized information as of 4/1/08. Fleet Operations is a division of Chrysler Motors LLC.

To learn more about the 2008 Dodge Sprinter Cargo Van, Passenger Van and/or Chassis Cab, visit www.fleet.chrysler.com or call 1-800-999-FLEET.

DODGE SPRINTER PASSENGER VAN/ CARGO VAN/CHASSIS CAB

2008

TRIM COMBINATIONS

	Passenger Van	Cargo Van	Chassis Cab
Exterior Colors	Gray Cloth	Black Cloth	Black Cloth
Amber Red Metallic	•	•	•
Aqua Green	•	•	•
Arctic White	•	•	•
Black Blue	•	•	•
Black Gray	•	•	•
Bright Red	•	•	•
Brilliant Blue	•	•	•
Brilliant Silver Metallic	•	•	•
Calcite Yellow	•	•	•
Carbon Black Metallic	•	•	•
Detonator Yellow	•	•	•
Flame Red	•	•	•
Gloss Black	•	•	•
Graphite Gray	•	•	•
Graphite Metallic	•	•	•
Hibiscus Red	•	•	•
Jasper Blue Metallic	•	•	•
Jet Black	•	•	•
Silver Gray	•	•	•
Steel Blue	•	•	•
Stone Gray	•	•	•
Vanda Blue	•	•	•
Velvet Red	•	•	•

POWERTRAINS

Engines	Transmissions	
3.0L V6 CRD Turbo Diesel 154 hp @ 3,400 rpm 280 lb-ft of torque @ 1,200–2,400 rpm	Five-Speed Automatic with AutoStick®	S
3.5L V6 Gas ⁽¹⁾ 254 hp @ 5,900 rpm 250 lb-ft of torque @ 2,500–5,000 rpm	Five-Speed Automatic with AutoStick	O

⁽¹⁾ Available on 2500 models only.

SELECTED FEATURES, OPTIONS AND PACKAGES

		Passenger Van		Cargo Van						Chassis Cab	
		2500		2500		3500		3500		3500	
Engines	Transmissions	144" WB	170" WB	144" WB	170" WB	170" WB ext	144" WB	170" WB	170" WB ext	144" WB	170" WB
3.0L V6 CRD Turbo Diesel	Five-Speed Automatic with AutoStick (EXM)	•	•	•	•	•	•	•	•	•	•
3.5L Gas V6	Five-Speed Automatic with AutoStick (EG2)	O	O	O	O	O	N/A	N/A	N/A	N/A	N/A



CHRYSLER

FLEET OPERATIONS

DODGE SPRINTER PASSENGER VAN/ CARGO VAN/CHASSIS CAB

2008

SELECTED FEATURES, OPTIONS AND PACKAGES

	Passenger Van		Cargo Van						Chassis Cab	
	2500		2500		3500				3500	
	144" WB	170" WB	144" WB	170" WB	170" WB ext	144" WB	170" WB	170" WB ext	144" WB	170" WB
Features										
Accessory Group — Includes high-pressure headlamp washer, rain and light sensor, fog lamps and High Intensity Discharge (HID) Bi-Xenon headlamps (ACL)	O	O	O	O	O	O	O	O	O	O
2TB — Includes luxury driver and front-passenger bucket seats, hinged lid for center stack bin, driver seat base power outlet and locking glove box (Passenger Van also includes Light Group, rear-door window wiper/washer and rear-seat cup holders) (2TB)	O	O	O	O	O	O	O	O	O	O
Adaptive Electronic Stability Program (ESP) ⁽¹⁾	•	•	•	•	•	•	•	•	•	•
Air Bags ⁽²⁾										
— Driver and front-passenger	•	•	•	•	•	•	•	•	•	•
— Supplemental front driver-side (CJ9)	L	L	O	O	O	O	O	O	O	O
— Supplemental front seat, driver and outboard front-passenger side (included with Security Group on Passenger Van) (not available with dual front passenger seat) (CJ1)	O/P	O/P	O	O	O	O	O	O	O	O
— Supplemental side-curtain, front (included in Security Group on Passenger Van) (not available with delete roof and rear wall on Chassis Cab) (CJ4)	O/P	O/P	O	O	O	O	O	O	O	O
— Front-passenger air bag delete (included with passenger jump seat and cargo partition with sliding door) (CGF)			P	P	P	P	P	P		
Air Conditioning										
— Front, includes automatic temperature control (includes temperature gauge)	•	•	•	•	•	•	•	•	•	•
— Rear, heavy-duty (HBD)	O	O								
Alarm — Rear, backup (XAW)	O	O	O	O	O	O	O	O	O	O
Alternator										
— 180-amp	•	•	•	•	•	•	•	•	•	•
— 220-amp (included with Contractor Group and Mobility Prep Group) (BAJ)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
Armrest										
— Driver and front-passenger seat	•	•	•	•	•	•	•	•	•	•
— Right and left rear seat (not available on 12-passenger seating on Passenger Vans) (requires crew van seating on Cargo Van) (CSK)	P	P	P	P	P	P	P	P		
Ashtray										
— Front (includes cigar lighter)	•	•	•	•	•	•	•	•	•	•
— Rear	•	•								
Assist Handle										
— Right, left rear (included with Cargo Group I and II) (CSQ)	O	O	O/P	O/P	O/P	O/P	O/P	O/P		
— Sliding door (CS1)	•	•	O	O	O	O	O	O		
Auxiliary Battery — 100-amp hour includes battery disconnect relay (included in Contractor Group and Mobility Prep Group) (BC1)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P

DODGE SPRINTER PASSENGER VAN/ CARGO VAN/CHASSIS CAB

2008

SELECTED FEATURES, OPTIONS AND PACKAGES

	Passenger Van		Cargo Van						Chassis Cab	
	2500		2500		3500				3500	
	144" WB	170" WB	144" WB	170" WB	170" WB ext	144" WB	170" WB	170" WB ext	144" WB	170" WB
Auxiliary Belt Drive – For extra refrigerant compressor (not available with heavy-duty rear air conditioning or with gas engine) (LBS)	O	O	O	O	O	O	O	O	O	O
Auxiliary Heat Exchanger Prep – (Diesel only) Requires auxiliary front heater (not available with rear auxiliary heater) (XBJ)	O	O	O	O	O	O	O	O		
Auxiliary Heater										
– Electric-powered	•	•	•	•	•	•	•	•	•	•
– Front (Diesel only) (included with Rear Heating Group II) (HDB)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O	O
– Rear (included with Rear Heater Groups I, II, III, IV) (HDC)	P	P	P	P	P	P	P	P		
Auxiliary Heater and Booster (included with Rear Heater Group III) (XG3)	P	P	P	P	P	P	P	P		
Axle Ratio										
– 3.92 (Diesel only)	•	•	•	•	•	•	•	•	•	•
– 4.10 (Diesel only) (DMF)	O	O	O	O	O	O	O	O	O	O
– 4.72 (standard with 3.5L gas engine only) (DMN)	P	P	P	P	P					
– 5.10 (optional on 3.5L gas engine only) (DML)	O	O	O	O	O					
Back-Up Camera Group (includes back-up camera, ⁽³⁾ display monitor, and back-up camera prep) (AMV)	O	O	O	O	O	O	O	O		
Back-Up Camera Prep – Rear (XA3)	O	O	O	O	O	O	O	O		
Battery										
– 100-amp, maintenance-free	•	•	•	•	•	•	•	•	•	•
– 95-amp high-density, deep discharge (included with heavy-duty rear air conditioning on Passenger Van) (BCY)	O/P	O/P	O	O	O	O	O	O	O	O
Battery Disconnect Relay – Auxiliary (included with auxiliary battery) (XA4)	P	P	P	P	P	P	P	P	P	P
Battery Master Switch – Cable disconnect in passenger compartment on firewall next to accelerator pedal	•	•	•	•	•	•	•	•	•	•
Body Electrical Prep (XZG)									O	O
Brakes – Four-wheel disc with ABS	•	•	•	•	•	•	•	•	•	•
Bumper										
– Paintable, front and rear (MC3)	L	L	L	L	L	L	L	L	L	L
Front										
– Dark Gray	•	•	•	•	•	•	•	•	•	•
Rear										
– Dark Gray with step pads (MBZ)	O	O	O	O	O	O	O	O		
– Wide metal (MKB)			L	L	L	L	L	L		
– Higher wide metal (MKK)			L	L	L	L	L	L		
– Gray	•	•	•	•	•	•	•	•		
Cargo Group I – Includes rear door right and left side assist handles, full laminated wood panels, lashing straps and rear cargo tie-downs (AZ1)			O	O	O	O	O	O		

DODGE SPRINTER PASSENGER VAN/ CARGO VAN/CHASSIS CAB

2008

SELECTED FEATURES, OPTIONS AND PACKAGES

	Passenger Van		Cargo Van						Chassis Cab	
	2500		2500		3500				3500	
	144" WB	170" WB	144" WB	170" WB	170" WB ext	144" WB	170" WB	170" WB ext	144" WB	170" WB
Cargo Group II – Includes rear door right- and left-side assist handles, lashing straps, rear cargo tie-downs, half laminated wood cargo panels (AZ2)			O	O	O	O	O	O		
Cargo Panels										
– Half fiberboard lower (includes rear door storage net) (CMP)			O	O	O	O	O	O		
– Half laminated wood (included with Cargo Group II) (CMG)			O/P	O/P	O/P	O/P	O/P	O/P		
– Full laminated wood panels (included with Cargo Group I) (CTE)			O/P	O/P	O/P	O/P	O/P	O/P		
Cargo Partition – Separates front cabin from cargo area with a metal partition (includes B-pillar handle) (CWC)			O	O	O	O	O	O		
Cargo Partition Provisions (XJZ)			O	O	O	O	O	O		
Cargo Partition with Sliding Door – Only available on High and Mega Roof; deletes passenger air bag, passenger seat (includes B-pillar handle and passenger jump seat) (XJY)			O	O	O	O	O	O		
Cargo Partition with Sliding Window (includes B-pillar handle) (XJ1)			O	O	O	O	O	O		
Cargo Partition with Window (includes B-pillar handle) (XJW)			O	O	O	O	O	O		
Cargo Tie-Down Rail System – Floor (included with Cargo Groups I, II) (not available with wood floor delete or cargo partition with sliding door) (CW1)			O	O	O	O	O	O		
Cell Phone Prep – Requires RBV radio (not available with delete roof and rear wall on Chassis Cab) (XFV)	O	O	O	O	O	O	O	O	O	O
Child Seat Anchor System (LATCH) (included with all 1st- and 2nd-row rear bench seats) (CGU)	•	•	P	P	P	P	P	P		
CHMSL Lamp – Center high-mounted stop lamp	•	•	•	•	•	•	•	•		
Chocks – Wheel (WMP)			O	O	O	•	•	•	•	•
Cold Climate Comfort Group I – Includes heated windshield, (power heated mirrors on Cargo Van and Chassis Cab), heated driver and front-passenger seats (ADE)	O	O	O	O	O	O	O	O	O	O
Comfort Seating Group – Includes driver and front-passenger suspension seats (AFD)	O	O	O	O	O	O	O	O	O	O
Console – Overhead with two reading lamps (included with Light Group, rain and light sensor and security alarm) (CUN)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
Contractor Group – Includes 220-amp alternator, auxiliary battery, auxiliary battery disconnect relay, two additional keys, driver seat base power outlet, and road hazard warning lamp (ASM)			O	O	O	O	O	O	O	O
Crew Van Group – Includes Window Group I, three-passenger 1st-row rear bench seat and Passenger Van floor (AEG)			O	O	O	O	O	O		
Cup Holders – Rear-seat (included with 2TB) (CD1)	P	P								
Defroster – Rear window (requires rear door windows or rear window wiper/washer) (GFA)	•	•	O	O	O	O	O	O		



CHRYSLER

FLEET OPERATIONS

DODGE SPRINTER PASSENGER VAN/ CARGO VAN/CHASSIS CAB

2008

SELECTED FEATURES, OPTIONS AND PACKAGES

	Passenger Van		Cargo Van						Chassis Cab	
	2500		2500		3500				3500	
	144" WB	170" WB	144" WB	170" WB	170" WB ext	144" WB	170" WB	170" WB ext	144" WB	170" WB
Doors										
– Right, sliding	•	•	•	•	•	•	•	•		
– Left, sliding (no glass) (not available with Crew Van Group) (GKE)			O	O	O	O	O	O		
– Power sliding – Driver side (JRB)			O	O	O	O	O	O		
– Power sliding – Passenger side (JRA)	O	O	O	O	O	O	O	O		
– Rear, hinged with magnetic catches (270-degree opening)	•	•	•	•	•	•	•	•		
Electrical Pre-fittings for Tailgate – Requires auxiliary battery (XBE)									O	O
End-of-Frame Crossmember									•	•
– Delete end-of-frame crossmember (not available with rear backup alarm) (XWJ)									O	O
Exhaust Pipe – Rear extension	•	•	•	•	•	•	•	•	•	•
First Aid Kit – Included in Security Group on Passenger Van (XWA)	O/P	O/P	O	O	O	O	O	O	O	O
Floor Covering										
– Front, rubber	•	•	•	•	•	•	•	•	•	•
– Rear, black rubber (not available with wood floor delete or Cargo partition with sliding door on Cargo Van) (CKZ)	•	•	O	O	O	O	O	O		
– Passenger Van (included with Crew Van Group on Cargo Van) (CMZ)	•	•	P	P	P	P	P	P		
Front Axle – Reinforced (included with heavy-duty springs and shocks) (DKH)						O	O	O	O	O
Front Floor Mat – Delete (CK8)	L	L	L	L	L	L	L	L	L	L
Fuel Sender for Auxiliary Heater – Included with 3.0L CRD Turbo Diesel V6 engine (XFZ)	P	P	P	P	P	P	P	P	P	P
Fuel Tank – 25-gallon	•	•	•	•	•	•	•	•	•	•
Glass										
– Tinted windshield	•	•	•	•	•	•	•	•	•	•
– Sunscreen (tinted) (requires rear door window defroster and requires one of the Window Groups, rear door windows, or rear window wiper/washer on Cargo Van) (GAE)	•	•	O	O	O	O	O	O		
– Glazing, Cargo Van (requires Window Group IV) (GE2)	•	•	O	O	O	O	O	O		
Glove Box – Locking (included with 2TB) (JKA)	P	P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
GVW Rating										
– 8,550 lb (Z2A)	•	•	•	•	•					
– 9,990 lb (Z2B)						•	•	•		
– 11,030 lb (Z2D)						O	O	O	•	•
Headrest										
– Driver seat, comfort (included with luxury bucket seat and suspension seat) (CDP)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P



CHRYSLER

FLEET OPERATIONS

DODGE SPRINTER PASSENGER VAN/ CARGO VAN/CHASSIS CAB

2008

SELECTED FEATURES, OPTIONS AND PACKAGES

	Passenger Van		Cargo Van						Chassis Cab	
	2500		2500		3500				3500	
	144" WB	170" WB	144" WB	170" WB	170" WB ext	144" WB	170" WB	170" WB ext	144" WB	170" WB
Headrest (cont.)										
– Passenger seat, comfort (requires driver seat comfort headrest) (included with luxury bucket seat) (CDO)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
– Two-way rear seat	•	•								
Heater Booster – (Diesel only) (included with Rear Heater Group I) (not available with front auxiliary heater) (XC2)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O	O
Heater Ducts – Rear-seat (not available with any cargo partition) (XGR)	•	•	O	O	O	O	O	O		
Heater Groups										
– Rear Heater Group I (includes Heater Booster rear auxiliary heater, front insulation on Cargo Van and front/rear insulation on Passenger Van) (diesel only) (ANH)	O	O	O	O	O	O	O	O		
– Rear Heater Group II (includes front and rear auxiliary heater, front insulation on Cargo Van, and front/rear insulation on Passenger Van (diesel only) (ANJ)	O	O	O	O	O	O	O	O		
– Rear Heater Group III (includes rear auxiliary heater, auxiliary heater booster, remote control for auxiliary heating, front insulation on Cargo Van and front/rear insulation on Passenger Van) (diesel only) (AMJ)	O	O	O	O	O	O	O	O		
– Rear Heater Group IV (includes rear auxiliary heater, front insulation on Cargo Van and front/rear insulation on Passenger Van (gas only) (ANK)	O	O	O	O	O					
Hooks – Coat, B-pillar	•	•								
Idle Control										
– Adjustable (includes Parametric Special Module) (NXF)	O	O	O	O	O	O	O	O	O	O
– Preset (includes Parametric Special Module) (XFM)	O	O	O	O	O	O	O	O	O	O
Instrument Cluster – Pixel matrix display included with luxury steering wheel, packaged with (2TB) (JAV)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
Insulation										
– Front (HGM)	O	O	O	O	O	O	O	O	O	O
– Rear (included with Rear Heater Groups) (HGR)	P	P	O	O	O	O	O	O		
Jack – Hydraulic	•	•	•	•	•	•	•	•	•	•
Keys – Two additional (included with Contractor Group) (GXK)	O	O	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
Lamps										
– Tire Pressure Monitoring Warning	•	•	•	•	•					
– Road Hazard Warning (included with Security Group and Contractor Group) (XDP)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
– Clearance prep									•	•
– Identification (LNM)									•	•
– Delete tail (LP9)									O	O

DODGE SPRINTER PASSENGER VAN/ CARGO VAN/CHASSIS CAB

2008

SELECTED FEATURES, OPTIONS AND PACKAGES

	Passenger Van		Cargo Van						Chassis Cab	
	2500		2500		3500				3500	
	144" WB	170" WB	144" WB	170" WB	170" WB ext	144" WB	170" WB	170" WB ext	144" WB	170" WB
Lamps (cont.)										
– Side-marker prep (XZF)									O	O
– Front dome	•	•	•	•	•	•	•	•	•	•
– Courtesy (included with Light Group) (LBB)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O	O
– Cargo compartment			•	•	•	•	•	•		
– Cargo compartment with motion sensor (not available with under roof paneling) (LCP)			O	O	O	O	O	O		
– Load compartment ceiling (LC1)			L	L	L	L	L	L		
– Fog (included with Accessory Group) (LNJ)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
– Halogen	•	•	•	•	•	•	•	•	•	•
– High Intensity Discharge (HID) Bi-Xenon (included with Accessory Group) (LM2)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
– Daytime Running (LMK)	O	O	O	O	O	O	O	O	O	O
License Plate Bracket – Front, delete (MD8)	O	O	O	O	O	O	O	O	O	O
Lid – Hinged, for center stack bin (included in 2TB) (CXG)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
Light Group – Includes overhead console with two reading lamps, courtesy lamps (rear convenience lighting included in 2TB on Passenger Van) (ADA)	O/P	O/P	O	O	O	O	O	O		
Lighting – Rear convenience (included with Light Group on Passenger Van) (includes under roof paneling) (not available with Mega Roof) (LCQ)	O/P	O/P	O	O	O	O	O	O		
Locks – Power	•	•	•	•	•	•	•	•	•	•
Mirrors										
Exterior										
– Manual			•	•	•	•	•	•		
– 90" vehicle width (XZD)									•	•
– Manual, black parcel service (GYB)			O	O	O	O	O	O	O	O
– Bracket for 96" vehicle width (XZE)									O	O
– Power, heated (included with ParkSense ^{®(3)} front and rear backup system and in Cold Climate Comfort Group I) (GTB)	•	•	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
Interior										
– Rearview, day/night (GNA)	•	•	•	•	•	•	•	•	O	O
– Rearview, day/night delete (not available with rain and light sensor) (GN8)			O	O	O	O	O	O	•	•
Mobility Prep Group – (Includes 220-amp alternator, 100-amp battery, High Roof and Parametric Special Module) (AMS)	O	O								
Molding – Paintable (MU8)	L	L	L	L	L	L	L	L	L	L
Paint – Monotone	•	•	•	•	•	•	•	•	•	•
Paneling – Under roof (included with three-passenger 1st-row rear bench seat, rear convenience lighting and window pillar paneling on Cargo Van) (4XK)	•	•	P	P	P	P	P	P		



CHRYSLER

FLEET OPERATIONS

DODGE SPRINTER PASSENGER VAN/ CARGO VAN/CHASSIS CAB

2008

SELECTED FEATURES, OPTIONS AND PACKAGES

	Passenger Van		Cargo Van						Chassis Cab	
	2500		2500		3500				3500	
	144" WB	170" WB	144" WB	170" WB	170" WB ext	144" WB	170" WB	170" WB ext	144" WB	170" WB
Parametric Special Module — Included with Preset Idle Control and Adjustable Idle Control and Mobility Prep Group (XCF)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
Parametric Special Module Prep	•	•	•	•	•	•	•	•	•	•
ParkSense® Front and Rear Park Assist System ⁽³⁾ (XAG)	O	O	O	O	O	O	O	O		
Power Accessory Outlets										
— 12-volt, in the instrument panel	•	•	•	•	•	•	•	•	•	•
— 12-volt, rear (JKP)	•	•	O	O	O	O	O	O		
— Driver seat base (included with Contractor Group and with 2TB) (JJN)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
Premium Sound Group I — Includes six-disc CD changer, AM/FM stereo with CD player, luxury steering wheel with remote radio controls (AAX)	O	O	O	O	O	O	O	O	O	O
Protection Strip — Side entrance (not available with left sliding door) (XZL)			O	O	O	O	O	O		
Radio Delete (RA8)	L	L	L	L	L	L	L	L	L	L
Radio Prep — Includes five front speakers and eight rear speakers on Passenger Van (deletes AM/FM stereo with CD player) (RA9)	O	O	O	O	O	O	O	O	O	O
Radios										
— AM/FM stereo with CD player (includes five front speakers and Passenger Van includes eight rear speakers) (RBE)	•	•	•	•	•	•	•	•	•	•
— AM/FM stereo with CD player and telephone connection capability (includes five front speakers and Passenger Van includes eight rear speakers included in Premium Sound Group I) (RBV)	P	P	P	P	P	P	P	P	P	P
— Six-disc CD changer (included with Premium Sound Group I) (RDR)	P	P	P	P	P	P	P	P	P	P
— Five front speakers (included with all radios and radio prep)			•	•	•	•	•	•	•	•
— Five front speakers and eight rear speakers (included with all radios and Radio Prep)	•	•								
Rails Cargo Lashing										
— Lashing upper (includes waistline rails) (XZK)			O	O	O	O	O	O		
— Lashing — waistline (CMD)			O/P	O/P	O/P	O/P	O/P	O/P		
— Lashing floor (included with Cargo Group I and II) (CW1)			O/P	O/P	O/P	O/P	O/P	O/P		
Rain and Light Sensor — Included with Accessory Group (includes overhead console with two reading lamps) (NHW)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
Remote Control for Auxiliary Heating — Included with Auxiliary Front Heater Group (Diesel only) (XG2)	P	P	P	P	P	P	P	P		
Remote Keyless/Illuminated Entry	•	•	•	•	•	•	•	•	•	•
Roof										
— High (MWJ)	O	•	O	•	•	•	•	•		
— Mega Roof painted body-color (MX1)				O				O		
— Mega Roof White (MX2)				O				O		

DODGE SPRINTER PASSENGER VAN/ CARGO VAN/CHASSIS CAB

2008

SELECTED FEATURES, OPTIONS AND PACKAGES

	Passenger Van		Cargo Van						Chassis Cab	
	2500		2500		3500				3500	
	144" WB	170" WB	144" WB	170" WB	170" WB ext	144" WB	170" WB	170" WB ext	144" WB	170" WB
Roof Fan — Electric (NHX)			O	O	O	O	O	O		
Seat Belts — Three-point seat belts with pyrotechnic belt tensioners and belt force limiters for the driver and front passenger and five-position manual height adjusters on the B-pillars	•	•	•	•	•	•	•	•	•	•
Seats										
— Cloth-trimmed reclining driver and front-passenger bucket seats with armrests and headrests in Black (*F7)			•	•	•	•	•	•	•	•
— Cloth-trimmed driver bucket seat with armrests and headrests in Gray (*E7)	•	•	O	O	O	O	O	O	O	O
— Vinyl high-back bucket in Black (*A6)	O	O	O	O	O	O	O	O	O	O
— Passenger seat	•	•	•	•	•	•	•	•	•	•
— Luxury bucket, driver and passenger (includes comfort headrest) (included with 2TB) (CDD/CDY)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
— Driver suspension (includes comfort headrest) (included with Comfort Seating Group) (CXX)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
— Passenger suspension (includes comfort headrest) (included with Comfort Seating Group) (requires driver suspension seat) (CXY)	P	P	P	P	P	P	P	P	P	P
— Two-passenger bench (includes interior assist handle) (not available with luxury bucket seats or Crew Van Group) (CW9)			O	O	O	O	O	O	O	O
— Heated, driver (included with Cold Climate Comfort Group I) (CMB)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
— Heated, front-passenger (included with Cold Climate Comfort Group I) (requires heated driver seat) (CMC)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
Rear										
— Five-passenger Crew Van seating — three-passenger 1st-row rear bench (AEG)			O	O	O	O	O	O		
— Seven-passenger seating (includes three-passenger 1st-row rear bench and two-passenger 2nd-row bench seats) (requires gas engine) (CYE)	O	O								
— Nine-passenger seating (includes two-passenger 1st-row rear bench, two-passenger 2nd-row rear bench and three-passenger 3rd-row rear bench seating) (requires gas engine) (CY5)	O	O								
— 10-passenger seating (includes three-passenger 1st-row rear bench, two-passenger 2nd-row rear bench and three-passenger 3rd-row rear bench) (packaged with gas engine) (CZ)	P	P								
— 12-passenger seating (includes three-passenger 1st-row rear bench, three-passenger 2nd-row rear bench and four-passenger 3rd-row rear bench seats)	•	•								
— Delete rear seating			•	•	•	•	•	•	•	•
— Swivel driver/passenger (AGY)			L	L	L	L	L	L		L



CHRYSLER

FLEET OPERATIONS

DODGE SPRINTER PASSENGER VAN/ CARGO VAN/CHASSIS CAB

2008

SELECTED FEATURES, OPTIONS AND PACKAGES

	Passenger Van		Cargo Van						Chassis Cab	
	2500		2500		3500				3500	
	144" WB	170" WB	144" WB	170" WB	170" WB ext	144" WB	170" WB	170" WB ext	144" WB	170" WB
Security Alarm – Includes overhead console with two reading lamps (included in Security Group) (LSA)	O/P	O/P	O	O	O	O	O	O	O	O
Security Group – Includes supplemental front-seat side air bags, ⁽²⁾ supplemental front side-curtain air bags, ⁽²⁾ puncture sealant and portable air compressor, security alarm, first aid kit, and road hazard warning lamp (AJB)	O	O								
Shelf										
– Above front windshield	•	•	•	•	•	•	•	•	•	•
– Above roof trim (requires Mega Roof) (CTA)				P				P		
Skylight – Electric tilting/sliding roof (N/A with Rear Heavy Duty AC) (GW9)	O	O	O	O	O	O	O	O		
Speed Control (included with 2TB) (NHM)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
Splash Guards – Front and rear (Chassis Cab, front only)	•	•	•	•	•	•	•	•	•	•
Starting Aid Contact – Underhood	•	•	•	•	•	•	•	•	•	•
Steering – Power rack-and-pinion	•	•	•	•	•	•	•	•	•	•
Steering Column – Tilt/Telescope	•	•	•	•	•	•	•	•	•	•
Steering Wheel										
– Four-spoke	•	•	•	•	•	•	•	•	•	•
– Luxury includes audio controls (included with Premium Sound Group I and [2TB]) (includes pixel matrix instrument cluster) (SCK)	P	P	P	P	P	P	P	P	P	P
Storage Bin – Front overhead (CK7)	O	O	O	O	O	O	O	O	O	O
Storage Net – Rear doors (included with rear door windows) (CLJ)	•	•	P	P	P	P	P	P		
Sunroof – Power (not available with High Roof or electric tilting/sliding roof skylight) (GWA)	O		O						O	O
Suspension										
– Front and rear stabilization (SDA)	P	P	•	O	O	O	O	O	•	•
– HD rear stabilization (SDB)						O	O	O	O	O
– HD front and rear stabilization (SDC)	•	•	O	O	O	O	O	O	O	O
– Front stabilization (SDE)				•	•	•	•	•		
– Camper body (SDD)									O	O
Tachometer	•	•	•	•	•	•	•	•	•	•
Temperature Gauge	•	•	•	•	•	•	•	•	•	•
Tire Carrier – Underslung rear spare (not available with temporary spare tire mounting on Chassis Cab)	•	•	•	•	•	•	•	•	•	•
Tires										
– LT245/75R16	•	•	•	•	•				•	•
– LT215/85R16						•	•	•	•	•
– All-season	•	•	•	•	•	•	•	•	•	•
– Spare, full-size	•	•	•	•	•	•	•	•	•	•
– Temporary-mounted spare tire (TBA)									O	O
– Spare Delete (TBF)	L	L	L	L	L	L	L	L	L	L



CHRYSLER

FLEET OPERATIONS

DODGE SPRINTER PASSENGER VAN/ CARGO VAN/CHASSIS CAB

2008

SELECTED FEATURES, OPTIONS AND PACKAGES

	Passenger Van		Cargo Van						Chassis Cab	
	2500		2500		3500				3500	
	144" WB	170" WB	144" WB	170" WB	170" WB ext	144" WB	170" WB	170" WB ext	144" WB	170" WB
Tool Kit	•	•	•	•	•	•	•	•	•	•
– Delete (XL8)	L	L	L	L	L	L	L	L	L	L
Top-Speed Limitation – 74-mph (XFS)	O	O	O	O	O	O	O	O	O	O
Tow Hooks – Rear (not available Trailer Tow Group)	•	•	•	•	•					
Traction Control	•	•	•	•	•	•	•	•	•	•
Trailer Tow Group – Includes seven-pin trailer plug, hitch receiver (deletes tow hooks) (not available with Dark Gray rear bumper with step pad) (AHT)	O	O	O	O	O	O	O	O	O	O
Trailer Wiring										
– Includes seven-pin connector (included with Trailer Tow Group) (XFK)	P	P	P	P	P	P	P	P	O/P	O/P
– Harness – no plug (XEY)									O	O
Trim – Rear Wall (requires cargo partition, cargo partition with window or cargo partition with sliding window) (CBJ)			O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
Warning Chimes – Headlamps on	•	•	•	•	•	•	•	•	•	•
Warning System – Driver seat belt	•	•	•	•	•	•	•	•	•	•
Washer – High-pressure headlamp (included with Accessory Group) (JHT)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
Wheels										
– 16" x 6.5" Steel	•	•	•	•	•					
– 16" x 5.5" Steel						•	•	•	•	•
– 16" x 6.5" Aluminum (WNB)	O	O	O	O	O					
– Steel, painted Jet Black (WWA)	O	O	O	O	O	O	O	O	O	O
– Steel, painted Arctic White (WWW)			O	O	O	O	O	O		
– Steel, spare (WLB)	•	•	•	•	•	•	•	•	•	•
– Dual rear						•	•	•	•	•
Window Group I – Includes front right- and left-side fixed window (included with Crew Van Group) (AMD)			O/P	O/P	O/P	O/P	O/P	O/P		
Window Group II – Includes front right-side fixed window and rear door windows (AME)			O	O	O	O	O	O		
Window Group III – Includes front right- and left-side fixed windows and rear door windows (AMF)			O	O	O	O	O	O		
Window Group IV – Includes front right- and left-side fixed windows, right- and left-center windows (on 170" wheelbase models only), right- and left-rear windows and rear door windows (AMH)			O	O	O	O	O	O		
Windows										
– Power front	•	•	•	•	•	•	•	•	•	•
– Rear door includes storage nets (GEM)	•	•	O	O	O	O	O	O		
– Left center (GEL)		•		P	P		P	P		
– Left rear (GES)	•	•	P	P	P	P	P	P		
– Left front- side-fixed (GEA)	P	P	O/P	O/P	O/P	O/P	O/P	O/P		
– Right front- side-fixed (GEN)	•	•	O/P	O/P	O/P	O/P	O/P	O/P		



CHRYSLER

FLEET OPERATIONS

DODGE SPRINTER PASSENGER VAN/ CARGO VAN/CHASSIS CAB

2008

SELECTED FEATURES, OPTIONS AND PACKAGES

	Passenger Van		Cargo Van						Chassis Cab	
	2500		2500		3500				3500	
	144" WB	170" WB	144" WB	170" WB	170" WB ext	144" WB	170" WB	170" WB ext	144" WB	170" WB
Windows (cont.)										
– Right center (GEQ)		•		P	P		P	P		
– Right rear (GEU)	•	•	P	P	P	P	P	P		
– Rear wall (GEV)									O	O
– Fixed-in-roof (not available with Electric Roof Fan, rear A/C and rear Power Sunroof) (GFW)			O	O	O	O	O	O		
Windshield										
– Insulated with band filter (included with [2TB]) (GBE)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
– Heated (included with Cold Climate Comfort Group I) (requires rain and light sensor) (GBG)	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
Wipers – Rear window washer (GEH) (included with [2TB])	O/P	O/P	O	O	O	O	O	O		
Wiring – Taillamp extension (XGF)									O	O
Wood Floor – Delete without partition (CMJ)			O	O	O	O	O	O		

• = Included. P = Available within package noted. O = Optional. L = Fleet only limited production option. N/A = Not available.

⁽¹⁾ Always drive carefully, consistent with conditions. Always wear your seat belt and obey all traffic laws.

⁽²⁾ Always use seat belts. Dodge Sprinter Cargo and Chassis Cab vans are equipped only with front seats and should not be used to carry children 12 and under. In Dodge Sprinter Passenger Van, children 12 and under should always be in a backseat correctly using an infant or child restraint system, or the seat belt positioned correctly for the child's age and size.

⁽³⁾ Always check entire surroundings before backing up.

Chrysler and ParkSense are registered trademarks of Chrysler LLC. Chrysler LLC reserves the right to make changes at any time, without notice or obligation. All product specifications and photographs are based on authorized information as of 4/1/08. Fleet Operations is a division of Chrysler Motors LLC.