

ISUZU

C&E-SERIES

BUILT TO MOVE

BLUEPOWER
EURO IV



C-SERIES Rigid Trucks

CYZ52 | GVW
(33,000 Kgs)
400 PS
6x4



CYH52 | GVW
(41,000 Kgs)
400 PS
8x4




E-SERIES Tractor Heads

EXR52 F | GVW (20,000 Kgs)
GCM (45,000 Kgs)
400 PS
4x2



EXZ52 K | GVW (33,000 Kgs)
GCM (60,000 Kgs)
400 PS
6x4



ENGINES

6WG1-TCR
Power: 400 PS
Torque: 1,863 N-m

The 6WG1-TCR Euro V Compliant Blue Power Diesel Engine makes you feel the difference – ensuring high and powerful outputs with cleaner emissions.


EXR52 F, EXZ52 K, CYZ52, CYH52



Excellent Durability




Heavy Duty Coupler (E-Series)




320 mm Double Channel Frame

Bigger Payload Capacity


The C&E Series covers a wide variety of applications, designed to handle all kinds of work under tough conditions. These include the concrete mixer, dump truck, and hauling trailer, among others. The bigger the load capacity that it can carry, the higher the productivity.



Heavy Duty Suspension for Big Loads




Tapered Leaf Suspension



Multi-lift Suspension (Optional)

Safety



Wide Illumination Area Headlamps



Full Coverage Wipers

Convenience



Air-condition



Audio



Center Seat Back Tray



Spacious Cab Interior

The truck's ergonomic air suspension seats, covered overhead shelf, cool air-conditioning, and superior audio system are specifically designed for maximum driver and passenger comfort.



Tilting And Telescopic Steering Wheel

This is our way of letting you be comfortable behind the wheel, while powering through your day-to-day tasks. Adjust the wheel, however you see fit for your driving needs.



Quick Access Panel

Designed for easy maintenance, conveniently pull up the access panel located in front of the cab for fluid and valve inspections.




High Visibility Meters

Take control of your ride with its highly visible and easy-to-spot dashboard meters.




C&E SERIES SPECIFICATIONS										
MODEL		CYZ52				CYH52		EXR52 F	EXZ52 K	
		CYZ52 M	CYZ52 P	CYZ52 Q	CYZ52 T	CYH52 S	CYH52 W			
WEIGHT										
Gross Vehicle Weight (GVW)	(kg)	33,000				41,000		20,000 (Tractor Only)		33,000 (Tractor Only)
Gross Combination Mass (GCM)	(kg)							45,000		60,000
ENGINE										
Model		6WG1-TCR								
Type		6-Cylinder, 4 Cycle, Direct-Injection, Water-Cooled, In-Line Overhead Camshaft (OHC), VGS Turbocharger, Blue Power Diesel Engine								
Bore and Stroke	(mm)	Ø 147 x 154								
Displacement	(cc)	15,681								
Max. Output KW (PS)/rpm	(ISO Gross)	294 (400) / 1,800								
Max. Torque N-m (kg-m)/rpm	(ISO Gross)	1,863 (190) / 1,300								
Fuel Tank Capacity	(Liter)	200 (Option:400)						550		
TRANSMISSION										
Model	Standard	MJT7S (7-Speed)							MJX16P (16-Speed)	
	Option	MJX16P (16-Speed)							N/A	
TIRE & WHEEL										
Tire		11.00R20-16PR		295 / 80R22.5		11.00R20-16PR		295 / 80R22.5		
BRAKE										
Service		Exhaust Brake with Service Brake					Full Air; Auto Adjust			
Auxiliary							Trailer Hand Brake			
Parking							Wheel Park			
SUSPENSION										
Front							Taper Leaf			
Rear		Taper Leaf					Multi-Leaf		Taper Leaf	
ELECTRICAL SYSTEM										
Battery	Specification						115F51 x 2			
SAFETY										
Anti-Lock Braking System (ABS)							Equipped			
CONVENIENCE										
Cab Window							Power Windows			
Cab Door							Auto Door Lock			
Air Conditioning							Equipped			
Radio with Speakers							Equipped			

C-SERIES



E-SERIES



CAB AND CHASSIS DIMENSIONS (mm)													
MODEL	WB	OAL	FOH	ROH	CE	CA	OW	AW	BW	CW	OAH	HH	EH
CYZ52 M	5,225	8,140	1,400	1,515	5,985	4,470	2,490	2,065	2,480	1,850	2,990	250	1,150
CYZ52 P	5,550	8,315	1,400	1,365	6,160	4,795	2,490	2,065	2,480	1,850	2,990	250	1,150
CYZ52 Q	5,935	9,775	1,400	2,440	7,620	5,180	2,490	2,065	2,480	1,850	2,970	250	1,160
CYZ52 T	6,665	11,250	1,400	3,185	9,095	5,910	2,490	2,065	2,480	1,850	2,970	250	1,165
CYH52 S	6,500	9,315	1,400	1,415	7,165	5,750	2,490	2,065	2,480	1,850	3,005	250	1,140
CYH52 W	7,410	10,780	1,400	1,970	8,625	6,655	2,490	2,065	2,480	1,850	3,005	250	1,125
EXR52 F	3,600	5,971	1,400	971	3,816	2,845	2,490	2,065	2,480	1,850	2,950	250	1,080
EXZ52 K	4,685	6,746	1,400	661	4,591	3,930	2,490	2,065	2,480	1,850	2,950	250	1,105

WEIGHTS (kg)

C-SERIES							
MODEL	TRANSMISSION	USAGE	RATINGS	CAB AND CHASSIS MASS	FRONT	REAR	PAYLOAD
			GVW				
CYZ52 M	MJT7S	DUMPER	33,000	8,525	4,500	4,025	24,475
	MJX16P			8,605	4,550	4,055	24,395
CYZ52 M	MJT7S	CONCRETE MIXER		8,700	4,595	4,105	24,300
	MJT7S			8,610	4,525	4,085	24,390
CYZ52 P	MJX16P	DUMPER		8,700	4,580	4,120	24,300
	MJT7S			9,100	4,590	4,510	23,900
CYZ52 Q	MJT7S	FULL TRACTOR		9,100	4,590	4,510	23,900
	MJX16P			9,190	4,645	4,545	23,810
	MJT7S			9,350	4,620	4,730	23,650
CYZ52 T	MJT7S	CARGO		41,000	9,740	6,140	3,600
CYH52 S	MJT7S	DUMPER	9,830		6,205	3,625	31,170
	MJX16P	CARGO	10,225		6,370	3,855	30,755
CYH52 W	MJT7S						
E-SERIES							
MODEL	TRANSMISSION	USAGE	RATINGS	CAB AND CHASSIS MASS	FRONT	REAR	GCM
			GVW				
EXR52 F	MJT7S	SEMI TRACTOR	20,000	6,765	4,525	2,240	45,000
	MJX16P			6,850	4,570	2,280	
EXZ52 K	MJX16P		33,000	8,465	4,610	3,855	60,000

C-SERIES



E-SERIES



Isuzu Philippines Corporation reserves the right to change features and specifications without prior notice. Details, descriptions, and illustrations are for informational purposes only and may vary from actual units.

Dealership:

ISUZU
Your responsible partner

ISUZU PHILIPPINES CORPORATION
114 Technology Ave., Phase II, Laguna Technopark, Biñan, Laguna, 4024
Trunkline (049) 541-0224 / (02) 757-6070
Email: customer-relations@isuzuphil.com
f /isuzuphippines @isuzuphit isuzuph www.isuzuphil.com