



CYLINDER HEAD

COMPONENTS





N*m (kgf*cm, ft*lbf) : Specified torque



N*m (kgf*cm, ft*lbf) : Specified torque



EM



N*m (kgf*cm, ft*lb) : Specified torque

● Non-reusable part



MANUAL TRANSMISSION, 2WD:**REGULAR CAB:****PROPELLER SHAFT ASSEMBLY****FLOOR SHIFT SHIFT LEVER ASSEMBLY****CLIP****SHIFT LEVER BOOT ASSEMBLY****MANIFOLD STAY**

44 (449, 33)

72 (730, 53)

30 (306, 22)

37 (379, 27)

x2

STARTER ASSEMBLY**MANUAL TRANSMISSION UNIT ASSEMBLY****CLUTCH RELEASE CYLINDER ASSEMBLY**

37 (379, 27)

x2

37 (377, 27)

x2

12 (122, 9)

ACCESS CAB:**PROPELLER SHAFT ASSEMBLY**

88 (899, 65)

x4

36 (369, 27)

NO. 1 ENGINE MOUNT INSULATOR REAR

65 (663, 48)

NO. 3 FRAME CROSSMEMBER SUB-ASSEMBLY

40 (408, 30)

x2

x4

19 (189, 14)

x4

40 (408, 30)


x2

N*m (kgf*cm, ft*lb) : Specified torque


● Non-reusable part



MANUAL TRANSMISSION:




AUTOMATIC TRANSMISSION:



Y

A113552E01


AUTOMATIC TRANSMISSION:



Y

A113552E02

EM




N*m (kgf*cm, ft*lbf) : Specified torque


● Non-reusable part


WATER BY-PASS HOSE

NO. 2 WATER BY-PASS HOSE

cardiagn.com









N*m (kgf*cm, ft*lbf) : Specified torque

● Non-reusable part



N*m (kgf*cm, ft*lbf) : Specified torque

● Non-reusable part



- Non-reusable part

