


MZ5 AUDIO UNIT

CENTER PANEL UNIT REMOVAL INSTALLATION

1. Remove the battery cover. (See [BATTERY REMOVAL/INSTALLATION \[L3\]](#).)
2. Disconnect the negative battery cable.
3. Remove the side wall. (See [SIDE WALL REMOVAL/INSTALLATION](#).)
4. Remove the front console. (See [FRONT CONSOLE REMOVAL/INSTALLATION](#).)
5. Remove in the order indicated in the table.



1	Screw
2	Connector
3	Antenna feeder
4	Center panel unit (See Center Panel Unit Removal Note .)


6. Install in the reverse order of removal.


CAUTION:

- When installing the center panel unit, make sure that the wiring harness and antenna feeder are not caught between the unit and dashboard. If the wiring harness or the antenna feeder is caught between the unit and dashboard, it may cause malfunctions.

Center Panel Unit Removal Note

1. Pull the center panel unit outward, detach clip A from the dashboard, and then remove the center panel unit.






CENTER PANEL UNIT DISASSEMBLY/ASSEMBLY

CAUTION:


- Before disassembling the center panel unit, spread a cloth on the floor to put the disassembled parts on. This protects the surface of the panel from scratches or dirt.
1. Disassemble in the order indicated in the table.
 2. Assemble in the reverse order of disassembly.



1	Audio unit
2	Cover (lower module)
3	Center panel

AUDIO UNIT DISASSEMBLY/ASSEMBLY

1. Disassemble in the order indicated in the table.



1	Screw
2	Center panel

3	Screw
4	Lower module
5	Base unit

2. Assemble in the reverse order of disassembly.
