


K OVERALL ELECTRICAL WIRING DIAGRAM



- A

:

System Title

B

:

Indicates the wiring color.

Wire colors are indicated by an alphabetical code.

B = Black

L = Blue

R = Red

BR = Brown

LG = Light Green

V = Violet

G = Green

O = Orange

W = White

GR = Gray

P = Pink

Y = Yellow

The first letter indicates the basic wire color and the second letter indicates the color of the stripe.

Example: L - Y

L

-

Y

(Blue)

(Yellow)

C

:

Indicates the connector to be connected to a part (the numeral indicates the pin No.)

D

:

The position of the parts is the same as shown in the wiring diagram and wire routing.

E

:

Indicates the pin number of the connector.

The numbering system is different for female and male connectors.

Example: Numbered in order from upper left to lower right

1

2

3

4

5

6

Female

Numbered in order from upper right to lower left

3

2

1

4

6

5

Male

F

:

Indicates a Relay Block. No shading is used and only the Relay Block No. is shown to distinguish it from the J/B.

Example: Indicates Relay Block No. 1.

G

:

Junction Block (The number in the circle is the J/B No. and the connector code is shown beside it). Junction Blocks are shaded to clearly separate them from other parts (different junction blocks are shaded differently for further clarification).

Example:

4

3B

15

3B

3B indicates that it is inside Junction Block No. 3.

H

:

Indicates related system.

I

:

Indicates the wiring harness and wiring harness connector. The wiring harness with male terminal is shown with arrows (↗).

Outside numerals are pin numbers.

Female

Male (↗)

J

:

() is used to indicate different wiring and connector, etc. when the vehicle model, engine type, or specification is different.

K

:

Indicates a shielded cable.

L

:

Indicates and located on ground point.

M

:

The same code occurring on the next page indicates that the wire harness is continuous.

https://cardiagn.com/overall-electrical-wiring-diagram-97-paseo-ewd/

2/24


171

K OVERALL ELECTRICAL WIRING DIAGRAM


SYSTEM INDEX

1997 Model (Location No. 1 to 19)

SYSTEMS	LOCATION	SYSTEMS	LOCATION	SYSTEMS	LOCATION
ABS	13-2 	Headlight	4-2(USA, Puerto Rico) 5-2(Canada) 	Shift Lock	10-4 
Back-Up Light	7-3 	Horn	8-2 	SRS	9-2 
Charging	1-4 	Interior Light	4-3 	Starting and Ignition	1-2 
Cigarette Lighter and Clock	8-2 	Key Reminder and Seat Belt Warning	12-2 	Stop Light	7-4 
Combination Meter	18-2 	Light Reminder Buzzer	17-4 	Taillight and Illumination	6-2 
Cruise Control	10-2 	Power Source	1-19-1 	Theft Deterrent (w/o Door Lock Control)	16-2 
Door Lock Control(w/o Theft Deterrent System)	17-2 	Power Window	14-2 	Theft Deterrent and Door Lock Control	15-2 
Electronically Controlled Transmission	11-2 	Radiator Fan and Air Conditioning	19-2 	Turn Signal and Hazard Warning Light	7-2 
Engine Control	2-2(A/T) 3-2(M/T) 	Radio and Player	12-3 	Wiper and Washer	8-4 
		Rear Window Defogger	9-3 		




K OVERALL ELECTRICAL WIRING DIAGRAM







K OVERALL ELECTRICAL WIRING DIAGRAM




3 PASEO (Cont'd)









K OVERALL ELECTRICAL WIRING DIAGRAM






K






K OVERALL ELECTRICAL WIRING DIAGRAM










K OVERALL ELECTRICAL WIRING DIAGRAM









K OVERALL ELECTRICAL WIRING DIAGRAM

