

The Audi A3/S3 Sportback Pricing and Specification Guide Model Year 2011



Table of Contents

	Page Number
Prices	2
Standard Equipment	3 - 4
Contents of Sport Line and SE Package	5
Colours and Upholstery Matrix	6
Recommended Colour and Upholstery Combinations	7
Recommended Options	8
Optional Extras (Alloys 12-13)	9 - 13
quattro GmbH Options	14 - 16
Accessories	17
Technical Data	Appendix

Audi Ireland has made every effort to ensure the accuracy of information but does not accept liability for any errors or omissions in this information. Prices are valid as of 1st October 2010. Audi Ireland reserves the right to change prices at any time. Prices are ex works and delivery and related charges are extra. Errors and omissions are excepted.

Model Code	Description	Engine CC	BHP	Co2 (g) Combined	VRT Band	Annual Road Tax	Recommended Retail Price
PETROL							
8PAAICI	A3 Sportback 1.2TFSI 105HP	1197	105	127	B	€ 156	€ 24,975
8PABICI	A3 Sportback 1.2TFSI 105HP Sport	1197	105	127	B	€ 156	€ 26,975
8PAAIGI	A3 Sportback 1.2TFSI 105HP S-Tronic	1197	105	123	B	€ 156	€ 27,775
8PABIGI	A3 Sportback 1.2TFSI 105HP Sport S-Tronic	1197	105	123	B	€ 156	€ 29,775
8PAABCH	A3 Sportback 1.4 TFSI 125HP	1390	125	134	B	€ 156	€ 26,195
8PABBCH	A3 Sportback 1.4 TFSI 125HP Sport	1390	125	134	B	€ 156	€ 28,195
8PAABGH	A3 Sportback 1.4 TFSI 125HP S-Tronic	1390	125	127	B	€ 156	€ 28,995
8PABBGH	A3 Sportback 1.4 TFSI 125HP Sport S-Tronic	1390	125	127	B	€ 156	€ 30,995
8PAA6CI	A3 Sportback 1.8 TFSI 160HP	1798	160	153	C	€ 302	€ 27,890
8PAB6CI	A3 Sportback 1.8 TFSI 160HP Sport	1798	160	153	C	€ 302	€ 29,890
8PAA6GI	A3 Sportback 1.8 TFSI 160HP S-Tronic	1798	160	149	C	€ 302	€ 30,690
8PAB6GI	A3 Sportback 1.8 TFSI 160HP Sport S-Tronic	1798	160	149	C	€ 302	€ 32,690
8PABDCH	A3 Sportback 2.0 TFSI 200HP Sport	1984	200	168	D	€ 447	€ 33,360
8PABDXH	A3 Sportback 2.0 TFSI 200HP Sport S-Tronic	1984	200	168	D	€ 447	€ 36,160
8PABDLH	A3 Sportback 2.0 TFSI 200HP Sport quattro S-Tronic	1984	200	176	E	€ 630	€ 39,110
8PAS39H	S3 Sportback 2.0 TFSI 265HP quattro	1984	265	199	F	€ 1,050	€ 49,800
8PAS3LH	S3 Sportback 2.0 TFSI 265HP quattro S-Tronic	1984	265	195	F	€ 1,050	€ 52,600
DIESEL							
8PAAE4H	A3 Sportback 1.6 TDI 105HP	1598	105	112	A	€ 104	€ 26,795
8PABE4H	A3 Sportback 1.6 TDI 105HP Sport	1598	105	112	A	€ 104	€ 28,795
8PAEEDH	A3 Sportback 1.6 TDI 105HP e model	1598	105	102	A	€ 104	€ 26,795
8PAAEGH	A3 Sportback 1.6 TDI 105HP S-Tronic	1598	105	112	A	€ 104	€ 29,595
8PABEGH	A3 Sportback 1.6 TDI 105HP Sport S-Tronic	1598	105	112	A	€ 104	€ 31,595
8PAARCH	A3 Sportback 2.0 TDI 140HP	1968	140	115	A	€ 104	€ 28,785
8PABRCH	A3 Sportback 2.0 TDI 140HP Sport	1968	140	115	A	€ 104	€ 30,785
8PAARXH	A3 Sportback 2.0 TDI 140HP S-Tronic	1968	140	129	B	€ 156	€ 31,585
8PABRXH	A3 Sportback 2.0 TDI 140HP Sport S-Tronic	1968	140	129	B	€ 156	€ 33,585
8PABTCI	A3 Sportback 2.0 TDI 170HP Sport	1968	170	123	B	€ 156	€ 33,975
8PABTXI	A3 Sportback 2.0 TDI 170HP Sport S-Tronic	1968	170	130	B	€ 156	€ 36,775
8PABT9I	A3 Sportback 2.0 TDI 170HP Sport quattro	1968	170	135	B	€ 156	€ 36,925

Standard Specification A3 Sportback

16" alloy wheels in 6 spoke design with 205/55 R 16 tyres
3-point seat belt for centre rear seat
5-speed manual transmission
Air bag for driver and front seat passenger
Air Conditioning
Anti-lock brake system (ABS)
Ashtray at front and cigarette lighter
Audi exclusive iPod connection in glovebox (provides fitment for iPods and MP3 players)
Bag hook in boot
Body coloured bumpers and protective mouldings for doors and side sections
Brake pad wear indicator
Car jack
Chrome roof rails
Chrome application on door handles
Concert radio single front-loading CD player with MP3 file compatibility with active front and rear speakers
Electrically adjustable exterior mirrors
Electronic immobiliser
ESP (Electronic stability control)
Exterior mirror housings painted in body colour
Exterior mirrors with LED side turning indicator
First aid kit with warning triangle
Five active headrests (2 front and 3 rear)
Frequenz cloth fabric seat covering
Front and rear electric windows
Front and rear floor mats
Grille grid in high gloss black
Halogen headlight with daytime running lights
Headlight-range adjustment
High mounted third rear brake light
Hill start assist (S-Tronic models only)
Instrument insert with km/h speedometer, clock, tachometer and trip odometer
Isofix Preparation
Leather-covered steering wheel, 4-spoke
Lights on warning buzzer
Locking wheel bolts
Luggage compartment floor covering
Manual height adjustment for front seats
Manually controlled heating system
Multi function display (S-Tronic/ "e" models only)
One cup holder in centre console
Pearl gloss granite inlays
Radio remote controlled central locking
Rear fog light
Rear diffuser
Recuperation (only for 1.8TFSI and 1.8TFSI Sport)
Seat belt reminder (sensors provide acoustic and optical warning)
Side air bag front with curtain air bag
Soft touch boot release
Space saver spare wheel
8 Speakers (active) with 140 watt output
Smoked tail lamps
Speed-related variable steering assist (Servotronic)
Split folding rear seats
Start / Stop System (only for 1.2TFSI, 1.4 TFSI, 1.6 TDI and 2.0TDI)
Washer fluid level indicator
Windscreen antenna for aerial system
Windscreen and side/rear windows in heat insulating glass

Standard Specification S3 Sportback

18" 5-arm S design 7.5J x 18 alloy wheels
2 cup holders in centre console
3-point seat belt for centre rear seat
6 speed manual gearbox
Anti-theft alarm
Anti-lock brake system (ABS)
Ashtray at front and cigarette lighter
Audi exclusive iPod connection in glovebox (provides fitment for iPods and MP3 players)
Automatic air conditioning with separate driver and front passenger controls
Automatic headlight-range adjustment dynamic (self-adjusting while driving)
Brake pad wear indicator
Car jack in addition to tool kit
CD changer
Chrome roof rails
Concert radio single front-loading CD player with MP3 file compatibility with active front and rear speakers
Daytime running lights
Driver information system
Electric windows with comfort open/close function and force limiter
Electronic stabilization program (ESP)
Exterior mirror housings in matt aluminium look
Exterior mirrors with LED side turning indicator
First aid kit with warning triangle
Five active headrests (2 front and 3 rear)
Folding rear seat back
Front and rear fog lights
Front and Rear floor mats
Front centre armrest
Front driver and passenger airbag
Height adjustable passenger seat and driver's seat
Hill start assist
High mounted third rear brake light
Illuminated vanity mirrors
Instrument insert with km/h speedometer, clock, tachometer and trip odometer
Isofix Preparation
Leather-covered sports steering wheel, 3-spoke, with S emblem
LED Daytime running lights
Lights on warning alarm
Locking wheel bolts
Luggage compartment floor covering
Outside temperature gauge
Pedals in aluminium look
Piano finish black inlays (quattro GmbH)
Radio remote controlled central locking
Rear window wiper and washer system with intermittent control
S line roof spoiler (quattro GmbH)
Scuff plates in door apertures with "S" badge
Seat belt reminder (sensors provide acoustic and optical warning)
Seat upholstery in Jupiter cloth/leather
Side airbag front with curtain airbag
Side and rear windows tinted
Space saver spare wheel
Speed-related variable steering assist (Servotronic)
Sports comfort seats
Sun screen
Washer fluid level indicator
Windshield with heat-insulating glass
Xenon Plus headlights with headlight washers



Contents of A3 Sports Models:

- Inlays in Micro metallic platinum
- Door sill trims in aluminium
- Dynamik cloth seat upholstery (**see picture below**)
- Sports seats (**see picture below**)
- 17" alloy wheels in 5 arm Kinetiks styling (**see picture below**)
- Front passenger seat with height adjustment
- Driver information system with white display
- Front fog lights
- Sun blind for rear window
- Sports suspension (can be dropped if not required)
- 3 spoke leather steering wheel
- Leather gear lever knob and handbrake grip



Contents of A3 SE Package:

- 2ZQ 4 spoke multifunction steering wheel (**see picture below**)
- PI1 Driver information system
- 6E3 Front centre armrest
- 8WB Front foglights
- QQ4 Interior Lighting package
- C0X 17" 10 spoke design alloy wheels (**see picture below**)



Normally, in case of a 1.6 TDI (105BHP) (Tax Band A), if ordered separately and not as part of the SE Package, these items combined would cost €2,568
They are available as the SE Package for €1,500, a saving of €1068 or 42%.

Audi A3 Sportback Standard + SE versions									
Order Code	Upholstery	Dashboard	Carpet	Headlining	Frequency Cloth (Standard)	Vienna Leather (Standard Seats) (WLV)	Vienna Leather (Sports Seats) (WST)	Alcantara/Leather (Sports Seats) (WLE)	Nappa Leather (Sports Seats) (WLF)
MB	Black	Black	Black	Silver	+	+	+	+	+
BW	Mineral Grey	Black/Mineral Grey	Mineral Grey	Silver	+	+	+	-	-
BX	Light Grey	Black/Light Grey	Light Grey	Silver	+	+	+	+	+
BT	Mustang Brown	Black/Black	Black	Silver	-	-	-	-	+
CW	Red	Black	Black	Silver	-	-	-	-	+
BU	Luxor Beige	Black/Luxor Beige	Luxor Beige	Luxor Beige	-	+	+	-	-

Audi A3 Sportback Sport									
Order Code	Upholstery	Dashboard	Carpet	Headlining	Dynamic Cloth (Standard)	Vienna Leather (Sport Seats) (N1A)	Alcantara/Leather (Sports Seats) (N7U)	Nappa Leather (Sports Seats) (N3Q)	Sprint Cloth / Leather (Sports Seats) (N7V)
BS	Black/silver	Black/Black	Black	Silver	+	-	-	-	-
BW	Mineral Grey	Black/Mineral Grey	Mineral Grey	Silver	+	+	-	-	-
BX	Light Grey	Black/Light Grey	Light Grey	Silver	+	+	+	-	-
MQ	Black/Blue	Black/Black	Black	Silver	+	-	-	-	-
MR	Black/Red	Black/Black	Black	Silver	+	-	-	-	-
BU	Luxor Beige	Black/Black	Black	Luxor Beige	-	+	-	-	-
CW	Red	Black/Black	Black	Silver	-	-	-	+	-
MB	Black	Black/Black	Black	Silver	-	+	+	+	-
BT	Mustang Brown	Black/Black	Black	Silver	-	-	-	+	-
QE*	Black	Black/Black	Black	Black	-	-	-	-	+
QF*	Black / Silver	Black/Black	Black	Black	-	-	-	-	+

* Can only be ordered with WQS

S Line upholstery

Audi S3 Sportback									
Order Code	Upholstery	Dashboard	Carpet	Headlining	Jupiter Cloth / Leather (Standard) (N3U)	Silk Nappa Leather (N1U)	Fine Nappa Leather (N3Q)	Silk Nappa Leather (N5X)	Alcantara / Leather (N7U)
ZA	Silver/Black	Black	Black	Black	-	-	-	+	-
ZB	Silver/Black	Black	Black	Silver	-	-	-	+	-
ZM	Black	Black	Black	Black	+	+	+	-	+
ZN	Black	Black	Black	Silver	+	+	+	-	+
ZW	Pearl Silver/Black	Black	Black	Black	-	-	-	-	+
ZX	Pearl Silver/Black	Black	Black	Silver	-	-	-	-	+
FA	Magma Red/Black	Black	Black	Black	-	-	-	+	-
FD	Magma Red/Black	Black	Black	Silver	-	-	-	+	-

Audi A3 Sportback

Pr Number	Paint Description	Interior Upholstery Colours															
		MB	BW	BX	BT	CW	BU	BS	BW	MQ	MR	BU	CW	BT	QE	QF	
T9T9	Ibis White	+	+	~	~	+	+	+	+	+	~	~	+	~	+	+	
C8C8	Brilliant Red	+	~	+	~	~	+	+	~	~	+	~	~	+	+	+	
A2A2	Brilliant Black	+	~	+	+	+	+	+	+	~	+	+	+	+	+	+	
1R1R*	Lava Grey pearl effect	+	~	+	+	~	+	+	~	~	+	+	~	+	+	+	
5Q5Q*	Condor Grey metallic	+	~	~	+	+	+	+	+	~	~	+	+	~	+	+	
5G5G*	Glass Blue pearl effect	+	+	+	~	~	+	+	+	+	+	~	~	+	+	+	
X5X5*	Meteor Grey pearl effect	+	+	~	~	~	+	+	~	+	~	~	~	~	+	+	
1G1G	Volcano Red metallic	+	~	+	~	~	+	+	~	~	+	~	~	+	+	+	
L8L8*	Phantom Black pearl effect	+	~	+	+	+	+	+	+	~	+	+	+	+	+	+	
1J1J*	Amethyst Grey metallic	+	~	+	+	~	+	+	~	~	+	+	~	+	+	+	
S9S9*	Scuba Blue metallic	+	+	+	~	~	+	+	+	+	+	~	~	+	+	+	
8A8A*	Deep Sea Blue pearl effect	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
9F9F*	Sphere Blue metallic	+	+	~	~	~	+	+	+	~	~	+	+	~	+	+	
Y7Y7*	Dakota Grey metallic	+	+	~	+	~	+	+	+	+	+	+	+	+	+	+	
P5P5*	Ice Silver metallic	+	+	~	~	+	+	+	+	+	~	~	+	~	+	+	

+ Indicates a recommended combination

~ Available but not a recommended combination

Audi S3 Sportback

Paint Code	Paint Description	Interior Upholstery Colours							
		ZA	ZB	ZM	ZN	ZW	ZX	FA	FD
T9T9	Ibis White	+	+	+	+	+	+	+	+
C8C8	Brilliant Red	+	+	+	+	+	+	+	+
A2A2	Brilliant Black	+	+	+	+	+	+	+	+
1T1T *	Imola Yellow	+	+	+	+	~	~	~	~
5Q5Q *	Condor Grey metallic	+	+	+	+	+	+	+	+
P5P5 *	Ice Silver metallic	+	+	+	+	~	~	+	+
L8L8 *	Phantom Black pearl effect	+	+	+	+	+	+	+	+
X5X5 *	Meteor Grey pearl effect	+	+	+	+	+	~	~	~
5N5N *	Sprint Blue pearl effect	+	+	+	+	~	~	~	~
8A8A *	Deep Sea Blue pearl effect	+	+	+	+	+	~	~	~
3F3F *	Solar Orange	+	+	+	+	~	~	~	~

+ Means Recommended

~ Means Available but not Recommended

* At extra cost

Vorsprung durch Technik



Optional Extras

	TAX BAND	Order Code	A 1.6 TDI (109)	A 1.6 TDI (109) e model	A 1.6 TDI (109) S-Tronic	A 2.0 TDI (140)	B 2.0 TDI (140) S-Tronic	B 2.0 TDI (170)	B 2.0 TDI (170) S-Tronic	B 2.0 TDI 170 quattro	B 1.2 TFSI (105)	B 1.2 TFSI (105) S-Tronic	B 1.4 TFSI (125)	B 1.4 TFSI (125) S-Tronic	C 1.8 TFSI (160)	C 1.8 TFSI (160) S-Tronic	D 2.0 TFSI (200)	D 2.0 TFSI (200) S-Tronic	E 2.0 TFSI (200) quattro S-Tronic	F S3 2.0 TFSI (265) quattro	F S3 2.0 TFSI (265) quattro S-Tronic	RRP € A	RRP € B	RRP € C	RRP € D	RRP € E	RRP € F
Trailer towing hitch (removeable)		1D2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	908.00	928.00	970.00	1,016.00	1,066.00	1,122.00
Leather covered sports multifunction steering wheel <i>Note: Can only be ordered on Sport models</i>		1XW	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	279.00	285.00	297.00	312.00	327.00	344.00
Leather covered sports multifunction steering wheel with shift paddles <i>Note: Can only be ordered on Sport S-Tronic models</i>		1XX	-	*	-	*	*	*	*	-	-	-	*	*	-	*	-	*	*	*	*	427.00	437.00	297.00	312.00	326.00	351.00
Leather-covered multifunction sports steering wheel, 3-spoke, flat-bottomed <i>Note: Can only be ordered on Sport models</i>		2PF	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	427.00	437.00	456.00	478.00	326.00	551.00
Leather-covered multifunction sports steering wheel, 3-spoke, with shift paddles, flat-bottomed <i>Note: Can only be ordered on Sport S-Tronic models</i>		2PK	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	582.00	595.00	456.00	478.00	502.00	502.00
Badge Deletion <i>Without model and capacity designation</i>		220	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.00	0.00	0.00	0.00	0.00	0.00
Badge Deletion <i>Without capacity designation</i>		227	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.00	0.00	0.00	0.00	0.00	0.00
Leather covered 4-spoke multifunction steering wheel <i>Note: Can only be ordered on Standard versions and with P11</i>		22Q	*	*	*	*	*	-	-	*	*	*	*	*	*	*	-	-	-	-	-	279.00	285.00	297.00	312.00	-	-
Leather covered 4-spoke multifunction steering wheel with shift paddles <i>Note: Can only be ordered on Standard S-Tronic models and with P11/WC1</i>		22S	-	*	-	-	*	-	-	-	-	-	*	*	-	-	-	-	-	-	-	678.00	692.00	159.00	-	-	-
Panoramic sunroof		3FB	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	1,695.00	1,731.00	1,809.00	1,895.00	1,989.00	2,092.00
Electric seat adjustment for both front seats		3L5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	893.00	912.00	953.00	999.00	1,050.00	1,105.00
Load-through facility including rear centre armrest with cup holder		3NU	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	210.00	214.00	224.00	235.00	246.00	259.00
Electric seat adjustment for driver seat <i>Note: Can only be ordered with 7P1 and 9AK</i>		3PE	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	650.00	663.00	691.00	722.00	756.00	793.00
Black roof rails		3S2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.00	0.00	0.00	0.00	0.00	0.00
Manual sun screens for rear and side windows		3Y3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	298.00	304.00	318.00	333.00	175.00	184.00
Sun screen for rear window		3Y4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	149.00	152.00	159.00	166.00	S	S
Heated front seats		4A3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	446.00	456.00	477.00	499.00	524.00	551.00
Heated front and rear seats		4A4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	746.00	762.00	797.00	834.00	876.00	921.00
Windscreen with grey tinted strip and visible VIN		4GP	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	143.00	146.00	153.00	160.00	168.00	118.00
Digital compass display in interior rear view mirror <i>Note: Can only be ordered with PU7</i>		4L7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	135.00	138.00	145.00	151.00	159.00	167.00
Walnut brown inlays Standard	Sport	5MG	*	*	*	*	*	-	-	*	*	*	*	*	*	*	-	-	-	-	-	460.00	470.00	491.00	514.00	-	-
			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	284.00	290.00	303.00	318.00	334.00	351.00
Walnut dark brown inlays Standard	Sport	5MP	*	*	*	*	*	-	-	*	*	*	*	*	*	*	-	-	-	-	-	460.00	470.00	491.00	514.00	-	-
			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	284.00	290.00	303.00	318.00	334.00	351.00
Aluminium Medial finish silver inlays Standard	Sport	5TD	*	*	*	*	*	-	-	*	*	*	*	*	*	*	-	-	-	-	-	298.00	304.00	318.00	333.00	-	-
			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	122.00	125.00	130.00	137.00	143.00	151.00
Front centre armrest		6E3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	162.00	166.00	173.00	181.00	190.00	S
Black headlining and add-on parts <i>Note: Can only be ordered with QQ4 or QQ5</i>		6NQ	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	311.00	318.00	332.00	348.00	365.00	384.00
Wooden gear knob <i>Note: Can only be ordered with wood inlays and manual transmission</i>		6Q3	*	*	*	*	*	-	-	*	-	-	-	-	-	-	-	-	-	-	-	135.00	138.00	145.00	151.00	-	167.00

Optional Extras

TAX BAND	Order Code	1.6 TDI (109)																RRP €					
		A	A	A	A	B	B	B	B	B	B	B	B	B	B	B	B	A	B	C	D	E	F
Reversible mat for boot	6SJ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82.00	84.00	88.00	92.00	96.00	101.00
Exterior mirrors, electrically adjustable and heated	6XD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	162.00	166.00	173.00	181.00	190.00	200.00
Exterior mirrors, electrically folding/adjustable/heated	6XE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	366.00	374.00	391.00	410.00	430.00	452.00
Exterior mirrors: automatically dimming, electrically adjustable/heated <i>Note: Can only be ordered with 4L6</i>	6XJ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	406.00	415.00	434.00	454.00	477.00	502.00
Exterior mirrors, electrically adjustable/folding/ heated, with automatic dim <i>Note: Can only be ordered with 4L6</i>	6XK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	611.00	624.00	652.00	683.00	717.00	754.00
Anti theft alarm	7AL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	433.00	443.00	462.00	484.00	508.00	S
Cd Changer <i>Note: Cannot be ordered in conjunction with UF1 or UF2</i>	7A2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	502.00	513.00	536.00	561.00	589.00	S
Preparation for tracking system	7G9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	143.00	146.00	153.00	160.00	168.00	177.00
Tyre pressure monitor	7K6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	109.00	111.00	116.00	122.00	128.00	134.00
Electric lumbar support for front seats	7P1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	324.00	331.00	346.00	363.00	381.00	401.00
Acoustic rear park assistance	7X1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	542.00	553.00	578.00	606.00	634.00	669.00
Acoustic front and rear park assistance	7X2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	948.00	968.00	1,012.00	1,060.00	1,013.00	1,071.00
Paralell parking assistant <i>Note: Can only be ordered with P11</i>	7X5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,083.00	1,107.00	1,157.00	1,211.00	1,271.00	1,338.00
Light & rain sensor and high-beam assistant <i>Note: Can only be ordered with 4L6 (and P11WC1 if Standard version)</i>	8N7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	183.00	187.00	196.00	205.00	215.00	226.00
Adaptive Lights <i>Note: Can only be ordered with PX4</i>	8Q5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	460.00	470.00	491.00	514.00	540.00	568.00
Bose Surround sound	8RY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	800.00	817.00	854.00	894.00	938.00	987.00
Cruise Control <i>Note: Can only be ordered with P11 (if Standard)</i>	8T2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	366.00	374.00	391.00	409.00	430.00	452.00
Front foglights <i>Note: Standard on Sport models</i>	8WB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	218.00	222.00	232.00	243.00	-	-
Headlight washers <i>Comes as part of PX4</i>	8X1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	340.00	347.00	363.00	380.00	399.00	-
Climate Control	9AK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	548.00	560.00	585.00	612.00	643.00	S
Non smokers package <i>Deletes ashtray and cigarette lighter</i>	9JA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	0.00
Outdoor temperature gauge <i>Note: Can only be ordered on Standard versions</i>	9Y1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	135.00	138.00	145.00	151.00	S	S
Bluetooth phone prep with hands-free operation	9ZF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	712.00	727.00	760.00	796.00	835.00	879.00
Bluetooth interface	9ZX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	406.00	415.00	434.00	454.00	477.00	502.00
Metallic Paint	MP1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	866.00	885.00	925.00	968.00	1,016.00	1,069.00
Pearl effect Paint	MP7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	866.00	885.00	925.00	968.00	1,016.00	1,069.00
Vienna Leather upholstery <i>Note: Can only be ordered on Sport models</i>	N1A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,830.00	1,870.00	1,954.00	2,046.00	2,148.00	2,260.00
Silk Nappa Leather	N1U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,873.00
Nappa Leather upholstery <i>Note: Can only be ordered on Sport models</i>	N3Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,101.00	2,146.00	2,243.00	2,349.00	2,466.00	-

Optional Extras



TAX BAND	Order Code																	RRP € A	RRP € B	RRP € C	RRP € D	RRP € E	RRP € F
		1.6 TDI (109) A	1.6 TDI (109 e model) A	1.6 TDI (109 S-Tronic) A	2.0 TDI (140) A	2.0 TDI (140 S-Tronic) B	2.0 TDI (170) B	2.0 TDI (170 S-Tronic) B	2.0 TDI 170 quattro B	1.2 TFSI (105) B	1.2 TFSI (105 S-Tronic) B	1.4 TFSI (125) B	1.4 TFSI (125 S-Tronic) B	1.8 TFSI (160) C	1.8 TFSI (160 S-Tronic) C	2.0 TFSI (200) D	2.0 TFSI (200 S-Tronic) D	2.0 TFSI (200 quattro S-Tronic) E	S3 2.0 TFSI (265) quattro F	S3 2.0 TFSI (265) quattro S-Tronic F			
Silk Nappa Leather with double lap seam	NSX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,175.00
Alcantara/Leather upholstery <i>Note: Can only be ordered on Sport models</i>	N7U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,037.00
Magnetic Ride <i>Note: Can only be ordered on 140BHP engines and upwards</i>	PDH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,125.00
Sports Suspension dropped <i>Note: Can only be ordered on Sport models</i>	PDN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Driver information system <i>Note: Can only be ordered on Standard models</i>	PI1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	-
Luggage Compartment package	PKB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	125.00
Storage compartment and luggage compartment package	PKC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	309.00
Navigation System plus <i>Note: Can only be ordered with 9AK</i>	PND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,504.00
Navigation System <i>Note: Can only be ordered with 9AK and PI1/WC1</i>	PNX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,280.00
Interior mirror with anti glare and light/rain sensor	PU7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	401.00
Xenon Plus with LED daytime running lights <i>Note: Not in conjunction with 8X1</i>	PX4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S
Load through facility including ski bag <i>Note: Not in conjunction with 3NU</i>	PZA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	377.00
Storage package	QE1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	184.00
Speech dialogue system for navigation system plus <i>Note: Can only be ordered with PND and a multifunction steering wheel</i>	QH1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	669.00
Interior Lighting package	QQ4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	184.00
Illuminated vanity mirrors	QQ5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S
TV Reception - analogue/digital	QV9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,590.00
Symphony Radio System <i>As Concert Radio + Cd Changer and TP memo function.</i>	RSM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	528.00
Audi Music Interface <i>Note: Can only be ordered with PND</i>	UF7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	410.00
Hill start assist for quattro versions	UG1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	134.00
Hill start assist for front wheel drive versions	UG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	177.00
Garage door opener (homelink)	VC1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	384.00
SE Package for Ireland <i>Note: Can only be ordered on Standard models - see page 5 for contents</i>	WC1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leather/Alcantara combination with front sports seats <i>Note: Can only be ordered on Standard models</i>	WLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fine Nappa leather with front sports seats <i>Note: Can only be ordered on Standard models</i>	WLF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vienna leather with front standard seats <i>Note: Can only be ordered on Standard models</i>	WLV	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vienna leather with front sports seats <i>Note: Can only be ordered on Standard models</i>	WS7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

▪ Option - Not available S Standard

Optional Extras

TAX BAND	Order Code																	RRP € A	RRP € B	RRP € C	RRP € D	RRP € E	RRP € F
		1.6 TDI (109)	1.6 TDI (109) e model	1.6 TDI (109) S-Tronic	2.0 TDI (140)	2.0 TDI (140) S-Tronic	2.0 TDI (170)	2.0 TDI (170) S-Tronic	2.0 TDI 170 quattro	1.2 TFSI (105)	1.2 TFSI (105) S-Tronic	1.4 TFSI (125)	1.4 TFSI (125) S-Tronic	1.8 TFSI (160)	1.8 TFSI (160) S-Tronic	2.0 TFSI (200)	2.0 TFSI (200) S-Tronic	2.0 TFSI (200) quattro S-Tronic	S3 2.0 TFSI (255) quattro	S3 2.0 TFSI (255) quattro S-Tronic			
Option Code: C3L Size: 16" Alloy Style: 6 spoke design Tyre Size: 205/55 R 16 Wheel Size: 6.5J x 16	C3L	Standard	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
		Sport	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Option Code: CF5 Size: 16" Alloy Style: 7 arm Parabolic Tyre Size: 205/55 R 16 Wheel Size: 6.5J x 16	CF5	Standard	*	s	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
		Sport	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Option Code: C8F Size: 17" Alloy Style: 5 arm Kinetiks styling Tyre Size: 225/45 R17 Wheel Size: 7.5J x 17 !!Exclusively for Sport!!	C8F	Standard	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Sport	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s	s
Option Code: C4F Size: 17" Alloy Style: 5 arm dynamic Tyre Size: 225/45 R17 Wheel Size: 7.5J x 17	C4F	Standard	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
		Sport	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Option Code: C0X Size: 17" Alloy Style: 10 spoke styling Tyre Size: 225/45 R17 Wheel Size: 7.5J x 17	C0X	Standard	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
		Sport	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Option Code: C4N Size: 17" Alloy Style: 16 spoke styling Tyre Size: 225/45 R17 Wheel Size: 7.5J x 17	C4N	Standard	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
		Sport	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Optional Extras

	TAX BAND	Order Code																	RRP € A	RRP € B	RRP € C	RRP € D	RRP € E	RRP € F
			1.6 TDI (109)	1.6 TDI (109) e model	1.6 TDI (109) S-Tronic	2.0 TDI (140)	2.0 TDI (140) S-Tronic	2.0 TDI (170)	2.0 TDI (170) S-Tronic	2.0 TDI 170 quattro	1.2 TFSI (105)	1.2 TFSI (105) S-Tronic	1.4 TFSI (125)	1.4 TFSI (125) S-Tronic	1.8 TFSI (160)	1.8 TFSI (160) S-Tronic	2.0 TFSI (200)	2.0 TFSI (200) S-Tronic	2.0 TFSI (200) quattro S-Tronic	S3 2.0 TFSI (255) quattro	S3 2.0 TFSI (255) quattro S-Tronic			
Option Code: CP4		CP4	Standard	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Size: 17" Alloy Style: 5-spoke design Tyre Size: 225/45 R17 Wheel Size: 7.5J x 17			Sport	*	*	*	*	S	S	S	*	*	*	*	*	S	S	S	*	*	*	*	S	*
Option Code: F40		F40	Standard	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Size: 17" Alloy Style: 10-spoke design Tyre Size: 225/45 R17 Wheel Size: 7.5J x 17			Sport	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.00	*
Option Code: C3Z		C3Z	Standard	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Size: 17" Alloy Style: 5 twin-spoke design Tyre Size: 225/45 R17 Wheel Size: 7.5J x 17			Sport	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.00	*
Option Code: C2Q		C2Q	Standard	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	1,171.00
Size: 18" Alloy Style: 20-spoke design (2-piece) Tyre Size: 225/40 R18 Wheel Size: 7.5J x 18			Sport	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	1,924.00	664.00	-
Option Code: C8N		C8N	Standard	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	1,171.00
Size: 18" Alloy Style: 7 twin-spoke design Tyre Size: 225/40 R18 Wheel Size: 7.5J x 18			Sport	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	1,924.00	664.00	-
Option Code: F41		F41	Standard	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	1,171.00
Size: 18" Alloy Style: 5-segment-spoke design Tyre Size: 225/40 R18 Wheel Size: 7.5J x 18			Sport	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	1,924.00	664.00	-
Option Code: C1B		C1B	Standard	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	1,338.00
Size: 18" Alloy Style: 5-arm rotor design titanium Tyre Size: 225/40 R18 Wheel Size: 7.5J x 18			Sport	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	2,075.00	823.00	-

* Option - Not available S Standard

			Order Code	1.6 TDI (105) A	1.6 TDI (105) e model A	1.6 TDI (105) S-Tronic A	2.0 TDI (140) A	2.0 TDI (140) S-Tronic B	2.0 TDI (170) B	2.0 TDI (170) S-Tronic B	2.0 TDI 170 quattro B	1.2 TFSI (105) B	1.2 TFSI (105) S-Tronic B	1.4 TFSI (125) B	1.4 TFSI (125) S-Tronic B	1.8 TFSI (160) C	1.8 TFSI (160) S-Tronic C	2.0 TFSI (200) D	2.0 TFSI (200) S-Tronic D	2.0 TFSI (200) quattro S-Tronic m	S3 2.0 TFSI (265) quattro F	S3 2.0 TFSI (265) quattro S-Tronic F	RRP € A	RRP € B	RRP € C	RRP € D	RRP € E	RRP € F	
TAX BAND																													
1. Equipment packages / design packages																													
S line sports package			WQS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,599.00	1,633.00	1,707.00	1,788.00	1,876.00	-	
Additional equipment to A3 Sport: - Cast alloy wheels, 7.5 J x 17, 5-spoke design with 225/45 R17 tyres - S line sports suspension, firmer spring/shock absorber settings and lowering by 10 mm compared with Ambition - S line logo on the front wings door sill trims with S line logo - Interior, instrument panel and headlining in black cloth with optional silver or black stitching on cloth/leather- and perforated Alcantara/leather seat upholstery respectively leather-covered sports steering wheel, gear lever gaiter as well as floor mats - Matt brushed aluminium S line inlays (Piano finish as an option) - Sports seats in front - S line leather-covered sports steering wheel, 3-spoke design with black leather and S line logo (S tronic with shift paddles) - Gear lever knob in black perforated leather - Vanity mirrors, illuminated - Seat upholstery in cloth sprint/leather black, including embossed S line logo in the front seats - With the S line sports package, the exclusive colours Monza Silver metallic (U7) and Misano Red pearl effect (N9) is available for the same price as metallic/pearl effect paint																													
Note: can only be ordered on Sport models																													
Only in conjunction with:																													
Leather upholstery with seat side sections in black leather and seat centre section in black "Sprint" cloth, optional silver (QF) or black (QE) stitching, including embossed S line logo in the front seats			N7V	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	664.00	678.00	709.00	742.00	779.00	-	
or																													
Leather upholstery in perforated Alcantara black leather optional silver (QF) or black (QE) stitching, including embossed S line logo in the front seats			N7K	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,314.00	1,343.00	1,403.00	1,469.00	1,542.00	-	
or																													
Leather upholstery in Vienna leather optional silver (QF) or black (QE) stitching, including embossed S line logo in the front seats			N1R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,877.00	1,917.00	2,003.00	2,098.00	2,201.00	-	
Order options:																													
Inlays in Piano finish black			5TL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	0.00	
S line leather multifunction sports steering wheel, 3-spoke design, with S line emblem			1XW/6F1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	279.00	285.00	297.00	312.00		344.00	
S line leather multifunction sports steering wheel, 3-spoke design, with shift paddles, S line emblem, colour contrasting stitching (only for models with tiptronic)			1XX/6F1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	427.00	437.00	297.00	312.00	326.00	351.00	
S line leather multifunction sports steering wheel, 3-spoke design, with S line emblem, flat-bottomed			2PF/6F1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	427.00	437.00	456.00	478.00	326.00	551.00	
S line leather multifunction sports steering wheel, 3-spoke design, with shift paddles, S line emblem, colour contrasting stitching, flat-bottomed (only for models with tiptronic)			2PK/6F1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	582.00	595.00	456.00	478.00	502.00	502.00	
WQS alloy combination prices:																													
17" 10 Spoke design alloys			F40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	
17" 5 twin Spoke design alloys			C3Z	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.00	0.00	0.00	0.00	0.00	-	
18" 20 Spoke design alloys			C2Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	650.00	664.00	695.00	727.00	664.00	-	
18" 7 twin Spoke design alloys			C8N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	650.00	664.00	695.00	727.00	664.00	-	
18" S segment Spoke design alloys			F41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	650.00	664.00	695.00	727.00	664.00	-	
18" S rotor arm design titanium alloys			C1B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	785.00	802.00	840.00	878.00	823.00	-	

TAX BAND	Order Code	1.6 TDI (105) A	1.6 TDI (105) e model A	1.6 TDI (105) S-Tronic A	2.0 TDI (140) B	2.0 TDI (140) S-Tronic B	2.0 TDI (170) B	2.0 TDI (170) S-Tronic B	2.0 TDI 170 quattro B	1.2 TFSI (105) B	1.2 TFSI (105) S-Tronic B	1.4 TFSI (125) B	1.4 TFSI (125) S-Tronic B	1.8 TFSI (160) C	1.8 TFSI (160) S-Tronic C	2.0 TFSI (200) D	2.0 TFSI (200) S-Tronic D	2.0 TFSI (200) quattro S-Tronic E	S3 2.0 TFSI (265) quattro F	S3 2.0 TFSI (265) quattro S-Tronic F	RRP € A	RRP € B	RRP € C	RRP € D	RRP € E	RRP € F	
S line exterior package - Bumpers at front and radiator grille sidewise at front, as well as Diffusoreinsatz in a striking, sporty design - Integral centre bar at base of front bumper and diffuser insert with Platinum Grey paint finish - Scuff plates with S line logo - S line logo on the front wings - S line roof spoiler - Fog lights (standard on Ambition models) - Front fog light frames in chrome look - Chrome-plated tailpipe trims (depends on engine, single or double tailpipe trim) single or double tailpipe trim) Note: For 1.6 TDI not in conjunction with trailer hitch Note: in conjunction with the S line sports package a reduction is made Audi exclusive line - Front sports seats in Fine Nappa leather, black seat side sections, with seat centre sections in QY crimson red, QL silver or QX cognac, with coloured stitching - Head restraints with coloured stitching, same colour as seat centre section - Black headlining add-on parts - Door trim inserts in black - Front and rear floor mats with leather piping the same colour as the seat centre section - Leather sports steering wheel, and gear lever gaiter with coloured stitching (stitching same colour as seat centre section) - Matt brushed aluminium inlays (Piano finish as an option) - Door sill trims with Audi exclusive logo Note: Can be combined with: leather sports steering wheel, 3-spoke design leather multifunction sports steering wheel, 3-spoke design with shift paddles Note: cannot be ordered in conjunction with S line sports package, or an Audi exclusive leather package. Audi exclusive black styling package Radiator grille frame in Highly polished black with radiator grille and number plate holder in matt black (with S line exterior package) in matt black Note: must be ordered with 352 (Black roof rails) 2. Paint finishes Audi exclusive customised paint finish Important: To avoid unnecessary delays, the correct colour designation and paint number must also be indicated when ordering a customised paint finish (Q0Q0). Before submitting your order, please be sure to check whether the customised paint finish is feasible. Unlike all other custom equipment items, you are charged for the customised paint finish as part of the vehicle's basic price, and not via quattro GmbH. 4. Suspension / Brakes S line sports suspension - Optimised sports suspension with firmer spring and shock absorber settings - Sporty, more dynamic set-up - Vehicle lowered by 10 mm compared with Ambition Note: can only be ordered in conjunction with 17 or 18-inch alloy wheels. 5. Seats Audi exclusive front bucket seat - Seat upholstery in Fine Nappa leather without piping - Manually adjustable fore/aft positioning, seat height and backrest angle - Without front side airbags - Without storage package - Without Isofix mountings - Folding function of front seat backs without easy entry function Note: cannot be ordered in conjunction with storage package and front ISOFIX child seat mounting. Electric lumbar support, passenger airbag deactivation and other seat upholstery can be ordered. Note: only in conjunction with black interior code	PQD	*	*	*	*	S	S	S	*	*	*	*	*	*	S	S	S	-	-	-	2,249.00	2,298.00	2,401.00	2,515.00	0.00	-	
	WQK	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-	-	3,475.00	3,550.00	3,710.00	3,886.00	4,078.00	-
	4ZM	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	528.00	540.00	564.00	591.00	620.00	662.00
	Q0Q0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	2,778.00	2,838.00	2,966.00	3,107.00	3,261.00	3,431.00
	PDS	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-	-	766.00	782.00	817.00	856.00	541.00	-
	PS5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-	5,663.00	

TAX BAND	Order Code	1.6 TDI (105)	1.6 TDI (105) e model	1.6 TDI (105) S-Tronic	2.0 TDI (140)	2.0 TDI (140) S-Tronic	2.0 TDI (170)	2.0 TDI (170) S-Tronic	2.0 TDI 170 quattro	1.2 TFSI (105)	1.2 TFSI (105) S-Tronic	1.4 TFSI (125)	1.4 TFSI (125) S-Tronic	1.8 TFSI (160)	1.8 TFSI (160) S-Tronic	2.0 TFSI (200)	2.0 TFSI (200) S-Tronic	2.0 TFSI (200) quattro S-Tronic	S3 2.0 TFSI (265) quattro	S3 2.0 TFSI (265) quattro S-Tronic	RRP € A	RRP € B	RRP € C	RRP € D	RRP € E	RRP € F
7. Seat upholstery / Leather packages Seat centre section, Seat side section, Head restraints and Front centre armrest (if ordered) in Fine Nappa leather, color matched door trim inserts, Floor mats with leather piping, optional: colored stitches on seat side sections, head restraints. It is recommended to order the interior colour "black". Note: only in conjunction with sports seat. Audi exclusive leather trim (package 1) Fine Nappa leather/Alcantara Seat centre section, Seat side section, Head restraints and Front centre armrest (if ordered) in Fine Nappa leather, Seat centre section and door trim inserts in Alcantara Floor mats with leather piping, optional: colored stitches on seat side sections, head restraints. It is recommended to order the interior colour "black". Note: only in conjunction with sports seat. Audi exclusive leather trim, signal orange/black Silk Nappa leather with orange double lap seam Silk Nappa leather in signal orange, black. Seat centre section in signal orange leather, seat side sections and head restraints and door trim inserts in black leather with orange colour-contrasting stitching. Control elements such as steering wheel, handbrake handle and gear lever gaiter in black leather with orange stitching. Black front and rear floor mats with orange leather piping. Note: control elements YRB must be ordered additionally, but are included in the price. Audi exclusive extended leather trim Kneepads and armrests in doors in Fine Nappa leather, optional: coloured stitching. 8. Inlays Audi exclusive wood inlays Inlay in the door, Gearbox surround. 9. Steering Wheels / Gear levers / Controls Audi exclusive "leather" control elements The following items are leather-covered: • Steering wheel • Gear lever knob • Gear lever gaiter • Handbrake grip Audi exclusive "wooden" gear knob for manual versions Only in conjunction with wood inlays. Audi exclusive "leather" steering wheel rim Note: can only be ordered with a leather steering wheel (3- or 4-spoke design). Audi exclusive aluminium gear knob for manual versions 10. Infotainment / Radio and TV Systems Audi exclusive USB interface Console in glove box for USB sticks, MP3 player or iPod shuffle, with USB extension lead; limited operation via radio or leather-covered multifunction steering wheel. Artist and track not displayed. Note: not in conjunction with a navigation system plus or CD changer. 21. Glass Dark tinted glass Translucence (27%) for rear door and side windows and rear window.	PYA/S3G	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5,325.00	5,440.00	5,685.00	5,953.00	5,787.00	5,838.00
	PYC/S3G	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5,325.00	5,440.00	5,685.00	5,953.00	5,787.00	5,838.00
	PYZ/S3G	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5,838.00
	YSI/S3G	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,698.00
	YTA/S3G	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,111.00	1,135.00	1,186.00	1,242.00	1,304.00	-
	YRB/S3G	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,057.00	1,080.00	1,128.00	1,182.00	1,240.00	-
	YTG/S3G	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	332.00	339.00	354.00	371.00	390.00	-
	YRH/S3G	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	549.00	561.00	586.00	614.00	644.00	-
	6Q6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	176.00	180.00	188.00	197.00	207.00	-
	UF2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	278.00	284.00	297.00	311.00	326.00	343.00
	VW1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	569.00	581.00	608.00	636.00	668.00	703.00

• Option - Not available S Standard

Family

Audi child seat with ISOFIX



Order code: 4L0 019 902
Price: € 426.00

Sport and Design

Roof spoiler



Order code: 8P9 071 64 9AX
Price: € 297.02

Front spoiler with lip



Order Code: 8P0 071 312 A 9AX
Price: € 315.86

Transport Equipment

Roof bar set



Order code: 8P9 071 126
Price: € 316.27

Bicycle holder



Order code: 8E0 071 128 A
Price: € 109.44

Sports and luggage container (370l)



Order code: 8P0 071 175
Price: € 558.67

Care and Protection

Mudflaps front



Order code: 8P0 075 111
Price: € 46.86

Mudflaps rear



Order code: 8P4 075 101
Price: € 47.04

All prices are including VAT, but excluding painting or fitting

Technische Daten Audi A3 Sportback 1.6 TDI (77 kW)

Angebot in Deutschland – Stand: Oktober 2009

Modell	Audi A3 Sportback 1.6 TDI	
Motor / Elektrik		
Motorbauart	Reihen-Vierzylinder-Diesel mit VTG Abgasturbo, DOHC; TDI-Direkteinspritzg.	
Ventilsteuerung / Anzahl Ventile pro Zylinder	hydraulischer Ventilausgleich / 4	
Hubraum in ccm / Bohrung x Hub in mm / Verdichtung	1598 / 79,5 x 80,5 / 16,5	
max. Leistung in kW (PS) / bei 1/min	77 (105) / 4400	
max. Drehmoment in Nm / bei 1/min	250 / 1.500 – 2.500	
Motormanagement/Gemischaufbereitung	Common-Rail-Direkteinspritzung; Ladeluftkühlung, Schnellvorglühanlage, Motorsteuerung Simos PCR2; Mengen-, Spritzbeginn-, und Ladedruckregelung	
Abgasreinigungssystem	wartungsfreier Partikelfilter (Dieselpartikelfilter mit vorgeschaltetem Oxydations-Katalysator), geregelte Abgasrückführung	
Emissionsklasse	EU 5	
Generator in A / Batterie in A/Ah	140/ 380/ 68	
Start-Stop-System	Schaltet den Motor im Stillstand ab, wenn kein Gang eingelegt ist	
Rekuperation	Speichert Bremsenergie in der Batterie zwischen und unterstützt somit das Anfahren und Beschleunigen	
Antrieb / Kraftübertragung		
Antriebsart	Frontantrieb mit ESP	
Kupplung	Hydraulisch betätigte Einscheiben-Trockenkupplung	zwei elektrohydraulisch betätigte Lamellenkupplungen
Getriebebauart	5-Gang-Schaltgetriebe, vollsynchronisiert	7-Gang-Doppelkupplungsgetriebe S tronic mit elektrohydraulischer Betätigung
Getriebeübersetzung im 1. Gang / 2. Gang	3,778 / 1,944	3,500 / 2,087
Getriebeübersetzung im 3. Gang / 4. Gang	1,185 / 0,816	1,343 / 0,933
Getriebeübersetzung im 5. Gang / 6.-Gang	0,625 / -	0,974 / 0,778
Getriebeübersetzung im 7. Gang / R.-Gang	- / 3,600	0,653 / 3,722
Achsübersetzung	3,647	-
Achsübersetzung 1.- 4. Gang / 5.- 7. Gang / R-Gang	-	4,800 / 3,429 / 4,500
Fahrwerk / Lenkung / Bremse		
Bauart Vorderachse	McPherson-Federbeinachse mit unteren Dreiecksquerlenkern, Rohr stabilisator, Lenkrollradius spurstabilisierend, Aluminium-Hilfsrahmen	
Bauart Hinterachse	Vierlenker-Hinterachse mit getrennter Feder-Dämpfer-Anordnung, Hilfsrahmen, Rohr stabilisator	
Bauart Lenkung / Lenkübersetzung / Wendekreis in m (D102)	Elektromechanische Lenkung mit geschwindigkeitsabhängiger Servounterstützung, / 16,2 / ca. 10,7	
Bauart Bremssystem vorn/hinten	Zweikreisbremsanlage mit diagonalen Aufteilung. ESP mit elektronischer Bremskraftverteilung EBV, ABS, elektronische Differenzialsperre EDS; Bremskraftverstärker mit Dual-Rate Funktion, hydraulischer Bremsassistent; vorn: innenbelüftete Scheiben, hinten: Scheiben; Stahlfelgen 6,5Jx16" / Reifen 205/55 R16	
Räder / Reifen		
Fahrleistung / Verbrauch / Akustik		
Höchstgeschwindigkeit in km/h	194	
Beschleunigung 0-100 km/h in s	11,7	11,8
Kraftstoffart	Diesel nach EN 590	
Verbrauch innerorts / außerorts / kombiniert, l/100 km	5,1 / 3,8 / 4,2	4,9 / 3,9 / 4,3
CO2-Massenemission, g/km	134 / 99 / 112	129 / 103 / 112
Außengeräuschpegel im Stand / Vorbeifahrt in dB (A)	72 / 72	72 / 69
Wartung / Garantie Deutschland		
LongLife Service nach max. km	Nach Serviceanzeige bis 30.000km/ maximal 2 Jahre ¹⁾	
Garantie Fahrzeug/Lack/Karosseriedurchrostung	2 Jahre ohne km-Begrenzung / 3 Jahre / 12 Jahre	
Versicherungseinstufung in Deutschland: KH/VK/TK	18/ N 18/ N 22	
Gewichte / Belastbarkeit		
Leergewicht in kg / Zul. Gesamtgewicht in kg	1320 / 1880	1340 / 1900
Zul. Achslast vorn / hinten in kg	1035 / 1005	1060 / 1000
Zul. Anhängelast bei 8% / 12% Steig., gebr. / ungebremst, kg	1700 / 1400 / 690	1700 / 1400 / 700
Zul. Dachlast in kg / Zul. Stützlast in kg	75 / 75	
Füllmengen		
Kühlsysteminhalt (inkl. Heizung) in l	8,4	
Motorölinhalt (inkl. Filter) in l	4,3	
Tankinhalt in l	55	
Karosserie / Abmessungen		
Art der Karosserie	selbsttragend, Stahl	
Anzahl Türen / Sitzplätze	5 Türen mit zusätzlichem Flankenschutz / 5 Sitzplätze	
Luftwiderstandsbeiwert c _{yy} / Stirnfläche A in qm	0,31 / 2,13	
Länge (L103) / Breite o. Spiegel (W103) / Höhe (H100), mm	4292 / 1765 / 1423	
Radstand (L101) / Spurweite vorn/hinten (W101/W102), mm	2578 / 1534 / 1507	
Höhe Ladekante in mm (H195)	685	
Gepäckraumvolumen nach VDA-Quader in l (V211)	370 / 1100	

¹⁾ abhängig von Fahrweise und Einsatzbedingungen

Technical Data – Audi A3 Sportback 1.6 TDI (77 kW) (102g)

Program for Germany - Status: May 2010

Model	Audi A3 Sportback 1.6 TDI
Engine / electronics	
Engine type	Inline four-cylinder diesel engine with VTG turbocharger, DOHC; TDI direct injection
Valve gear / number of valves per cylinder	Hydraulic valve compensation / 4
Displacement in cc	1598 / 79.5 x 80.5 / 16.5
Max. power output in kW (hp) / at rpm	77 (105) / 4,400
Max. torque in Nm (lb-ft) / at rpm	250 (184.39) / 1,500 – 2,500
Mixture preparation	
Exhaust emission control	Maintenance-free particulate filter (diesel particulate filter with primary oxidizing catalytic converter), regulated exhaust gas recirculation
Emissions class	EU 5
Alternator in A / battery in A/Ah	140 / 380 / 68
Start-stop system	Switches the engine off if the vehicle is stationary and no gear is engaged
Recuperation	Temporarily stores braking energy in the battery, and thus aids driving off and acceleration
Drivetrain / transmission	
Drive type	Front-wheel drive with ESP
Clutch	Hydraulically operated single-plate dry clutch
Transmission type	5-speed manual transmission, synchromesh on all gears
Gear ratio in 1st gear / 2nd gear	3.778 / 1.944
Gear ratio in 3rd gear / 4th gear	1.1852 / 0.816
Gear ratio in 5th gear / 6th gear	0.625 / -
Reverse gear / final drive ratio	3.600 / 3.389
Suspension / steering / brakes	
Front suspension	McPherson struts with lower wishbones, tubular anti-roll bar, track-stabilizing steering roll radius, aluminum subframe
Rear suspension	Four-link rear suspension with separate spring/shock absorber arrangement, subframe, tubular anti-roll bar
Steering / steering ratio / turning circle in meters (D102) (feet)	Electromechanical steering with speed-dependent power assistance / 16.2 / approx. 10.7 (35.10)
Brake system	Dual-circuit brake system with diagonal split. ESP with electronic brake-force distribution EBD, ABS, electronic differential lock EDL, brake booster with dual-rate function, hydraulic brake assist; at front: ventilated disks, rear: disks
Wheels / tires	6Jx15" aluminium wheels / 195/65 R15 tires
Performance / consumption / acoustics	
Top speed in km/h (mph)	194 (120.55)
Acceleration, 0-100 km/h (0-62.14 mph) in sec	11.7
Fuel / octane value	Diesel, according to EN 590 and DIN 51628
Fuel consumption: city / highway / combined, l/100 km (US mpg)	4.8 (49.00) / 3.4 (69.18) / 3.9 (60.31)
CO2 mass emission, g/km (g/mile)	126 (202.78) / 89 (143.23) / 102 (164.15)
Idling / drive-past exterior noise level in dB (A)	72/ 72
Servicing / guarantee (Germany)	
LongLife Service after max. km (miles)	According to service indicator up to 30,000 km (18,641.14)/ max. 2 years
Vehicle / paint / rust perforation guarantee	2 years with unlimited mileage / 3 years / 12 years
Insurance classification in Germany: third party / fully comprehensive / part-	18 / 18 / 22
Weights / loads	
Unladen weight in kg according to EU (excluding driver) / (including driver) / gross weight limit in kg (pounds)	1315 (2,899.08) / 1390 (3,064.43) / 1875 (4,133.67)
Axle load limit at front / rear in kg (pounds)	1035 (2,281.78) / 1000 (2,204.62)
Trailer load limit on 8% / 12% gradient, braked / unbraked in kg (pounds)	1400 (3,086.47) (only applies to retrofit) / 1200 (2,645.55) (only applies to retrofit) / 690 (1,521.19) (only applies to retrofit)
Roof load limit in kg / permissible nose weight in kg (pounds)	75 (165.35) / 75 (165.35)
Capacities	
Engine oil capacity (including filter) in liters (US quarts)	4.3 (4.54)
Fuel tank capacity in liters (US gallons)	55 (14.53)
Body / dimensions	
Body type / number of doors / seats	Unitary, steel / 5 doors with additional side protection / 5
Drag coefficient Cd / frontal area A in m2 (square feet)	0.31 / 2.13 (22.93)
Length (L103) / width excluding mirrors (W103) / height (H101-M), mm (feet)	4292 (14.08) / 1765 (5.79) / 1408 (4.62)
Wheelbase (L101) / track at front/rear (W101-1/W101-2), mm (feet)	2578 (8.46) / 1534 (5.03) / 1507 (4.94)
Height of loading lip in mm (H196) (feet)	671 (2.20)
Luggage capacity in liters (cubic feet), according to VDA block method (V211) / rear seat bench folded	370 (13.07) / 1100 (38.85)

Technical Data – Audi A3 Sportback 2.0 TDI (103 kW)

Program for Germany - Status: November 2009

Model

Audi A3 Sportback 2.0 TDI	
Engine / electronics	
Engine type	Inline four-cylinder diesel engine with VTG turbocharger, DOHC; TDI® direct injection
Valve gear / number of valves per cylinder	Roller cam followers with hydraulic valve play compensation / 4
Displacement in cc / bore x stroke in mm / compression	1968 / 81 x 95.5 / 16.5
Max. power output in kW (hp) / at rpm	103 (140) / 4200
Max. torque in Nm (lb-ft) / at rpm	320 (236.02) / 1750 – 2500
Engine management	Common rail injection system, 1800 bar with MV injectors, direct injection with eight-hole nozzles, VTG turbocharger with intercooler; swirl and tangential intake ports, regulated swirl port; Bosch EDC; volume, injection start, charge pressure, low temperature EGR control
Exhaust emission control	Oxidizing catalytic converter, water-cooled exhaust gas recirculation, coated maintenance-free diesel particulate filter
Emissions class	EU 5
Alternator in A / battery in A/Ah	140 / 380 / 80
Start-stop system	Switches the engine off if the vehicle is stationary and no gear is engaged
Recuperation	Temporarily stores braking energy in the battery, and thus aids driving off and acceleration
Drivetrain / transmission	
Drive type	Front-wheel drive with EDL
Clutch	Hydraulically operated single-plate dry clutch
Gearbox type	6-speed manual transmission, synchromesh on all gears
	Two electrohydraulically controlled multi-plate clutches in an oil bath
	6-speed S tronic dual-clutch transmission with electrohydraulic control
Gear ratio in 1st gear / 2nd gear	3.769 / 1.958
Gear ratio in 3rd gear / 4th gear	1.257 / 0.870
Gear ratio in 5th gear / 6th gear	0.857 / 0.717
Gear ratio in reverse gear	4.549
Final drive ratio in 1st – 4th gear / 5th, 6th gear	3.450 / 2.760
	4.118 / 3.043
Suspension / steering / brakes	
Front suspension	McPherson struts with lower wishbones, tubular anti-roll bar, track-stabilizing steering roll radius, aluminum subframe
Rear suspension	Four-link rear suspension with separate spring/shock absorber arrangement, tubular anti-roll bar, subframe
Steering / steering ratio / turning circle in meters (D102) (feet)	Electromechanical steering with speed-dependent power assistance / 16.2 / approx. 10.7 (35.10)
Brake system, front/rear	Dual-circuit brake system with diagonal split. ESP with electronic brake-force distribution EBD, ABS, electronic differential lock EDL; brake booster with dual-rate function, hydraulic brake assist; front: ventilated disks, rear: disks; 6.5 J x 16 steel wheels with wheel cover / 205/55 R 16
Wheels / tires	
Performance / consumption / acoustics	
Top speed in km/h (mph)	210 (130.49) 207 (128.62)
Acceleration, 0-100 km/h (0-62.14 mph) in sec	9.1
Fuel type	Diesel, according to EN 590
Fuel consumption: city / highway / combined, l/100 km (mpg)	5,5 / 3,8 / 4,4 (42.77 / 61.90 / 53.46) 7,2 / 4,4 / 5,4 (32.67 / 53.46 / 43.56)
CO2 mass emission, g/km (g/mile)	144 / 98 / 115 (231.75 / 157.72 / 185.07) 190 / 116 / 143 (305.78 / 186.68 / 230.14)
Idling / drive-past exterior noise level in dB (A)	75 / 76 80 / 73
Servicing / guarantee (Germany)	
LongLifeService after max. km (miles)	According to service indicator up to 30,000km (18,641) (max. 2 years) ¹⁾
Vehicle / paint / rust perforation guarantee	2 years with unlimited mileage / 3 years / 12 years
Insurance classification in Germany	18 / 19 / 21
Weights / loads	
Unladen weight in kg / gross weight limit in kg (pounds)	1360 / 1920 (2998.29 / 4232.88) 1385 / 1945 (3053.40 / 4287.99)
Axle load limit at front / rear in kg (pounds)	1090 / 995 (2403.04 / 2193.60) 1115 / 995 (2458.15 / 2193.60)
Trailer load limit on 8% / 12% gradient, braked/unbraked in kg (pounds)	1700 / 1400 / 710 (3747.86 / 3086.47 / 1609.37) 1700 / 1400 / 730 (3747.86 / 3086.47 / 1565.28)
Roof load limit in kg / permissible nose weight in kg (pounds)	75 / 75 (165.35 / 165.35)
Capacities	
Cooling system capacity (including heating) in liters (gallons)	8.7 (2.30)
Engine oil capacity (including filter) in liters (quarts)	4.0 (4.23)
Fuel tank capacity in liters (gallons)	55 (14.53)
Body / dimensions	
Body type	Unitary, steel
Number of doors / seats	5 doors with additional side protection / 5 seats
Drag coefficient Cd / frontal area A in m ² (square feet)	0.33 / 2.13 (22.93)
Length (L103) / width excluding mirrors (W103) / height (H100) in mm (feet)	4292 / 1765 / 1423 (14.08 / 5.79 / 4.67)
Wheelbase (L101) / track at front/rear (W101/W102), mm(feet)	2578 / 1534 / 1507 (8.46 / 5.03 / 4.94)
Height of loading lip in mm (H195) (feet)	685 (2.25)
Luggage capacity in liters (cubic feet), according to VDA block method (V211)	370 / 1100 (13.07 / 38.85)

¹⁾ depending on driving style and operating conditions

Technische Daten Audi A3 Sportback 2.0 TDI 125 kW

Angebot in Deutschland – Stand: Dezember 2008

Modell	Audi A3 Sportback 2.0 TDI	
Motor / Elektrik		
Motorbauart	Reihen-Vierzylinder-Diesel mit VTG Abgasturbo, DOHC; TDI®-Direkteinspritzung	
Ventilsteuerung / Anzahl Ventile pro Zylinder	Rollenschlepphebel mit hydraulischem Ventilspielausgleich / 4	
Hubraum in ccm / Bohrung x Hub in mm / Verdichtung	1968 / 81 x 95,5 / 16,5	
max. Leistung in kW (PS) / bei 1/min	125 / 4200	
max. Drehmoment in Nm / bei 1/min	350 / 1750 – 2500	
Motormanagement	Common Rail-Einspritzsystem 1800 bar mit Piezoinjektoren, Direkteinspritzung, Achtloch-Düsen, VTG-Turboaufladung mit Ladeluftkühlung; Drall- und Tangential- Einlasskanäle, Drallkanal gesteuert; Bosch EDC; Mengen-, Spritzbeginn-, Ladedruck-, NT-AGR-Regelung	
Abgasreinigungssystem	Oxidationskatalysator, wassergekühlte Abgasrückführung, beschichteter, wartungsfreier Dieselpartikelfilter	
Emissionsklasse	EU 5	
Generator in A / Batterie in A/Ah	140 / 380 / 80	
Antrieb / Kraftübertragung		
Antriebsart	Frontantrieb mit EDS	
Kupplung	Hydraulisch betätigte Einscheiben-Trockenkupplung	zwei elektrohydraulisch betätigte Lamellenkupplungen im Ölbad
Getriebebauart	6-Gang-Schaltgetriebe, vollsynchronisiert	6-Gang-Doppelkupplungsgetriebe S tronic mit elektrohydraulischer Betätigung
Getriebeübersetzung im 1. Gang / 2. Gang	3,769 / 2,087	3,462 / 2,050
Getriebeübersetzung im 3. Gang / 4. Gang	1,324 / 0,977	1,300 / 0,902
Getriebeübersetzung im 5. Gang / 6. Gang	0,975 / 0,814	0,914 / 0,756
Getriebeübersetzung im R. Gang	4,549	3,989
Achsübersetzung 1.- 4. -Gang / 5.- 6. -Gang	3,450 / 2,760	4,118 / 3,043
Fahrwerk / Lenkung / Bremse		
Bauart Vorderachse	McPherson-Federbeinachse mit unteren Dreiecksquerlenkern, Rohr stabilisator, Lenkrollradius spurstabilisierend, Aluminium-Hilfsrahmen	
Bauart Hinterachse	Vierlenker-Hinterachse mit getrennter Feder-Dämpfer-Anordnung, Rohr stabilisator, Hilfsrahmen	
Bauart Lenkung / Lenkübersetzung / Wendekreis in m (D102)	Elektromechanische Lenkung mit geschwindigkeitsabhängiger Servounterstützung, / 16,2 / ca. 10,7	
Bauart Bremssystem vorn/hinten	Zweikreisbremsanlage mit diagonalen Aufteilung. ESP mit elektronischer Bremskraftverteilung EBV, ABS, elektronische Differenzialsperre EDS; Bremskraftverstärker mit Dual-Rate Funktion, hydraulischer Bremsassistent; vorn: innenbelüftete Scheiben, hinten: Scheiben;	
Räder / Reifen	Stahlräder mit Radvollblende 6,5 J x 16 / 205/55 R 16	
Fahrleistung / Verbrauch / Akustik		
Höchstgeschwindigkeit in km/h	224	
Beschleunigung 0-100 km/h in s	8,1	7,7
Kraftstoffart	Diesel nach EN 590	
Verbrauch innerorts / außerorts / kombiniert, l/100 km	6,9 / 4,2 / 5,2	7,4 / 4,7 / 5,7
CO ₂ -Massenemission, g/km	183 / 112 / 139	193 / 123 / 149
Außengeräuschpegel im Stand / Vorbeifahrt in dB (A)	80 / 75	80 / 73
Wartung / Garantie Deutschland		
LongLife Service nach max. km	Nach Serviceanzeige bis 30.000km/ maximal 2 Jahre ¹⁾	
Garantie Fahrzeug/Lack/Karosseriedurchrostung	2 Jahre ohne km-Begrenzung / 3 Jahre / 12 Jahre	
Versicherungseinstufung in Deutschland: KH/VK/TK	18 / 19 / 21	
Gewichte / Belastbarkeit		
Leergewicht in kg / Zul. Gesamtgewicht in kg	1375 / 1935	1395 / 1945
Zul. Achslast vorn / hinten in kg	1095 / 1000	1120 / 1000
Zul. Anhängelast bei 8% / 12% Steig., gebr. / ungebremst, kg	1700 / 1400 / 710	1700 / 1400 / 730
Zul. Dachlast in kg / Zul. Stützlast in kg	75 / 75	
Füllmengen		
Kühlsysteminhalt (inkl. Heizung) in l	8,7	
Motorölinhalt (inkl. Filter) in l	4,0	
Tankinhalt in l	55	
Karosserie / Abmessungen		
Art der Karosserie	selbsttragend, Stahl	
Anzahl Türen / Sitzplätze	5 Türen mit zusätzlichem Flankenschutz / fünf Sitzplätze	
Luftwiderstandsbeiwert c _w / Stirnfläche A in qm	0,33 / 2,13	
Länge (L103) / Breite o. Spiegel (W103) / Höhe (H100), mm	4292 / 1765 / 1423	
Radstand (L101) / Spurweite vorn/hinten (W101/W102), mm	2578 / 1534 / 1507	
Höhe Ladekante in mm (H195)	685	
Gepäckraumvolumen nach VDA-Quader in l (V211)	370 / 1100	

¹⁾ abhängig von Fahrweise und Einsatzbedingungen

Technical Data – Audi A3 Sportback 2.0 TDI quattro 125 kW

Program for Germany - **Status: December 2008**

Model	Audi A3 Sportback 2.0 TDI quattro
Engine / electronics	
Engine type	Inline four-cylinder diesel engine with VTG turbocharger, DOHC; TDI® direct injection
Valve gear / number of valves per cylinder	Roller cam followers with hydraulic valve play compensation / 4
Displacement in cc / bore x stroke in mm / compression	1968 / 81.0 x 95.5 / 16.5
Max. power output in kW (hp) / at rpm	125 / 4200
Max. torque in Nm (<i>lb-ft</i>) / at rpm	350 (258.15) / 1750 – 2500
Engine management	Common rail injection system, 1800 bar with piezo injectors, direct injection with eight-hole nozzles, VTG turbocharger with intercooler; swirl and tangential intake ports, regulated swirl port; Bosch EDC; volume, injection start, charge pressure, low temperature EGR control
Exhaust emission control	Oxidizing catalytic converter, water-cooled exhaust gas recirculation, coated maintenance-free diesel particulate filter
Emissions class	EU 5
Alternator in A / battery in A/Ah	140 / 380 / 80
Drivetrain / transmission	
Drive type	quattro permanent all-wheel drive with electronically controlled multi-plate clutch, electronic differential lock EDL
Clutch	Hydraulically operated single-plate dry clutch
Gearbox type	6-speed manual transmission, synchromesh on all gears
Gear ratio in 1st gear / 2nd gear	3.769 / 2.087
Gear ratio in 3rd gear / 4th gear	1.324 / 0.911
Gear ratio in 5th gear / 6th gear	0.902 / 0.756
Gear ratio in reverse gear	4.549
Final drive ratio in 1st – 4th gear / 5th, 6th gear	3.875 / 3.100
Suspension / steering / brakes	
Front suspension	McPherson struts with lower wishbones, tubular anti-roll bar, track-stabilizing steering roll radius, aluminum subframe
Rear suspension	Four-link rear suspension with separate spring/shock absorber arrangement, tubular anti-roll bar, subframe
Steering / steering ratio / turning circle in meters (D102) (<i>feet</i>)	Electromechanical steering with speed-dependent power assistance / 16.2 / approx. 10.7 (35.10)
Brake system, front/rear	Dual-circuit brake system with diagonal split. ESP with electronic brake-force distribution EBD, ABS, electronic differential lock EDL; brake booster with dual-rate function, hydraulic brake assist; front: ventilated disks, rear: disks; 6.5 J x 16 steel wheels with wheel cover / 205/55 R 16
Wheels / tires	
Performance / consumption / acoustics	
Top speed in km/h (<i>mph</i>)	222 (137.94)
Acceleration, 0-100 km/h (0-62.14 <i>mph</i>) in sec	7.9
Fuel type	Diesel, according to EN 590
Fuel consumption: city / highway / combined, l/100 km (<i>mpg</i>)	7.2 / 4.7 / 5.6 (32.67 / 50.05 / 42.00)
CO2 mass emission, g/km	148
Idling / drive-past exterior noise level in dB (A)	80 / 75
Servicing / guarantee (Germany)	
LongLifeService after max. km (<i>miles</i>)	According to service indicator up to 30,000km (18,641) (max. 2 years) ¹⁾
Vehicle / paint / rust perforation guarantee	2 years with unlimited mileage / 3 years / 12 years
Insurance classification in Germany	18 / 19 / 24
Weights / loads	
Unladen weight in kg / gross weight limit in kg (<i>pounds</i>)	1465 / 2025 (3229.77 / 4464.36)
Axle load limit at front / rear in kg (<i>pounds</i>)	1115 / 1070 (2458.15 / 2358.95)
Trailer load limit on 8% / 12% gradient, braked/unbraked in kg (<i>pounds</i>)	1800 / 1600 / 750 (3968.32 / 3527.40 / 1653.47)
Roof load limit in kg / permissible nose weight in kg (<i>pounds</i>)	75 / 75 (165.35 / 165.35)
Capacities	
Cooling system capacity (including heating) in liters (<i>gallons</i>)	8.7 (2.30)
Engine oil capacity (including filter) in liters (<i>quarts</i>)	4.0 (4.23)
Fuel tank capacity in liters (<i>gallons</i>)	60 (15.85)
Body / dimensions	
Body type	Unitary, steel
Number of doors / seats	5 doors with additional side protection / 5 seats
Drag coefficient Cd / frontal area A in m ² (<i>square feet</i>)	0.33 / 2.13 (22.93)
Length (L103) / width excluding mirrors (W103) / height (H100) in mm (<i>feet</i>)	4292 / 1765 / 1423 (14.08 / 5.79 / 4.67)
Wheelbase (L101) / track at front/rear (W101/W102), mm (<i>feet</i>)	2578 / 1534 / 1507 (8.46 / 5.03 / 4.94)
Height of loading lip in mm (H195) (<i>feet</i>)	685 (2.25)
Luggage capacity in liters (<i>cubic feet</i>), according to VDA block method (V211)	281 / 1011 (9.92 / 35.70)

¹⁾ depending on driving style and operating conditions

Technical Data – Audi A3 Sportback 1.2 TFSI

Program for Germany - Status: July 2010

Model	Audi A3 Sportback 1.2 TFSI
Engine / electronics	
Engine type	Inline four-cylinder spark-ignition engine with gasoline direct injection, exhaust turbocharger with intercooler, two valves per cylinder, with single overhead camshaft (OHC)
Valve gear / number of valves per cylinder	Chain drive / roller cam followers / 2
Displacement in cc	1197 / 71.0 x 75.6 / 10.0
Max. power output in kW (hp) / at rpm	77 (105) / 5000
Max. torque in Nm (<i>lb-ft</i>) / at rpm	175 (129.07) / 1550 – 4100
Mixture preparation	Fully electronic direct injection with drive-by-wire throttle control
Exhaust emission control	Close-couple ceramic main catalytic converter with catalyst heating function via homogeneous split dual injection
Emissions class	EU 5
Alternator in A / battery in A/Ah	140 / 380/ 68
Start-stop system	Switches the engine off if the vehicle is stationary and no gear is engaged
Recuperation	Temporarily stores braking energy in the battery, and thus aids driving off and acceleration
Drivetrain / transmission	
Drive type	Front-wheel drive with EDL
Clutch	Hydraulically operated single-plate dry clutch with asbestos-free linings
Transmission type	6-speed manual transmission, synchromesh on all gears
Gear ratio in 1st gear / 2nd gear	3.615 / 1.955
Gear ratio in 3rd gear / 4th gear	1.281 / 0.973
Gear ratio in 5th gear / 6th gear	0.778 / 0.646
Reverse gear / final drive ratio	3.182 / 4.056
Suspension / steering / brakes	
Front suspension	McPherson struts with lower wishbones, tubular anti-roll bar, track-stabilizing steering roll radius, aluminum subframe
Rear suspension	Four-link rear suspension with separate spring/shock absorber arrangement, subframe, tubular anti-roll bar
Steering / steering ratio / turning circle in meters (D102)(<i>feet</i>)	Electromechanical steering with speed-dependent power assistance / 16.2 / approx. 10.7 (35.10)
Brake system	Dual-circuit brake system with diagonal split. ESP with electronic brake-force distribution EBD, electronic axle-differential lock, ABS, electronic differential lock EDL, brake booster with dual-rate function, hydraulic brake assist; at front: ventilated disks, rear: solid disks
Wheels / tires	6.5Jx16" steel wheels, with wheel cover and 205/55 R16 tires
Performance / consumption / acoustics	
Top speed in km/h (<i>mph</i>)	192 (119.30)
Acceleration, 0-100 km/h (0-62.14 <i>mph</i>) in sec	11.3
Fuel / octane value	Premium unleaded / 95 RON
Fuel consumption: city / highway / combined, l/100 km(<i>US mpg</i>)	6.7 (35.11) / 4.7 (50.05) / 5.5 (42.77)
CO2 mass emission, g/km (<i>g/mile</i>)	156 (251.06) / 109 (175.42) / 127 (204.39)
Idling / drive-past exterior noise level in dB (A)	78 / 71
Servicing / guarantee (Germany)	
LongLife Service after max. km (<i>miles</i>)	According to service indicator up to 30,000 km (18,641.14) max. 2 years
Vehicle / paint / rust perforation guarantee	2 years with unlimited mileage / 3 years / 12 years
Insurance classification in Germany: third party / fully comprehensive / part-comprehensive	15/ N16 / N18
Weights / loads	
Unladen weight in kg according to EU (excluding driver) / gross weight limit in kg (<i>pounds</i>)	1245 (2,744.76) / 1320 (2,910.10) / 1805 (3,979.34)
Axle load limit at front / rear in kg (<i>pounds</i>)	960 (2,116.44) / 1000 (2,204.62)
Trailer load limit on 8% / 12% gradient, braked / unbraked in kg(<i>pounds</i>)	1500 (3,306.93) / 1200 (2,645.55) / 660 (1,455.05)
Roof load limit in kg / permissible nose weight in kg(<i>pounds</i>)	75 (165.35) / 75 (165.35)
Capacities	
Engine oil capacity (including filter) in liters(<i>US quarts</i>)	3.6 (3.80)
Fuel tank capacity in liters (<i>US gallons</i>)	55 (14.53)
Body / dimensions	
Body type / number of doors / seats	Unitary, steel / 5 doors with additional side protection / 5
Drag coefficient Cd / frontal area A in m2 (<i>square feet</i>)	0.323 / 2.13 (24.76)
Length (L103) / width excluding mirrors (W103) / height (H101-M), mm(<i>feet</i>)	4292 (14.08) / 1765 (5.79) / 1423 (4.67)
Wheelbase (L101) / track at front/rear (W101-1/W101-2), mm (<i>feet</i>)	2578 (8.46) / 1534 (5.03) / 1507 (4.94)
Height of loading lip in mm (H196) (<i>feet</i>)	685 (2.25)
Luggage capacity in liters (<i>cubic feet</i>) , according to VDA block method (V211) / rear seat bench folded	370 (13.07) / 1100 (38.85)

Technical Data – Audi A3 Sportback 1.2 TFSI

Program for Germany - Status: July 2010

Model	Audi A3 Sportback 1.2 TFSI
Engine / electronics	
Engine type	Inline four-cylinder spark-ignition engine with gasoline direct injection, exhaust turbocharger with intercooler, two valves per cylinder, with single overhead camshaft (OHC)
Valve gear / number of valves per cylinder	Chain drive / roller cam followers / 2
Displacement in cc	1197 / 71.0 x 75.6 / 10.0
Max. power output in kW (hp) / at rpm	77 (105) / 5000
Max. torque in Nm (<i>lb-ft</i>) / at rpm	175 (129.07) / 1550 – 4100
Mixture preparation	Fully electronic direct injection with drive-by-wire throttle control
Exhaust emission control	Close-couple ceramic main catalytic converter with catalyst heating function via homogeneous split dual injection
Emissions class	EU 5
Alternator in A / battery in A/Ah	140 / 380 / 68
Start-stop system	Switches the engine off if the vehicle is stationary and no gear is engaged
Recuperation	Temporarily stores braking energy in the battery, and thus aids driving off and acceleration
Drivetrain / transmission	
Drive type	Front-wheel drive with EDL
Clutch	Two electrohydraulically operated dry clutches
Transmission type	7-speed S tronic dual-clutch transmission
Gear ratio in 1st gear / 2nd gear	3.765 / 2.273
Gear ratio in 3rd gear / 4th gear	1.531 / 1.122
Gear ratio in 5th gear / 6th gear	1.176 / 0.951
Gear ratio in 7th gear	0.795
Reverse gear / final drive ratio	4.170 (rev. gear) / 4.438 (1st – 4th gear) / 3.227 (5th – 7th gear)
Suspension / steering / brakes	
Front suspension	McPherson struts with lower wishbones, tubular anti-roll bar, track-stabilizing steering roll radius, aluminum subframe
Rear suspension	Four-link rear suspension with separate spring/shock absorber arrangement, subframe, tubular anti-roll bar
Steering / steering ratio / turning circle in meters (D102) (feet)	Electromechanical steering with speed-dependent power assistance / 16.2 / approx. 10.7 (35.10)
Brake system	Dual-circuit brake system with diagonal split. ESP with electronic brake-force distribution EBD, electronic axle-differential lock, ABS, electronic differential lock EDL, brake booster with dual-rate function, hydraulic brake assist; at front: ventilated disks, rear: solid disks
Wheels / tires	6.5Jx16" steel wheels, with wheel cover and 205/55 R16 tires
Performance / consumption / acoustics	
Top speed in km/h (<i>mph</i>)	192 (119.30)
Acceleration, 0-100 km/h (0-62.14 <i>mph</i>) in sec	10.8
Fuel / octane value	Premium unleaded / 95 RON
Fuel consumption: city / highway / combined, l/100 km(<i>US mpg</i>)	6.5 (36.19) / 4.6 (51.13) / 5.3 (44.38)
CO2 mass emission, g/km (<i>g/mile</i>)	151 (243.01) / 107 (172.20) / 123 (197.95)
Idling / drive-past exterior noise level in dB (A)	77 / 70
Servicing / guarantee (Germany)	
LongLife Service after max. km (<i>miles</i>)	According to service indicator up to 30,000 km(18,641.14) max. 2 years
Vehicle / paint / rust perforation guarantee	2 years with unlimited mileage / 3 years / 12 years
Insurance classification in Germany: third party / fully comprehensive / part-comprehensive	15/ N16 / N18
Weights / loads	
Unladen weight in kg according to EU (excluding driver) / gross weight limit in kg (<i>pounds</i>)	1270 (2,799.87) / 1345 (2,965.22) / 1830 (4,034.46)
Axle load limit at front / rear in kg(<i>pounds</i>)	985 (2,171.55) / 1000 (2,204.62)
Trailer load limit on 8% / 12% gradient, braked / unbraked in kg(<i>pounds</i>)	1500 (3,306.93) / 1200 (2,645.55) / 670 (1,447.10)
Roof load limit in kg / permissible nose weight in kg(<i>pounds</i>)	75 (165.35) / 75 (165.35)
Capacities	
Engine oil capacity (including filter) in liters(<i>US quarts</i>)	3.6 (3.80)
Fuel tank capacity in liters(<i>US gallons</i>)	55 (14.53)
Body / dimensions	
Body type / number of doors / seats	Unitary, steel / 5 doors with additional side protection / 5
Drag coefficient Cd / frontal area A in m2(<i>square feet</i>)	0.323 / 2.13 (24.76)
Length (L103) / width excluding mirrors (W103) / height (H101-M), mm(<i>feet</i>)	4292 (14.08) / 1765 (5.79) / 1423 (4.67)
Wheelbase (L101) / track at front/rear (W101-1/W101-2), mm (<i>feet</i>)	2578 (8.46) / 1534 (5.03) / 1507 (4.94)
Height of loading lip in mm (H196)(<i>feet</i>)	685 (2.25)
Luggage capacity in liters (<i>cubic feet</i>), according to VDA block method (V211) / rear seat bench folded	370 (13.07) / 1100 (38.85)

Technical Data – Audi A3 Sportback 1.4 TFSI

Program for Germany - Status: October 2009

Model	Audi A3 Sportback 1.4 TFSI	
Engine / electronics		
Engine type	Inline four-cylinder spark-ignition engine with gasoline direct injection, exhaust turbocharger with intercooler, four valves per cylinder, double overhead camshafts (DOHC)	
Valve gear / number of valves per cylinder	Chain drive / roller cam followers / 4	
Displacement in cc / bore x stroke in mm / compression	1390 / 76.5 x 75.6 / 10.0	
Max. power output in kW (hp) / at rpm	92 (125) / 5000	
Max. torque in Nm (lb-ft) / at rpm	200 (147.51) / 1500 – 4000	
Mixture preparation	Fully electronic direct inj. with drive-by-wire throttle control, Bosch MED17	
Exhaust emission control	Ceramic underfloor catalytic converter with catalyst heating function via homogeneous split dual injection	
Emissions class	EU 5	
Alternator in A / battery in A/Ah	140 / 380 / 68	
Start-stop system	Switches the engine off if the vehicle is stationary and no gear is engaged	
Recuperation	Temporarily stores braking energy in the battery, and thus aids driving off and acceleration	
Drivetrain / transmission		
Drive type	Front-wheel drive with EDL	
Clutch	Hydraulically operated single-plate dry clutch with asbestos-free linings	Two electrohydraulically operated multi-plate clutches with asbestos-free linings
Gearbox type	6-speed manual transmission, synchromesh on all gears	7-speed S tronic dual-clutch transmission with electrohydraulic control
Gear ratio in 1st gear / 2nd gear	3.615 / 1.955	3.765 / 2.273
Gear ratio in 3rd gear / 4th gear	1.281 / 0.973	1.531 / 1.122
Gear ratio in 5th gear / 6th gear	0.778 / 0.646	1.176 / 0.951
Gear ratio in 7th gear / reverse gear	- / 3.182	0.795 / 4.170
Final drive ratio	4.353	-
Final drive ratio in 1st – 4th gear / 5th – 7th gear / reverse gear	-	4.438 / 3.227 / 4.176
Suspension / steering / brakes		
Front suspension	McPherson struts with lower wishbones, tubular anti-roll bar, track-stabilizing steering roll radius, aluminum subframe	
Rear suspension	Four-link rear suspension with separate spring/shock absorber arrangement, subframe, tubular anti-roll bar	
Steering / steering ratio / turning circle in meters (D102) (feet)	Electromechanical steering with speed-dependent power assistance / 16.2 / approx. 10.7 (35.10)	
Brake system, front/rear	Dual-circuit brake system with diagonal split. ESP with electronic brake-force distribution EBD, ABS, electronic differential lock EDL; brake booster with dual-rate function, hydraulic brake assist; front: ventilated disks, rear: disks;	
Wheels / tires	6.5Jx16" steel wheels with 205/55 R16 tires	
Performance / consumption / acoustics		
Top speed in km/h (mph)	203 (126.14)	203 (126.14)
Acceleration, 0-100 km/h (0-62.14 mph) in sec	9.6	9.5
Fuel type	premium unleaded, 95 RON	
Fuel consumption: city / highway / combined, l/100 km (mpg)	7.3 / 4.9 / 5.8 (32.22 / 48.00 / 40.55)	6.6 / 4.8 / 5.5 (35.64 / 49.00 / 42.77)
CO2 mass emission, g/km	169 / 114 / 134 (271.98 / 183.47 / 215.65)	153 / 112 / 127 (246.23 / 180.25 / 204.39)
Idling / drive-past exterior noise level in dB (A)	82 / 73	82 / 70
Servicing / guarantee (Germany)		
LongLifeService after max. km (miles)	According to service indicator up to 30,000 (18,641) (max. 2 years) ¹⁾	
Vehicle / paint / rust perforation guarantee	2 years with unlimited mileage / 3 years / 12 years	
Insurance classification in Germany	15 / N16 / N17	
Weights / loads		
Unladen weight in kg / gross weight limit in kg (pounds)	1295 / 1855 (2854.99 / 4089.57)	1370 / 1870 (3020.33 / 4122.64)
Axle load limit at front / rear in kg (pounds)	1005 / 1000 (2215.65 / 2204.62)	1030 / 1000 (2270.76 / 2204.62)
Trailer load limit on 8%/12% gradient, braked/unbraked in kg (pounds)	1500 / 1200 / 680 (3306.93 / 2645.55 / 1499.14)	1500 / 1200 / 690 (3306.93 / 2645.55 / 1521.19)
Roof load limit in kg / permissible nose weight in kg (pounds)	75 / 75 (165.35 / 165.35)	
Capacities		
Cooling system capacity (including heating) in liters (gallons)	8.4 (2.22)	
Engine oil capacity (including filter) in liters (quarts)	3.6 (3.80)	
Fuel tank capacity in liters (gallons)	55 (14.53)	
Body / dimensions		
Body type	Unitary, steel	
Number of doors / seats	5 doors with additional side protection / 5 seats	
Drag coefficient Cd / frontal area A in m ² (square feet)	0.33 / 2.13 (22.93)	
Length (L103) / width excluding mirrors (W103) / height (H101-M)	4292 / 1765 / 1423 (14.08 / 5.79 / 4.67); mm (feet)	
Wheelbase (L101) / track at fr./rear (W101-1/W101-2), mm (feet)	2578 / 1534 / 1507 (8.46 / 5.03 / 4.94)	
Height of loading lip in mm (H196) (feet)	685 (2.25)	
Luggage capacity in liters (cubic feet), according to VDA block method (V211)	370 / 1100 (13.07 / 38.85)	

1) depends on driving style and operating conditions

Technical Data – Audi A3 Sportback 1.8 TFSI

Program for Germany - Status: October 2009

Model	Audi A3 Sportback 1.8 TFSI	
Engine / electronics		
Engine type	Inline four-cylinder spark-ignition engine with gasoline direct injection, exhaust turbocharger with intercooler, four valves per cylinder, double overhead camshafts (DOHC)	
Valve gear / number of valves per cylinder	Chain drive/continuous intake camshaft adjustment / 4	
Displacement in cc / bore x stroke in mm / compression	1798 / 82.5 x 84.1 / 9.6	
Max. power output in kW (hp) / at rpm	118 (160) / 4500 - 6200	
Max. torque in Nm (lb-ft) / at rpm	250 (184.39) / 1500 - 4500	
Mixture preparation	Fully electronic engine management with drive-by-wire throttle control, direct injection, adaptive lambda control, mapped ignition with solid-state high-voltage distribution, cylinder-selective adaptive knock control	
Exhaust emission control	Close-coupled ceramic primary catalytic converter and ceramic underfloor catalytic conv. with catalyst heating function via homogeneous split dual injection	
Emissions class	EU 5	
Alternator in A / battery in A/Ah	140 / 380 / 68	
Recuperation	Temporarily stores braking energy in the battery, and thus aids driving off and acceleration	
Drivetrain / transmission		
Drive type	Front-wheel drive with EDL	
Clutch	Hydraulically operated single-plate dry clutch	Two electrohydraulically operated dry clutches
Gearbox type	6-speed manual transmission, synchromesh on all gears	7-speed S tronic dual-clutch transmission with electrohydraulic control
Gear ratio in 1st gear / 2nd gear	3.778 / 2.063	3.765 / 2.273
Gear ratio in 3rd gear / 4th gear	1.455 / 1.107	1.531 / 1.122
Gear ratio in 5th gear / 6th gear	0.875 / 0.725	1.176 / 0.951
Gear ratio in reverse gear	3.600	0.795 / 3.811
Final drive ratio	3.647	-
Final drive ratio in 1st – 4th gear / 5th – 7th gear / rev. gear	-	4.438 / 3.227 / 4.176
Suspension / steering / brakes		
Front suspension	McPherson struts with lower wishbones, tubular anti-roll bar, track-stabilizing steering roll radius, aluminum subframe	
Rear suspension	Four-link rear suspension with separate spring/shock absorber arrangement, tubular anti-roll bar, subframe	
Steering / steering ratio / turning circle in meters (D102) (feet)	Electromechanical steering with speed-dependent power assistance / 16.2 / approx. 10.7 (35.10)	
Brake system, front/rear	Dual-circuit brake system with diagonal split. ESP with electronic brake-force distribution EBD, ABS, electronic differential lock EDL; brake booster with dual-rate function, hydraulic brake assist; front: ventilated disks, rear: disks;	
Wheels / tires	6.5Jx16" steel wheels with 205/55 R16 tires	
Performance / consumption / acoustics		
Top speed in km/h (mph)	222 (137.94)	222 (137.94)
Acceleration, 0-100 km/h (0-62.14 mph) in sec	7.8	7.7
Fuel type	premium unleaded, 95 RON	
Fuel consumption: city / highway / combined, l/100 km (mpg)	8.7 / 5.3 / 6.6 (27.04 / 44.38 / 35.64)	8.5 / 5.2 / 6.5 (27.67 / 45.23 / 36.19)
CO2 mass emission, g/km	202 / 124 / 153 (325.09 / 199.56 / 246.23)	197 / 121 / 149 (317.04 / 194.73 / 239.79)
Idling / drive-past exterior noise level in dB (A)	80 / 74	80 / 73
Servicing / guarantee (Germany)		
LongLifeService after max. km (miles)	According to service indicator up to 30,000 (18,641) (max. 2 years) ¹⁾	
Vehicle / paint / rust perforation guarantee	2 years with unlimited mileage / 3 years / 12 years	
Insurance classification in Germany	14 / 17 / 20	
Weights / loads		
Unladen weight in kg / gross weight limit in kg (pounds)	1320 / 1880 (2910.10 / 4144.69)	1335 / 1895 (2943.17 / 4177.76)
Axle load limit at front / rear in kg (pounds)	1040 / 1000 (2292.81 / 2204.62)	1060 / 1000 (2336.90 / 2204.62)
Trailer load limit on 8% / 12% gradient, braked/unbraked in kg (pounds)	1700 / 1400 / 690 (3747.86 / 3086.47 / 1521.19)	1700 / 1400 / 700 (3747.86 / 3086.47 / 1543.24)
Roof load limit in kg / permissible nose weight in kg (pounds)	75 / 75 (165.35 / 165.35)	
Capacities		
Cooling system capacity (including heating) in liters (gallons)	8.6 (2.27)	
Engine oil capacity (including filter) in liters (quarts)	4.6 (4.86)	
Fuel tank capacity in liters (gallons)	55 (14.53)	
Body / dimensions		
Body type	Unitary, steel	
Number of doors / seats	5 doors with additional side protection / 5 seats	
Drag coefficient Cd / frontal area A in m ² (square feet)	0.33 / 2.13 (22.93)	
Length (L103) / width excluding mirrors (W103) / height (H100) in mm (feet)	4292 / 1765 / 1423 (14.08 / 5.79 / 4.66)	
Wheelbase (L101) / track at fr./rear (W101/W102), mm (feet)	2578 / 1534 / 1507 (8.46 / 5.03 / 4.94)	
Height of loading lip in mm (H195) (feet)	685 (2.25)	
Luggage capacity in liters (cubic feet), according to VDA block method (V211)	370 / 1100 (13.07 / 38.85)	

1) depends on driving style and operating conditions

Technical Data – Audi A3 Sportback 2.0 TFSI

Program for Germany - Status: December 2008

Model	Audi A3 Sportback 2.0 TFSI	
Engine / electronics		
Engine type	Inline four-cylinder spark-ignition engine with gasoline direct injection, exhaust turbocharger with intercooler, four valves per cylinder, double overhead camshafts (DOHC)	
Valve gear / number of valves per cylinder	Chain drive/continuous intake camshaft adjustment / 4	
Displacement in cc / bore x stroke in mm / compression	1984 / 82.5 x 92.8 / 9.6	
Max. power output in kW (hp) / at rpm	147 (200) / 5100 - 6000 280 (206.52) / 1700 - 5000	
Mixture preparation	Fully electronic engine management with drive-by-wire throttle control, direct injection, adaptive lambda control, mapped ignition with solid-state high-voltage distribution, cylinder-selective adaptive knock control	
Exhaust emission control	Close-coupled ceramic primary catalytic converter and ceramic underfloor catalytic converter with catalyst heating function via homogeneous split dual injection	
Emissions class	EU 5	
Alternator in A / battery in A/Ah	140 / 280 / 60	
Drivetrain / transmission		
Drive type	Front-wheel drive with EDL	
Clutch	Hydraulically operated single-plate dry clutch	Two electrohydraulically controlled multi-plate clutches in an oil bath
Gearbox type	6-speed manual transmission, synchromesh on all gears	6-speed S tronic dual-clutch transmission with electrohydraulic control
Gear ratio in 1st gear / 2nd gear	3.357 / 2.087	3.462 / 2.15
Gear ratio in 3rd gear / 4th gear	1.469 / 1.098	1.464 / 1.079
Gear ratio in 5th gear / 6th gear	1.108 / 0.927	1.094 / 0.921
Reverse gear	3.990	3.989
Final drive ratio in 1st – 4th gear / 5th, 6th and reverse gear	3.944 / 3.087	4.059 / 3.136
Suspension / steering / brakes		
Front suspension	McPherson struts with lower wishbones, tubular anti-roll bar, track-stabilizing steering roll radius, aluminum subframe	
Rear suspension	Four-link rear suspension with separate spring/shock absorber arrangement, tubular anti-roll bar, subframe	
Steering / steering ratio / turning circle in meters (D102) (feet)	Electromechanical steering with speed-dependent power assistance / 16.2 / approx. 10.7 (35.10)	
Brake system, front/rear	Dual-circuit brake system with diagonal split. ESP with electronic brake-force distribution EBD, ABS, electronic differential lock EDL; brake booster with dual-rate function, hydraulic brake assist; front: ventilated disks, rear: disks	
Wheels / tires	6.5 J x 16 steel wheels with wheel cover / 205/55 R 16	6.5J x 16 cast aluminum wheels / 205/55 R16
Performance / consumption / acoustics		
Top speed in km/h (mph)	238 (147.89)	238 (147.89)
Acceleration, 0-100 km/h (0-62.14 mph) in sec	7.1	6.9
Fuel type	premium unleaded, 95 RON	premium unleaded, 95 RON
Fuel consumption: city / highway / combined, l/100 km (mpg)	9.9 / 5.6 / 7.2 (23.76 / 42.00 / 32.67)	9.8 / 5.7 / 7.2 (24.00 / 41.27 / 32.67)
CO2 mass emission, g/km	167	166
Idling / drive-past exterior noise level in dB (A)	88 / 75	88 / 74
Servicing / guarantee (Germany)		
LongLifeService after max. km (miles)	According to service indicator up to 30,000 (18,641) (max. 2 years) ¹⁾	
Vehicle / paint / rust perforation guarantee	2 years with unlimited mileage / 3 years / 12 years	
Insurance classification in Germany	16 / 19 / 23	
Weights / loads		
Unladen weight in kg / gross weight limit in kg (pounds)	1335 / 1895 (2943.17 / 4177.76)	1370 / 1930 (3020.33 / 4254.92)
Axle load limit at front / rear in kg (pounds)	1065 / 1000 (2347.92 / 2204.62)	1090 / 995 (2403.04 / 2193.60)
Trailer load limit on 8% / 12% gradient, braked/unbraked in kg (pounds)	1800 / 1500 / 700 (3968.32 / 3306.93 / 1543.24)	1800 / 1500 / 720 (3968.32 / 3306.93 / 1587.33)
Roof load limit in kg / permissible nose weight in kg (pounds)	75 / 75 (165.35 / 165.35)	
Capacities		
Cooling system capacity (including heating) in liters (gallons)	8.6 (2.27)	
Engine oil capacity (including filter) in liters (quarts)	4.6 (4.86)	
Fuel tank capacity in liters (gallons)	55 (14.53)	
Body / dimensions		
Body type	Unitary, steel	
Number of doors / seats	5 doors with additional side protection / 5 seats	
Drag coefficient Cd / frontal area A in m ² (square feet)	0.33 / 2.13 (22.93)	
Length (L103) / width excluding mirrors (W103) / height (H100) in mm (feet)	4292 / 1765 / 1423 (14.08 / 5.79 / 4.67)	
Wheelbase (L101) / track at front/rear (W101/W102), mm (feet)	2578 / 1534 / 1507 (8.46 / 5.03 / 4.94)	
Height of loading lip in mm (H195) (feet)	685 (2.25)	
Luggage capacity in liters (cubic feet), according to VDA block method (V211)	370 / 1100 (13.07 / 38.85)	

1) depends on driving style and operating conditions

Technical Data – Audi A3 Sportback 2.0 TFSI quattro

Program for Germany - Status: December 2008

Model	Audi A3 Sportback 2.0 TFSI quattro
Engine / electronics	
Engine type	Inline four-cylinder spark-ignition engine with gasoline direct injection, exhaust turbocharger with intercooler, four valves per cylinder, double overhead camshafts (DOHC)
Valve gear / number of valves per cylinder	Chain drive/continuous intake camshaft adjustment / 4
Displacement in cc / bore x stroke in mm / compression	1984 / 82.5 x 92.8 / 9.6
Max. power output in kW (hp) / at rpm	147 (200) / 5100 - 6000
Max. torque in Nm (lb-ft) / at rpm	280 (206.52) / 1700 - 5000
Mixture preparation	Fully electronic engine management with drive-by-wire throttle control, direct injection, adaptive lambda control, mapped ignition with solid-state high-voltage distribution, cylinder-selective adaptive knock control
Exhaust emission control	Close-coupled ceramic primary catalytic converter and ceramic underfloor catalytic converter with catalyst heating function via homogeneous split dual injection
Emissions class	EU 5
Alternator in A / battery in A/Ah	140 / 280 / 60
Drivetrain / transmission	
Drive type	quattro permanent all-wheel drive with electronically controlled multi-plate clutch, electronic differential lock EDL
Clutch	Two electrohydraulically controlled multi-plate clutches in an oil bath
Gearbox type	6-speed S tronic dual-clutch transmission with electrohydraulic control
Gear ratio in 1st gear / 2nd gear	3.462 / 2.150
Gear ratio in 3rd gear / 4th gear	1.464 / 1.079
Gear ratio in 5th gear / 6th gear	1.094 / 0.921
Gear ratio in reverse gear	3.989
Final drive ratio in 1st – 4th gear / 5th, 6th and reverse gear	4.058 / 3.136
Suspension / steering / brakes	
Front suspension	McPherson struts with lower wishbones, tubular anti-roll bar, track-stabilizing steering roll radius, aluminum subframe
Rear suspension	Four-link rear suspension with separate spring/shock absorber arrangement, tubular anti-roll bar, subframe
Steering / steering ratio / turning circle in meters (D102) (feet)	Electromechanical steering with speed-dependent power assistance / 16.2 / approx. 10.7 (35.10)
Brake system, front/rear	Dual-circuit brake system with diagonal split. ESP with electronic brake-force distribution EBD, ABS, electronic differential lock EDL; brake booster with dual-rate function, hydraulic brake assist; front: ventilated disks, rear: disks;
Wheels / tires	7.5 J x 17 cast aluminum wheels with 225/45 R17 tires
Performance / consumption / acoustics	
Top speed in km/h (mph)	236 (146.64)
Acceleration, 0-100 km/h (0-62.14 mph) in sec	6.7
Fuel type	premium unleaded, 95 RON
Fuel consumption: city / highway / combined, l/100 km (mpg)	10.0 / 6.2 / 7.6 (23.52 / 37.94 / 30.95)
CO2 mass emission, g/km	176
Idling / drive-past exterior noise level in dB (A)	85 / 74
Servicing / guarantee (Germany)	
LongLifeService after max. km (miles)	According to service indicator up to 30,000 (18,641) (max. 2 years) ¹⁾
Vehicle / paint / rust perforation guarantee	2 years with unlimited mileage / 3 years / 12 years
Insurance classification in Germany	16 / 19 / 23
Weights / loads	
Unladen weight in kg / gross weight limit in kg (pounds)	1455 / 2015 (3207.73 / 4442.32)
Axle load limit at front / rear in kg (pounds)	1110 / 1065 (2447.13 / 2347.92)
Trailer load limit on 8% / 12% gradient, braked/unbraked in kg (pounds)	1800 / 1500 / 750 (3968.32 / 3306.93 / 1653.47)
Roof load limit in kg / permissible nose weight in kg (pounds)	75 / 75 (165.35 / 165.35)
Capacities	
Cooling system capacity (including heating) in liters (gallons)	8.6 (2.27)
Engine oil capacity (including filter) in liters (quarts)	4.6 (4.86)
Fuel tank capacity in liters (gallons)	60 (15.85)
Body / dimensions	
Body type	Unitary, steel
Number of doors / seats	5 doors with additional side protection / 5 seats
Drag coefficient Cd / frontal area A in m ² (square feet)	0.33 / 2.13 (22.93)
Length (L103) / width excluding mirrors (W103) / height (H100) in mm (feet)	4292 / 1765 / 1423 (14.08 / 5.79 / 4.67)
Wheelbase (L101) / track at front/rear (W101/W102), mm (feet)	2578 / 1534 / 1507 (8.46 / 5.03 / 4.94)
Height of loading lip in mm (H195) (feet)	685 (2.25)
Luggage capacity in liters (cubic feet), according to VDA block method (V211)	302 / 1032 (10.67 / 36.44)

1) depends on driving style and operating conditions

Technical Data – Audi S3 Sportback

Program for Germany - Status: November 2008

Model	Audi S3 Sportback	
Engine / electronics		
Engine type	Inline four-cylinder spark-ignition engine with gasoline direct injection, exhaust turbocharger with intercooler, four valves per cylinder, double overhead camshafts (DOHC)	
Valve gear / number of valves per cylinder	Belt drive/continuous intake camshaft adjustment / 4	
Displacement in cc / bore x stroke in mm / compression	1984 / 82.5 x 92.8 / 9.8	
Max. power output in kW (hp) / at rpm	195 (265) / 6000	
Max. torque in Nm (<i>lb-ft</i>) / at rpm	350 (258.15) / 2500 – 5000	
Engine management / mixture preparation	Fully electronic engine management with drive-by-wire throttle control, direct injection, adaptive lambda control, mapped ignition with solid-state high-voltage distribution, cylinder-selective adaptive knock control	
Exhaust emission control	Close-coupled ceramic primary catalytic converter and ceramic underfloor catalytic converter with catalyst heating function via homogeneous split dual injection	
Emissions class	EU 5	
Alternator in A / battery in A/Ah	140 / 330 / 61	
Drivetrain / transmission		
Drive type	quattro permanent all-wheel drive with electronically controlled multi-plate clutch, electronic differential lock EDL	
Clutch	Hydraulically operated single-plate dry clutch	Two electrohydraulically controlled multi-plate clutches in an oil bath
Gearbox type	6-speed manual transmission, synchromesh on all gears	6-speed S tronic dual-clutch transmission with electrohydraulic control
Gear ratio in 1st gear / 2nd gear	2.923 / 1.957	2.923 / 1.957
Gear ratio in 3rd gear / 4th gear	1.400 / 1.032	1.400 / 1.032
Gear ratio in 5th gear / 6th gear	1.077 / 0.871	1.077 / 0.871
Gear ratio in reverse gear	3.264	3.263
Final drive ratio in 1st – 4th gear / 5th, 6th and reverse gear	4.769 / 3.444	4.769 / 3.444
Suspension / steering / brakes		
Front suspension	McPherson struts with lower wishbones, tubular anti-roll bar, track-stabilizing steering roll radius, aluminum subframe	
Rear suspension	Four-link rear suspension with separate spring/shock absorber arrangement, tubular anti-roll bar, subframe	
Steering / steering ratio / turning circle in meters (D102) (<i>feet</i>)	Electromechanical steering with speed-dependent power assistance / 16.2 / approx. 10.7 (35.10)	
Brake system, front/rear	Dual-circuit brake system with diagonal split, ESP, hydraulic brake assist, disk brakes ventilated at front, ventilated at rear; Brake diameter front/rear: 345 / 310	
Wheels / tires	Wheels: aluminum, weight-optimized, 7.5Jx18, offset: 56 mm Tires: 225/40 R18 92 Y	
Performance / consumption / acoustics		
Top speed in km/h (<i>mph</i>)	250 (155.34) (governed)	
Acceleration, 0-100 km/h (0-62.14 <i>mph</i>) in sec	5.8	5.6
Fuel type	Super Plus unleaded, 98 RON	
Fuel consumption: city / highway / combined, l/100km (<i>mpg</i>)	11.8 / 6.7 / 8.5 (19.93 / 35.11 / 27.67)	11.2 / 6.8 / 8.4 (12.00 / 34.59 / 28.00)
CO2 mass emission, g/km	199	195
Idling / drive-past exterior noise level in dB (A)	83 / 75	
Servicing / guarantee (Germany)		
Oil change every ... km (<i>miles</i>) / inspection every ... km (<i>miles</i>)	According to service indicator up to 30,000 (18,641) (max. 2 years) ¹⁾	
Vehicle / paint / rust perforation guarantee	2 years with unlimited mileage / 3 years / 12 years	
Insurance classification	16 / 21 / 23	
Weights / loads		
Unladen weight in kg (excluding driver) / gross weight limit in kg (<i>pounds</i>)	1495 / 2055 (3295.91 / 4530.50)	1515 / 2075 (3340.00 / 4574.59)
Axle load limit at front / rear in kg (<i>pounds</i>)	1090 / 1060 (2403.04 / 2336.90)	1110 / 1060 (2447.13 / 2336.90)
Roof load limit in kg (<i>pounds</i>)	75 (165.35)	
Capacities		
Cooling system capacity (including heating) in liters (<i>gallons</i>)	8.6 (2.27)	
Engine oil capacity (including filter) in liters (<i>quarts</i>)	5.3 (5.60)	
Fuel tank capacity in liters (<i>gallons</i>)	60 (15.85)	
Body / dimensions		
Body type	Unitary, steel	
Number of doors / seats	5 doors with additional side protection / 5 seats	
Drag coefficient Cd / frontal area A in m ² (<i>square feet</i>)	0.33 / 2.13 (22.93)	
Length (L103) / width excluding mirrors (W103) / height (H100) in mm (<i>feet</i>)	4302 / 1765 / 1402 (14.11 / 5.79 / 4.60)	
Wheelbase (L101) / track at front/rear (W101/W102), mm (<i>feet</i>)	2578 / 1522 / 1506 (8.46 / 4.99 / 4.94)	
Height of loading lip in mm (H196) (<i>feet</i>)	664 (2.18)	
Luggage capacity in liters (<i>cubic feet</i>), according to VDA block method (V210)	302 (10.67)	

¹⁾ depending on driving style and operating conditions