


# Citroen Relay II (Citroen Jumper II) (2013 – 2014) – fuse box diagram

Year of production: 2013, 2014

Fuse box in instrument panel (passenger side)




Citroen Jumper II – fuse box – instrument panel

(passenger side)

| Fuse | Ampere rating [A] | Allocation                                                                                                                                   |
|------|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| 12   | 7,5               | Right-hand dipped beam headlamp                                                                                                              |
| 13   | 7,5               | Left-hand dipped beam headlamp                                                                                                               |
| 31   | 5                 | Relay supply                                                                                                                                 |
| 32   | 10                | Cab lighting                                                                                                                                 |
| 33   | 15                | Rear 12V socket                                                                                                                              |
| 34   | —                 | Not used                                                                                                                                     |
| 35   | 7,5               | Reversing lamps – Water in Diesel fuel sensor                                                                                                |
| 36   | 15                | Central locking control – Battery                                                                                                            |
| 37   | 7,5               | Brake lamps switch – Thirs brake lamp – Instrument pamel                                                                                     |
| 38   | 10                | Central locking                                                                                                                              |
| 39   | 10                | Audio system – Diagnostic socket – Alarm siren – Programmable additional heating controls – Air conditioning controls – Tachograph – Battery |
| 40   | 15                | Heated: rear screen (left hand), driver's side mirror                                                                                        |

|    |     |                                                                            |
|----|-----|----------------------------------------------------------------------------|
| 41 | 15  | Heated: rear screen (right hand), passenger's side mirror                  |
| 42 | 7,5 | ABS control unit and sensor – ASR sensor – ESP sensor – Brake lamps switch |
| 43 | 30  | Windscreen wiper motor                                                     |
| 44 | 20  | Cigarette lighter – 12V socket                                             |
| 45 | 7,5 | Door controls                                                              |
| 46 | —   | Not used                                                                   |
| 47 | 20  | Driver's electric window motor                                             |
| 48 | 20  | Passenger electric window motor                                            |
| 49 | 7,5 | Audio system – Instrument panel controls – Driver's electric window        |
| 50 | 7,5 | Airbags and pre-tensioners unit                                            |
| 51 | 7,5 | Tachograph – Cruise control – Air conditioning controls                    |
| 52 | 7,5 | Optional relay supply                                                      |
| 53 | 7,5 | Instrument panel – rear foglamp                                            |
| 89 | —   | Not used                                                                   |
| 90 | 7,5 | Left hand main beam headlamp                                               |
| 91 | 7,5 | Right hand main beam headlamp                                              |
| 92 | 7,5 | Left hand foglamp                                                          |
| 93 | 7,5 | Right hand fog lamp                                                        |

Fuse box in passenger compartment (driver's door pillar fuses)




Citroen Jumper II – fuse box – passenger compartment

(driver's door pillar fuses)

| Fuse | Ampere rating [A] | Allocation                             |
|------|-------------------|----------------------------------------|
| 54   | —                 | Not used                               |
| 55   | 15                | Heated seats                           |
| 56   | 15                | Rear passenger 12 V socket             |
| 57   | 10                | Programmable additional heating        |
| 58   | 10                | Lateral sidelamps                      |
| 59   | 7,5               | Pneumatic suspension                   |
| 60   | —                 | Not used                               |
| 61   | —                 | Not used                               |
| 62   | —                 | Not used                               |
| 63   | 10                | Programmable additional heating switch |
| 64   | —                 | Not used                               |
| 65   | 30                | Programmable additional heating fan    |

Fuse box in engine compartment



Citroen Jumper II – fuse box – engine compartment

| Fuse | Ampere rating [A] | Allocation                                           |
|------|-------------------|------------------------------------------------------|
| 1    | 40                | ABS pump supply                                      |
| 2    | 50                | Diesel pre-heater unit                               |
| 3    | 30                | Ignition switch                                      |
| 4    | 20                | Programmable additional heating                      |
| 5    | 20                | Cab ventilation with programmable additional heating |
| 6    | 40                | Cab fan max speed                                    |
|      | 60                |                                                      |
| 7    | 40                | Cab fan min speed                                    |
|      | 50                |                                                      |
| 8    | 40                | Cab fan unit                                         |
| 9    | 20                | Screenwash pump                                      |
| 10   | 15                | Horn                                                 |
| 14   | 7,5               | Right hand main beam                                 |
| 15   | 7,5               | Left hand main beam                                  |
| 20   | 30                | Headlamp wash pump                                   |
| 21   | 15                | Fuel pump supply                                     |
| 23   | 15                | ABS electrovalves                                    |
| 30   | 15                | Front foglamps                                       |

WARNING: Terminal and harness assignments for individual connectors will vary depending on vehicle equipment level, model, and market.