



Quick Reference Guide

2014 Audi R8

Vorsprung durch Technik **Audi** 

This Quick Reference Guide provides you with a brief overview of selected procedures and functions in your vehicle. It does not replace the Owner's Manual with its important explanations and warnings.

Cockpit

1 Power windows

Setting the desired position:
Press/pull as far as the first level and hold.
Automatic up/down function:
Briefly press/pull as far as the second level.

WARNING

Be careful when closing the windows and luggage compartment. Check to see that no one is in the way, or serious personal injury could result.

2 Adjusting the exterior mirrors


Adjust the knob:

-  Left exterior mirror
-  Heating the exterior mirror
-  Right exterior mirror
-  Folding the exterior mirror

The mirror glass moves in the direction that the knob is pressed.

3 Release buttons for:

-  Front lid
-  Fuel filler flap





12 Ignition lock

13 Steering wheel position
adjuster

! WARNING

The column should only be
adjusted when the vehicle is
at a complete standstill.

14 Navigation system

15 Climate control system

16 Shift lever or selector lever
with S tronic

17  Audi magnetic ride

 OFF Electronic Stability
Control (ESC)

 Emergency flashers

 Rear spoiler

 Parking system

18 Passenger airbag
indicator light

19 Parking brake

4 Door handle and
central locking switch

 locked

 unlocked

5 Data Link Connector for
On Board Diagnostics
(OBD II)

6 Light switch

7 Cruise control system

8 Multifunction steering
wheel controls

9 Turn signal and
high beam lever

10 Instruments and
indicator lights

11 Windshield wiper controls
and trip computer buttons

Pairing cell phone to Bluetooth™ system

The cell phone must be paired one time with the cell phone preparation in the vehicle. The steps required for this procedure depend on the cell phone you are using.

- Vehicle must be stationary with ignition on. Bluetooth system will be visible for approximately 5 minutes.
- On the cell phone, select the menu that searches for Bluetooth capable devices.
- On the cell phone, select „Audi UHV“ and confirm.
- Enter the PIN „1234“ on the cell phone. The time allowed for entering the PIN is limited to approximately 30 seconds.
- Confirm the connection in your cell phone too when requested.
- A Bluetooth symbol appears in the status line of the navigation system if the pairing was successful.

Various phones require that a confirmation be accepted for automatic future connections between the phone and the navigation system as well as acknowledging the synchronization of the address book between the phone and the navigation system.

Telephone voice operation

You can operate many telephone functions comfortably using voice operation.

Requirement: Switch the ignition and navigation system on, do not have any phone calls in progress.

Switching the system on: Press the  button on the multifunction steering wheel briefly. Say your command (refer to the examples) after the <Beep>.

Switching the system off: Press and hold the  button or say <Cancel>.

Sample commands

Help commands: Say <Help>. Possible commands are shown in the display and are read by the system.

Dialing a phone number: Say <Dial number>. Say the desired number in individual numbers or in groups of numbers. Say <Dial>.

Storing a name tag: Select the desired directory entry. Say <Store name>. Say the name under which the directory entry should be stored.

Selecting a directory entry: Say <Select name>. Say the name tag. Say <Dial>.

Deleting a name tag: Say <Delete name>. Say the name tag. Say <Yes>.

Adjusting the seats

1 Adjusting the lumbar support:

Press on the respective area of the switch.

2 Adjusting seat height and forward/back position:

Front of the seat cushion up/down

Back of the seat cushion up/down

Seat up/down

Seat forward/back

3 Adjusting the backrest:

Backrest forward/back

4 Releasing the backrest:

Pull the lever up and fold the backrest forward.



Adjusting the headrests

Hold the sides of the headrest with both hands and slide it.

Adjust the head restraint so the upper edge is as even as possible with the top of your head.



Safety belt microphone

The safety belt microphone **A** for the telephone system activates automatically when the safety belt is latched.

! WARNING

Thoroughly review your Owner's Manual for warnings and other important information about proper restraint use and what you can do to reduce the risk of injury in accidents. Failure to properly use restraint systems can cause serious personal injury.

! WARNING

Never install a rearward facing child safety seat on the front passenger seat unless the PASSENGER AIR BAG OFF light comes on and stays on. A child will be seriously injured or killed when the passenger airbag inflates.

! WARNING

Always fasten safety belts before driving off. Always make sure passengers are properly restrained. The airbag is supplemental and does not replace safety belt use.

! WARNING

Front seat passengers must never ride in a moving vehicle with the seatback reclined. The risk of personal injury increases with increasing rearward angle of the seatback. Safety belts only offer protection when the seatback is upright and belts are properly positioned on the body. Adjust your seats only when the vehicle is at a complete standstill.


! WARNING

The airbag system cannot protect you properly if you are seated too close to any of the airbag locations. When adjusting their seat positions, it is important that both the driver and front passenger keep their upper bodies at a minimum safe distance of 10 inches (25 cm) between the chest and the steering wheel/instrument panel.

Starting the engine

Switching the ignition on/ starting the engine

Insert the key into the ignition lock.



Switching the ignition on:

Turn the key to the 2 position.

Starting the engine

(manual transmission):

Press the clutch and turn the key to the 3 position until the engine starts.

Starting the engine (S tronic):

Press the brake and turn the key to the 3 position until the engine starts.

Stopping the engine: Turn the key to the 1 position.

S tronic

Clutch activation and shifting are controlled electronically. You can drive in automatic mode or shift the gears yourself.

A - Automatic and manual shift program

- Move the selector lever to the A position. The gears are shifted automatically
- Move the selector lever forward (+) to shift up.
- Move the selector lever back (-) to shift down.

N - Neutral (idle)


- Press the selector lever out of the A position to the right (N) or, after driving in reverse, out of the R position and to the left (A).

R - Reverse gear

- With the vehicle stationary (idle), press the brake pedal and move the selector lever out of the N position R.

Sport mode

Press the **SPORT** to activate/deactivate the sport mode. The engine's power reserves are used fully in sport mode.



Climate control

Left rotary switch: Temperature selection

Center rotary switch: Switch the climate control switch on/off and regulate the fan speed.

Right rotary switch: Air distribution

-  **Automatic mode**
Set the desired temperature and press the button.
-  **Recirculation mode**
Circulate and filter the air inside the passenger compartment
-  **Switch the air conditioning system on/off**
-  **Heated seats**
-  **Defrost the windshield/side windows**
-  **Rear window defroster**

Audi magnetic ride

Two suspension systems in one vehicle

Standard driving mode: Suspension setting that emphasizes comfort.

Sport driving mode: Sporty suspension setting. Press the  button to activate/deactivate.



Cruise control

The **CRUISE/**  indicator light appears in the instrument cluster when the system is switched on.

Switching on/off: Pull/press the lever **2**.

Storing the speed: Press the button **1**.

Changing the stored speed:

Press the lever up (faster) or down (slower).



WARNING

Improper use of the cruise control can cause collisions, other accidents and serious personal injury. Always read and heed the Warnings in the Owner's Manual.

Rear spoiler

Increasing driving stability

The downward force at the rear axle is increased when the rear spoiler is extended.

Automatic mode:

The rear spoiler extends at speeds above approximately 65 mph (100 km/h) and retracts at speeds under 20 mph (35 km/h).

Manual mode:

Press the  button briefly to extend the rear spoiler.

Press the  button again at speeds between 10 mph (20 km/h) and 65 mph (100 km/h) to retract the rear spoiler.

Press and hold the  button at speeds below 10 mph (20 km/h) to retract the rear spoiler.

WARNING

Never drive at speeds higher than 85 mph (140 km/h) if the spoiler is not deployed.



Fuel filler flap

Opening:

Press the  button in the driver's door.

Closing:

Press the fuel filler flap in until it latches.



Fuel

The label on the inside of the fuel filler flap indicates the correct fuel type.



Tire pressures

The label with the correct tire pressures is located on the driver's door pillar.



Front compartment lid

Opening:


Press the  button on the remote control key or in the driver's door. The front lid opens slightly. Press the release tab between the radiator grille and the front lid and raise the lid.

Closing: Lower the front lid and press it down with both hands.



Engine oil

For the applicable oil specifications, refer to the Owner's Manual.



Navigation system plus

Components

1 Driver information system

2 Multifunction steering wheel

Roll the **left thumbwheel** to select a menu item in the driver information system. Press the thumbwheel to confirm the menu item.

Press the **MODE button** to switch between the active radio source, navigation system and telephone.

Press the **voice recognition button** briefly to activate the voice recognition system. After the <Beep>, you can say the desired commands.

To deactivate, press and hold the **voice recognition button** until you hear the message <Cancel>.

Roll the **right thumbwheel** to adjust the volume.

Press the right thumbwheel to repeat the last navigation announcement.





3 Display

4 Function buttons

Call up main functions such as **FMTAM**.

5 On/Off button

Switching on/off:

Press briefly/press and hold.

Adjusting the volume: Turn.

Mute: Press briefly.

6 Control buttons

Activate the functions currently shown in the corners of the MMI display.

7 Control knob

To select a menu item: Turn the knob.

To confirm your selection: Press the knob.


⚠ WARNING

Distraction causes accidents:

- Never enter data while driving!
- Obey traffic laws & road signs!
- Refer to the Owner's Manual!

Operation

Operation is the same in all functions.



A Calling up menus in the display corners: Press the appropriate button.

B Selecting: Turn the knob.

C Confirming: Press the knob.

Storing a radio station



- 1 Press the **FM/TAM** function button.
- 2 Turn the control knob and select the desired station.



- 3 Press and hold the control knob.




- 4 Press the control knob to store in the next free memory preset or
- 5 Turn the control knob to store in a specific location. Then press the control knob to set.

Starting navigation

- 1 Press the **NAV** function button.



- 2 Turn the control knob and select **City/ZIP**.
3 Press the control knob to confirm.



- 4 Turn the control knob to select the first letter of the destination.
5 Press the control knob to confirm.



- 6 Enter the remaining letters of the destination using the same procedure until the desired location name is displayed.



- 7 When you have entered the destination, turn the control knob and select **OK**.
8 Press the control knob to confirm.



- 9 Select the menu item **Start route guidance**.
10 Press the control knob to confirm. The route is calculated.



Placing a phone call



Dialing a phone number from a call list:

- Press the **TEL** function button.
- Press the **Memory** control button.
- Turn the control knob to select **Dialed numbers**, **Missed calls** or **Received calls** and press to confirm. The phone numbers from the selected list appear in the display.
- Turn the control knob to select the desired number and press to confirm.
- Press the **Dial** control button.



Accessing directory contacts:

- Press the **NAME** function button.
- Turn the control knob to select **Show list** and press to confirm.
- Turn the control knob to select the desired contact and press to confirm.
- Turn the control knob to select the desired number and press to confirm.

Setting the clock



Select in the navigation system: **SETUP** function button > **Settings** control button > **Time/Date format**

Time format: Turn the control knob to **24h** or **am/pm**.

Date format: Turn the control knob to **DD.MM** or **MM/DD**.

If the instrument cluster source is not available, the time and date are received through GPS. If this is the case, GPS appears under the **Time source** menu item. The GPS time can be set under the **GMT +/-** menu item.

For additional information on indicator lights, refer to your vehicle Owner's Manual.

BRAKE	Brake system, parking brake set (USA)		Gearbox malfunction	EPC	Electronic power control		Windshield washer fluid level low		Speed warning (CAN)
	Brake system, parking brake set (CAN)		Electronic Stability Control (ESC)		Malfunction Indicator Lamp (USA)		Defective light bulb		Gearbox malfunction
AIR BAG	Safety systems (USA)		Electronic Stability Control (ESC)		Malfunction Indicator Lamp (CAN)	BRAKE LIGHT	Defective brake light (USA)		Turn signals/Emergency flasher
	Safety systems (CAN)	ABS	Anti-lock brake system (USA)		Engine speed limitation		Defective brake light (CAN)	CRUISE	Cruise control activated (USA)
	Safety belt		Anti-lock brake system (CAN)		Check engine oil level		Light/rain sensor defective		Cruise control activated (CAN)
	Alternator malfunction		Worn brake pads		Engine oil sensor malfunction		Audi magnetic ride		High beam
	Engine oil pressure too low		Tire pressure too low (check immediately)		Battery voltage too high or too low		Rear spoiler		
	Cooling system malfunction	TPMS	Tire pressure monitoring system malfunction		Low fuel level		Speed warning (USA)		

© 2013 AUDI AG

Audi is constantly improving their products. Modifications in form, equipment and technology are possible. No legal commitment is implied by the information, illustrations, and descriptions in this Quick Reference Guide. Reprinting, reproduction or translation, in whole or in part, is not permitted without written permission from Audi of America, Inc. All rights are expressly reserved by Audi of America, Inc. Subject to modification without notice. Concept and design: Pfriemer GmbH. Printed in Germany.

Indicator lights

Kurzanleitung
Audi R8
Nordamerika
Englisch 01.2013
141.562.423.21



14156242321

www.audi.com