

DODGE RAM 3500 CHASSIS CAB

2009

2009 DODGE RAM 3500 CHASSIS CAB • 2009 DODGE RAM 3500 CHASSIS CAB • 2009 DODGE RAM 3500 CHASSIS CAB • 2009 DODGE RAM 3500 CHASSIS CAB • 2009



The Dodge Ram 3500 Heavy Duty Chassis Cab is engineered specifically for the chassis cab buyer seeking a reliable, durable and upfit-friendly work truck.

PRODUCT HIGHLIGHTS

- 34" industry-standard frame rail spacing, and a best-in-class⁽¹⁾ interior room (Quad Cab[®])
- New 5.7L HEMI[®] V8 engine with VVT – Standard
- 6.7L Cummins[®] Turbo Diesel engine (305 hp/610 lb-ft of torque) – Available
- 5-year/100,000-mile Limited Warranty⁽²⁾ on Diesel engine
- B5 biodiesel compatible (with Cummins Turbo Diesel)
- New brake system includes new calipers, rotors, parking brake DIH (Drum in Hat), hub bearings, front shields and new steering knuckle for improved brake life – Standard
- 3.42 axle ratio on 6.7L Cummins Turbo Diesel with manual transmission – Available
- Six-speed AISIN automatic (with PTO capability, Cummins Turbo Diesel only) – Available
- 3.73 axle ratio on 6.7L Cummins Turbo Diesel with automatic transmission – Available
- Five-speed automatic transmission (HEMI V8 only) – Standard
- Flat and clean C-channel rear frame rails – Standard
- 52-gallon fuel tank – Standard
- 50,000 psi rear frame rail steel strength – Standard
- Vinyl 40/20/20 split-bench front seat – Standard
- Dual rear wheels – Standard
- 60" and 84" CA (cab-to-axle) – Available
- Remote start for Diesel engine – Available
- Automatic Oil Change Monitoring System – Standard

SAFETY/SECURITY

- Next Generation multistage front air bags⁽³⁾ – Standard
- Enhanced Accident Response System (EARS) – Standard
- Constant Force Retractors – Standard
- Brake-Park Interlock (with automatic transmission) – Standard
- Four-wheel disc antilock brakes – Standard
- Unibelt three-point restraint system – Standard⁽⁴⁾
- Height-adjustable driver and front-outboard passenger seat belt – Standard

FLEET FEATURES

- Ambulance Prep Package – Available
- Trailer Tow Prep Group – Available
- Heavy-Duty Snow Plow Prep Group⁽⁵⁾ – Available
- Single Rear Wheel Group – Available
- ST Décor Group – Available
- Power Accessory Group – Available
- Power and Remote Entry Group – Available
- Diesel exhaust brake – Available
- 22-gallon mid-mounted fuel tank – Available
- Power Take-Off (PTO) prep – Available
- Daytime Running Lamps – Available
- Radio delete – Available
- Special paint procedure – Available

⁽¹⁾ Based on comparisons of major competitors, Ford and GM Class 3 Chassis Cabs.

⁽²⁾ See your dealer for details and for a copy of this limited warranty.

⁽³⁾ Always use seat belts. Remember, a backseat is the safest place for children 12 and under.

⁽⁴⁾ On Regular Cab models.

⁽⁵⁾ 4x4 only.



CHRYSLER

FLEET OPERATIONS



POWERTRAINS

Engines		Transmissions		Transfer Cases	
		Six-Speed Manual with PTO Capability	Six-Speed AISIN Automatic with PTO	4x4 NV271	4x4 NV273 ⁽¹⁾
4x2	S 5.7L HEMI® V8 with VVT	S	—	—	—
4x4		S	—	S	O
4x2	6.7L Cummins® Turbo Diesel 305 hp @ 2,900 rpm, 610 lb-ft of torque @ 1,600 rpm	S	—	O	—
4x4		S	—	O	S

S = Standard. O = Optional.

⁽¹⁾ Electric shift.

DIMENSIONS⁽¹⁾/SPECIFICATIONS (60" CA/84" CA)⁽²⁾

	Regular Cab 4x2	Regular Cab 4x4	Quad Cab® 4x2	Quad Cab 4x4
Exterior				
Wheelbase	143.8/167.5	143.8/167.5	163.5	163.5
Overall Length	235.1/259.1	235.1/259.1	255.1	255.1
Overall Height (Empty) maximum	78.6	78.6	79.0	79.0
Overall Width of Cab	79.5	79.5	79.5	79.5
Track				
— Front (SRW/DRW)	68.7/69.6	68.7/69.6	68.7/69.6	68.7/69.6
— Rear (SRW/DRW)	68.1/71.7	68.1/71.7	68.1/71.7	68.1/71.7
GVWR (lb)				
— SRW	10,200	10,200	10,200	10,200
— DRW	12,500	12,500	12,500	12,500
Payload				
Range (lb)				
— Min, SRW	3,710	3,460	3,380	3,110
— Min, DRW	5,720/5,590	5,470/5,300	5,390	5,120
— Max, SRW	3,770	3,530	3,440	3,180
— Max, DRW	6,640/6,490	6,330/6,190	6,290	5,990
Fuel Tank Capacity (gal)	52 rear (std)/22 mid-mounted (opt)			
Interior			Regular Cab	Quad Cab
Head Room (Front/Rear)			40.8	41.0/40.0
Hip Room (Front/Rear)			65.0	65.0/65.3
Shoulder Room (Front/Rear)			67.0	67.0/66.5
Leg Room (Front/Rear)			41.0	41.0/36.7
Seating Capacity			3	6

SRW = Single Rear Wheel. DRW = Dual Rear Wheel.

⁽¹⁾ All dimensions are in inches unless otherwise noted.

⁽²⁾ Based on preliminary information.

Chrysler, HEMI, Mopar, Quad Cab and UConnect are registered trademarks of Chrysler LLC. Chrysler LLC reserves the right to make changes at any time, without notice or obligation. All product specifications and photographs are based on authorized information as of 4/1/08. Fleet Operations is a division of Chrysler Motors LLC. Cummins is a registered trademark of Cummins, Inc.

Dodge 3500 is assembled at the Saltillo, Mexico Plant.

EXTERIOR COLORS



Bright Silver Metallic



Brilliant Black Crystal Pearl



Electric Blue Pearl



Flame Red



Inferno Red Crystal Pearl




Light Khaki Metallic



Mineral Gray Metallic



Patriot Blue Pearl



Bright White

SPECIAL PAINT COLORS — FLEET ONLY



Yellow



School Bus Yellow



Black Clear Coat



Timberline Green Pearl



Omaha Orange




Detonator Yellow



Light Green



Bright Red



Light Cream



Dark Brown

STANDARD ON ALL 2009 RAM 3500 CHASSIS CAB

Air Bags⁽¹⁾ — Next Generation multistage driver and front-passenger

Alternator — 136-amp

Assist Handle — Passenger-side

Battery — 750-amp

Brakes — Power-assisted four-wheel disc with antilock

Cluster — Instrument, with tachometer and 120-mph speedometer

Engine Cooling — Heavy-duty

Fascia — Front, upper gray

Fuel Tank — 52-gallon, rear

Headlamps — Halogen

Insulation — Dash liner, floor tunnel

Radio — AM/FM stereo radio with CD player

Seat Belts — Front, height-adjustable shoulder

Stabilizer Bar — Front and rear

Steering — Power, recirculating ball/tilt

Storage — Rear, underseat compartment (Quad Cab models only)

Tires — LT235/80R17E BSW all-season

Windshield Wipers — Variable-intermittent

⁽¹⁾ Always use seat belts. Remember, a backseat is the safest place for children 12 and under.

To learn more about the 2009 Dodge Ram 3500 Chassis Cab, visit www.fleet.chrysler.com or call 1-800-999-FLEET.

DODGE RAM 3500 CHASSIS CAB

2009

Exterior Colors	Interior Trim	
	Medium Slate Gray	Khaki
Bright Silver Metallic	•	
Bright White	•	•
Brilliant Black Crystal Pearl	•	•
Electric Blue Pearl	•	
Flame Red	•	•
Inferno Red Crystal Pearl	•	•
Light Khaki Metallic		•
Mineral Gray Metallic	•	•
Patriot Blue Pearl	•	•
Fleet Only Colors		
Black Clear Coat	•	•
Bright Red	•	
Dark Brown	•	•
Detonator Yellow	•	
Light Cream	•	•
Omaha Orange	•	
School Bus Yellow	•	
Timberline Green Pearl	•	•
Yellow	•	

POWERTRAINS

Models	Engines	Transmissions			Transfer Cases	
		Six-speed manual	Five-speed automatic	Six-speed AISIN automatic	NV271	NV273 ⁽¹⁾
3500 4x2 Regular Cab, Quad Cab®	S 5.7L HEMI® V8 with VVT		S			
	O 6.7L Cummins® Turbo Diesel I-6	S		O		
3500 4x4 Regular Cab, Quad Cab	S 5.7L HEMI V8 with VVT		S		S	O
	O 6.7L Cummins Turbo Diesel I-6	S		O	S	O

S = Standard. O = Optional.

⁽¹⁾ Electric shift.

SELECTED FEATURES, OPTIONS AND PACKAGES

Engines	Transmissions	3500		
		ST	SLT	Laramie
		A	G	H
5.7L HEMI V8 with VVT (E2C)	Five-Speed Automatic (DGQ)	26A	26G	26H
6.7L Cummins Turbo Diesel I-6 (ETJ)	Six-Speed Manual (DEG)	2EA	2EG	2EH
6.7L Cummins Turbo Diesel I-6 (ETJ)	Six-Speed Automatic (DG3)	2GA	2GG	2GH
Features				
Air Bags ⁽¹⁾				
– Next Generation Multistage, front (CG1)		•	•	•
– Driver only – deletes Next Generation Multistage Front Passenger (CGT)		O	O	
Air Conditioning (included with Ambulance Prep Group) (HAA)		O/P	•	
– Dual zone temperature control (HAD)				•



CHRYSLER

FLEET OPERATIONS

DODGE RAM 3500 CHASSIS CAB

2009

SELECTED FEATURES, OPTIONS AND PACKAGES

	3500		
	ST	SLT	Laramie
	A	G	H
Alternator			
– 136-amp (BAZ)	•	•	•
– 160-amp (included in Heavy Duty Snow Plow Prep Group) (BAB)	O/P	O/P	O/P
– 220-amp (included with Ambulance Prep Group; must have Cummins Turbo Diesel) (BAJ)	O/P	O/P	O/P
Ambulance Prep Group (includes 220-amp alternator, antispin rear differential, HVAC Taps and air conditioning on ST; must have Cummins Turbo Diesel) (AH2)	O	O	O
Assist Handle – Passenger-side (CSP)	•	•	•
Axles			
– Antispin rear differential (included with Ambulance Prep Group) (DSA)	O/P	O/P	O/P
– 3.42 ratio (optional with Cummins®/manual transmission combination only) (DMR)	O	O	O
– 3.73 ratio (standard with Cummins/manual transmission; optional with Cummins/AISIN transmission with SRW) (DME)	•/O	•/O	•/O
– 4.10 ratio (standard with HEMI®; optional with Cummins/manual transmission combination only) (DMF)	•/O	•/O	•/O
Badging			
– Laramie (MTE)			•
– SLT (MTD)		•	
Battery – 750-amp (two standard with diesel engine) (BCQ)	•	•	•
Brakes – Power-assisted four-wheel disc with antilock (BRT)	•	•	•
Bumper			
– Front, Gray (MCC)	•		
– Front, bright (included with ST Decor Group) (MCT)	P	•	•
Cargo Lamp (LPE)	O	O	O
Cigar Lighter (JJA)	•	•	•
Console			
– Overhead, with trip computer (when equipped with the HEMI V8 engine with VVT) (CUS)		P	P
– Overhead, with trip computer and EVIC (included with the Cummins Turbo Diesel engine) (CWV)	P	P	P
Daytime Running Lamps (LM1)	L	L	L
Door Locks			
– Manual (JE8)	•		
– Power (included in Power Accessory and Power and Remote Entry Groups) (JPB)	P	•	•
Emissions – 50 state (NAS)	•	•	•
Engine Block Heater (NHK)	O	O	O
Engine Cooling – Heavy-duty (NMC)	•	•	•
Exhaust Brake – (Included with Cummins Turbo Diesel engine) (NEN)	•	•	•
Floor Covering			
– Heavy-duty vinyl (CKJ)	•	O	O
– Carpet (CKE)	O	•	•
Floor Mats			
– Front and rear, carpeted (Quad Cab®) (not available with vinyl floor) (CLE)		•	
– Front, carpeted (Regular Cab) (CLA)		•	
– Luxury front (CL3)			•
– Rear (CLB)			•
Fog Lamps (LNJ)		O	•
Fuel Tank			
– 22-gallon mid-mounted (NFA)	O	O	O
– 52-gallon rear (NFH)	•	•	•

DODGE RAM 3500 CHASSIS CAB

2009

SELECTED FEATURES, OPTIONS AND PACKAGES

	3500		
	ST	SLT	Laramie
	A	G	H
Grille			
– Black surround, black billet grille (MFF)	•		
– Chrome surround, black billet grille (included with ST Decor Group) (MFD)	P	•	
– Chrome surround, chrome billet grille (MF1)			•
Headlamps – Halogen (LMA)	•	•	•
Heavy Duty Snow Plow Prep Group – Includes transfer case skid plate and 160-amp alternator; 4x4 only (AHD)	O	O	O
Instrument Cluster – With tachometer and 120-mph speedometer (JAY)	•	•	•
Insulation			
– Dash liner (HGB)	•	•	•
– Floor tunnel (HGF)	•	•	•
– Fender-to-cowl seal (HGG)		•	•
Lamps – Clearance (LNC)	•	•	•
Light Group – Includes glove box lamp, ashtray lamp, underhood lamp, illuminated vanity mirrors, auto day/night mirror (ADA)		O	
Load Floor – Rear fold-flat (Quad Cab) – (included with *M9, *AJ, *GJ and *VL seats) (not available with vinyl floor)		P	•
Map pocket – With power seats (Quad Cab only, driver-side)		•	•
Mirrors			
Exterior			
– Manual, 7"x10" trailer-tow, black (GPD)	•		
– Power, heated, 7"x10" trailer-tow, black (included in Power Accessory and Power and Remote Entry Groups) (GPG)	P	•	•
Interior			
– Day/night manual (GNA)	•	•	
– Auto-dimming rearview day/night (included in Light Group and UConnect [®] (2)) (GNK)		P	•
– Illuminated visor passenger and driver-side (included in Light Group) (GNC)		P	•
Monotone Paint (APA)	•	•	•
Pedals – Power adjustable (XAP)		O	•
Power Accessory Group – Includes power windows, power door locks and power heated 7"x10" exterior trailer-tow mirrors (AJW)	L		
Power and Remote Entry Group – Includes power windows, power door locks, power heated 7"x10" exterior trailer-tow mirrors, remote keyless entry and Sentry Key [®] theft deterrent system (AJH)	L		
Power Outlet – Auxiliary, in center armrest/business console (included with *M9 premium features seat)		P	•
Power Take Off (PTO) Prep – (Cummins [®] Turbo Diesel only) (LBN)	O	O	O
Radio			
– AM/FM stereo radio with CD player (REF)	•	•	•
– AM/FM/MP3 stereo radio with six-disc in-dash CD changer and seven ∞Infinity [®] speakers (RAQ)		O	O
– AM/FM/MP3 stereo radio with in-dash six-disc CD changer, integrated DVD-based GPS Navigation System with 5.8" display screen and seven ∞Infinity speakers (REC)		O	O
– SIRIUS [®] Satellite Radio (RSA)	O	O	•
– UConnect [®] Hands-Free Communication System ⁽²⁾ includes auto-dimming rearview mirror (RSP)		O	O
Radio Controls – Steering wheel-mounted (requires RAQ or REC radios with leather-wrapped steering wheel [SCV]) (RDZ)		O	P
Radio Delete (RA8)	L		
Remote Keyless/Illuminated Entry – Controls for power door locks, illuminated entry system, panic alarm, includes two transmitters (included with Power and Remote Entry Group [Fleet Only]) (GXM)	P	•	•
Remote Start System – Must have HEMI [®] V8 and automatic transmission or Cummins/AISIN automatic (XBM)		O	•
Seat Belts – Front, height-adjustable shoulder (CGD)	•	•	•

DODGE RAM 3500 CHASSIS CAB

2009

SELECTED FEATURES, OPTIONS AND PACKAGES

	3500		
	ST	SLT	Laramie
	A	G	H
Seats			
– Six-way power driver (included with *M9 and *AJ seats) (JTH)		P	•
– Power, driver and front passenger (Quad Cab® only) (JTD)			•
– Manual lumbar supports		P	•
– Heated, driver and front-passenger (CMA)			•
– Vinyl 40/20/40 split-bench front seat with adjustable head restraints for outboard seating positions, driver and front-passenger recliners and folding center armrest (Quad Cab models include folding rear bench seat trimmed in vinyl) (*TX)	•		
– Leather-trimmed 40/20/40 split-bench front seat with adjustable head restraints for outboard seating positions, driver and front-passenger recliners, fold-flat load floor and folding center armrest/business console (Quad Cab models include 60/40 split-folding rear bench seat trimmed in vinyl) (*VL)			•
– Cloth-trimmed 40/20/40 split-bench front seat featuring YES Essentials®(3) stain/odor/static resistant fabric with adjustable head restraints for outboard seating positions, driver and front-passenger recliners and folding center armrest (Quad Cab models include folding rear bench seat) (*P9)	O	•	
– Cloth-trimmed 40/20/40 Premium split-bench front seat featuring YES Essentials®(3) stain/odor/static resistant fabric with adjustable head restraints for outboard seating positions, six-way power driver seat, driver and front-passenger recliners, fold-flat load floor and folding center armrest/business console (Quad Cab models include 60/40 split-folding rear bench seat) (*M9)		O	
– Cloth-trimmed low-back bucket seats featuring YES Essentials®(3) stain/odor/static resistant fabric with adjustable head restraints, driver and front-passenger recliners, fixed center console, and rear fold-flat load floor (Quad Cab models include 60/40 split-folding rear bench seat trimmed in cloth) (*AJ)		O	
– Leather-trimmed low-back bucket seats with adjustable head restraints, driver and front-passenger recliners, fixed center console and rear fold-flat load floor (Quad Cab® models include 60/40 split-folding rear bench seat trimmed in vinyl) (*GJ)			O
Security Alarm – (LSA)		O	•
Sentry Key® Theft Deterrent System – Engine immobilizer (included with Power and Remote Entry Group [Fleet only]) (GXX)	P	•	•
Shield – Front hood protection (XJL)	O	O	O
Shock Absorbers			
– Front, heavy-duty (SFB)	•	•	•
– Rear, heavy-duty (SGB)	•	•	•
Single Rear Wheel Group – Includes 11.5" axle, 10,200-lb GVWR, LT265/70R17E tires and 17" x 7.5" (ST) or 17" x 8.0" (SLT and Laramie) wheels (60" CA only; must have Cummins® Turbo Diesel) (AR9)	O	O	O
Speakers			
– Two (RCB)	•		
– Four (RCD)		•	
– Seven ∞Infinity® (packaged with RAQ and REC radio) (RCK)		P	•
Special Paint Procedure (AP9)	L	L	L
Speed Control (NHM)	•	•	•
Springs			
– Heavy-duty, front (requires Cummins Turbo Diesel) (SKS)	O	O	O
– Super heavy-duty, front (requires Cummins Turbo Diesel and Dual Rear Wheel) (SKT)	O	O	O
ST Decor Group – Includes chrome front bumper and chrome grille surround with black billet inserts (AMP)	O		
Stabilizer Bar			
– Front (SHA)	•	•	•
– Rear (SHD)	•	•	•
Steering – Power, recirculating ball (SBE)	•	•	•
Steering Wheel			
– Four-spoke (SCF)	•	•	
– Leather-wrapped (SCV)		O	•
– Tilt column (SUA)	•	•	•

DODGE RAM 3500 CHASSIS CAB

2009

SELECTED FEATURES, OPTIONS AND PACKAGES

	3500		
	ST	SLT	Laramie
	A	G	H
Storage			
– Front seat center cushion (included with *M9 or *VL seats) (CVH)		P	•
– Front, behind seat (Regular Cab only) (CU3)	•	•	
– Rear, underseat compartment (Quad Cab® models only) (CUE)	•	•	•
Tires			
– LT235/80R17E BSW all-season (TPY)	•	•	•
– LT235/80R17E BSW on-/off-road (4x4 only; not available with Single Rear Wheel Group) (TP8)	O		
– LT235/80R17E OWL on-/off-road (4x4 only; not available with Single Rear Wheel Group) (TP9)		O	O
– LT265/70R17E BSW all-season (included with Single Rear Wheel Group) (TT3)	P	P	P
– LT265/70R17E OWL on-/off-road (60" CA only; must have Single Rear Wheel Group) (TT5)	O	O	O
– Spare, full-size (includes jack with wrench) (TBB)	O	O	O
Tow Hooks – (Packaged with Cummins Turbo Diesel) (XEA)	O/P	O/P	O/P
Trailer Brake Control Harness (AHT)	O	O	O
Transfer Case			
– Manual (4x4 models) (DH1)	•	•	
– Electric shift (4x4 models) (DH3)		O	•
Transfer Case Skid Plate – (4x4 models only) (included with Heavy Duty Snow Plow Prep) (XEF)	O/P	O/P	•
Visors			
– Driver and front passenger, with illuminated vanity mirrors (included in Light Group) (GNC)		P	•
– Front passenger, with mirror (GNM)	•	•	
Wheels			
– 17" Steel spare (WF1)	O	O	O
– 17" Argent steel with center cap (included with Single Rear Wheel Group) (WD2)	P		
– 17" Chrome-clad steel (included with Single Rear Wheel Group) (WGS)		P	
– 17" Polished forged aluminum (optional with Single Rear Wheel Group only) (WGD)		O	
– 17" Chrome-clad forged aluminum (included with Single Rear Wheel Group only) (WGX)			P
– 17" Argent steel wheel with chrome center cap (Dual Rear Wheel Group only) (WFU)	•		
– 17" Steel with chrome wheel skin and center cap (Dual Rear Wheel Group only) (WD4)	O	•	•
Windows			
– Manual (JF8)	•		
– Power, front (and rear on Quad Cab®) with driver's one-touch down (included with Power Accessory Group and Power and Remote Entry Group) (JPD)	L	•	•
– Rear backlight, fixed (GJD)	•	•	
– Rear backlight, sliding (GFD)	O	O	
– Rear backlight, power sliding (GFE)			•
Windshield Wipers – Variable intermittent (JHA)	•	•	•

• = Included. P = Available within package noted. O = Optional. L = Fleet only limited production option.

⁽¹⁾ Certified to the Federal Regulations that allow less forceful front air bags. Always use seat belts. Children 12 and under should always be in a backseat correctly using an infant or child restraint system, or the seat belt positioned correctly for the child's age and size.

⁽²⁾ Requires Bluetooth® enabled mobile phone.

⁽³⁾ Not compatible with aftermarket fabric-protecting coatings.

Chrysler, HEMI, MyGIG, Quad Cab, Sentry Key and UConnect are registered trademarks of Chrysler LLC. Chrysler LLC reserves the right to make changes at any time, without notice or obligation. All product specifications and photographs are based on authorized information as of 4/1/08. Fleet Operations is a division of Chrysler Motors LLC. The Bluetooth word mark and logo are registered trademarks and are owned by Bluetooth SIG, Inc. Cummins is a registered trademark of Cummins Inc. ∞Infinity is a trademark of Harman International Industries, Inc. "SIRIUS," the SIRIUS dog logo, and related marks are registered trademarks of SIRIUS Satellite Radio, Inc. Monthly subscription may apply. Programming is subject to change. Not available in Alaska and Hawaii. For full Terms & Conditions, visit sirius.com. YES Essentials is a registered trademark of Milliken & Company.