

54 12 Mechanical components, slide/tilt sunroof

Tightening Torques

	Type	Thread	Tightening specifications	Torque
1AZ Glass slide/tilt sunroof panel, front	F45 / F46 / F48 / F49	M5	Apply Loctite to screws.	4,5 Nm
2AZ Glass slide/tilt sunroof panel, rear	F45 / F46 / F48 / F49	M5	Apply Loctite to screws.	4,5 Nm
3AZ Panorama glass roof to body	F45 / F46 / F48 / F49	M6	Self-tapping screw	5,4 Â±0,5 Nm
4AZ Roller sunblind to panorama glass roof frame	F45 / F46 / F48 / F49			1,5 Nm
5AZ Reinforcement plate to panorama glass roof frame	F45 / F46 / F48 / F49	M6		8 Nm

54 13 Electric components for slide/tilt sunroof

Tightening Torques

	Type	Thread	Tightening specifications	Torque
1AZ Drive to slide/tilt sunroof unit	F45 / F46 / F48 / F49			3,5 Nm
	F52			3 Nm

54 12 Mechanical components, slide/tilt sunroof

Tightening Torques

	Type	Thread	Tightening specifications	Torque
1AZ Glass slide/tilt sunroof panel, front	F45 / F46 / F48 / F49	M5	Apply Loctite to screws.	4,5 Nm
2AZ Glass slide/tilt sunroof panel, rear	F45 / F46 / F48 / F49	M5	Apply Loctite to screws.	4,5 Nm
3AZ Panorama glass roof to body	F45 / F46 / F48 / F49	M6	Self-tapping screw	5,4 Â±0,5 Nm
4AZ Roller sunblind to panorama glass roof frame	F45 / F46 / F48 / F49			1,5 Nm
5AZ Reinforcement plate to panorama glass roof frame	F45 / F46 / F48 / F49	M6		8 Nm

54 operating fluid overview

Brake fluid and hydraulic fluid

Hydraulic fluid for convertible top / lids	250 ml, Bottle	54340394395
--	-------------------	-------------

Expendable materials

Lubricating grease Renolit RHF 1	20 g, Bag	83192157321
----------------------------------	--------------	-------------