

Shift Lock Control System


WIRING SYSTEM

52.Shift Lock Control System

A: WIRING DIAGRAM

a

a




OP : WITHOUT PUSH BUTTON START

WP : WITH PUSH BUTTON START

*1 : WITHOUT PUSH BUTTON START : B/W
WITH PUSH BUTTON START : Y/R

WI-40953



OP : WITHOUT PUSH BUTTON START

NE : NON-TURBO MODEL (EyeSight MODEL WITHOUT X MODE)

EN : EXCEPT FOR NON-TURBO MODEL (EyeSight MODEL WITHOUT X MODE)

*1 : TERMINAL No. OPTIONAL ARRANGEMENT
 *2 : TERMINAL No. OPTIONAL ARRANGEMENT AMONG 1, 2, 3, 4, 5 AND 6
 *3 : TERMINAL No. OPTIONAL ARRANGEMENT AMONG 7, 8, 9, 10, 11 AND 12
 *4 : NON-TURBO MODEL (EyeSight MODEL WITHOUT X MODE) : BR/R
 EXCEPT FOR NON-TURBO MODEL (EyeSight MODEL WITHOUT X MODE) : W/R

WI-40954


Shift Lock Control System

WIRING SYSTEM

C

C

LIST OF CONNECTORS



WI-40955

